



LIDGET *Compton*
The Best Concrete Garage

AREA 1
MAY 2022

Simple easy to understand pricing, the price you see is the price you pay!




GARAGE & SHED PRICES

Why choose Lidget Compton?

- ✓ We are the UK's largest & market leading manufacturer of sectional concrete garages, sheds & garden buildings
- ✓ We have over 35 years experience in the garage market
- ✓ Every building comes with a 10 year structural guarantee
- ✓ We manufacture the UK's strongest garage panels
- ✓ Buildings are installed by our own workforce, usually on the day of delivery
- ✓ We offer the UK's largest & most flexible product range
- ✓ We offer a bespoke building design service
- ✓ We supply market leading Hormann & GDS garage doors for greater choice
- ✓ As a family run business we pride ourselves on offering the best products and service possible
- ✓ Our nationwide network of local garage specialists have all the experience and expertise you need when purchasing a new sectional building



Deluxe Range
p. 2-3



Anthracite Deluxe
p. 4-5



Deco Deluxe
p. 6-7



Standard Range
p. 8-9

lidget.co.uk

The Deluxe range is our premium package and is packed full of maintenance free and upgraded features. Available

PENT *DELUXE* The Pent Deluxe is based on our best selling, value for money flat roof garage.

- Georgian style or vertical ribbed up & over door with security enhanced 4 point locking
- White 3' steel vertical ribbed personnel door with multi point locking
- Full length galvanised steel roof sheets (up to 20'3" long), Grafo-therm anti condensation treatment, rigid C-Section galvanised steel rafters
- White PVCu 4' fixed window
- White PVCu fascias and vergeboards
- PVCu gutters to rear (choice of black, white or brown)
- Hand pointed real brick front posts in a choice of attractive colours
- Sand & cement fillet



Vertical ribbed up &

PENT MANSARD *DELUXE* The Mansard Deluxe adds an attractive front elevation to our best selling Pent garage.

- Georgian style or vertical ribbed up & over door with security enhanced 4 point locking
- White 3' steel vertical ribbed personnel door with multi point locking
- Roof: as Pent but with attractive tile effect front elevation (choice of 6 attractive colours)
- White PVCu 4' fixed window
- White PVCu fascias and vergeboards
- PVCu gutters to front & rear (choice of black, white or brown)
- Hand pointed real brick front posts in a choice of attractive colours
- Sand & cement fillet



APEX *DELUXE* The Apex Deluxe is a traditionally shaped building with 12.5° pitch roof

- Georgian style or vertical ribbed up & over door with security enhanced 4 point locking
- White 3' steel vertical ribbed personnel door with multi point locking
- Fibre cement roof sheets in a choice of stylish colours with foam filler to eaves
- White PVCu 4' fixed window
- White PVCu fascias and vergeboards
- PVCu gutters to both sides (choice of black, white or brown)
- Hand pointed real brick front posts in a choice of attractive colours
- Sand & cement fillet



***DELUXE* SHEDS** The Deluxe range of sheds, available in both Pent and Apex styles represent the ultimate maintenance free shed package

- White 3' steel vertical ribbed personnel door with multi point locking
- White PVCu 4' fixed window
- White PVCu fascias and vergeboards
- Roof: See garage roof options above
- PVCu gutters in a choice of black, white or brown (both sides to Apex, rear only on Pent)
- Sand & cement fillet



For a building with extra high 7'6" eaves please add 25% to the building price

Up & Over Door	4 Point Locking	3' Personnel Door	4' PVCu Window	PVCu Guttering	Brick Front Posts	PVCu Fascias	Coloured Roof	Foam Eaves Filler
Georgian or * Vertical Ribbed	on Main Door						Apex only	Apex only

Pent *Deluxe*

All prices include VAT, delivery & installation



over door

Building Width ►		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Door Width ►		7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2x7' (2.13m)	2x8' (2.44m)	
Building length	16'3" (4.95m)	3980	4290	4590	5100	6080	6200	6910	7540
	18'3" (5.56m)	4125	4460	4780	5250	6320	6470	7110	7710
	20'3" (6.17m)	4275	4630	4940	5420	6480	6640	7330	7900
	22'3" (6.78m)	4430	4790	5100	5590	6690	6810	7540	8100
	24'3" (7.39m)	4580	4960	5260	5740	6880	7020	7710	8310
	26'3" (8.08m)	4725	5140	5460	5950	7130	7300	8020	8640
	28'3" (8.61m)	4875	5335	5665	6165	7385	7590	8325	8970

Pent Mansard *Deluxe*



Building Width ►		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Door Width ►		7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2x7' (2.13m)	2x8' (2.44m)	
Building length	16'3" (4.95m)	4630	5120	5260	5920	6540	7220	7400	7740
	18'3" (5.56m)	4780	5300	5440	6170	6800	7570	7770	8130
	20'3" (6.17m)	4900	5470	5630	6390	7060	7930	8150	8510
	22'3" (6.78m)	5140	5710	5910	6690	7380	8310	8570	8930
	24'3" (7.39m)	5360	5960	6190	6990	7710	8690	8980	9350
	26'3" (8.08m)	5590	6220	6470	7300	8030	9070	9390	9760
	28'3" (8.61m)	5830	6475	6750	7605	8350	9440	9790	10165

Apex *Deluxe*



Building Width ►		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)	22'6" (6.86m)	24'6" (7.46m)	26'6" (8.08m)
Door Width ►		7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2x7' (2.13m)	2x8' (2.44m)		2x9' (2.74m)		2x10' (3.05m)
Building length	16'3" (4.95m)	4135	4515	4720	5340	6225	6710	7560	7965	8935	9275	10305
	18'3" (5.56m)	4335	4710	4965	5610	6430	7040	7835	8290	9270	9595	10630
	20'3" (6.17m)	4535	4900	5130	5785	6625	7260	8125	8545	9575	9895	10945
	22'3" (6.78m)	4750	5100	5320	5940	6860	7635	8450	8835	9895	10180	11270
	24'3" (7.39m)	4925	5290	5550	6150	7075	7985	8730	9105	10165	10500	11605
	26'3" (8.08m)	5125	5510	5805	6360	7285	8265	9090	9400	10485	10835	11950
	28'3" (8.61m)	5305	5715	6025	6600	7545	8580	9495	9780	10880	11250	12285
	+ 2' increment	210	230	250	270	290	320	340	360	380	400	420

Deluxe Sheds

Pent

Apex



		8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)	+2'
Building length	8'	3020	3250	3360	3620	4290	585
	10'	3080	3360	3500	3790	4480	630
	12'	3140	3500	3710	4040	4770	675
	14'	3220	3760	4000	4380	5220	720
	16'	3380	3830	4340	4700	5650	765
	+2'	190	235	280	325	370	
		8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)	+2'
Building length	8'	3260	3635	3790	4045	4575	600
	10'	3380	3760	3920	4250	4715	645
	12'	3605	3900	4165	4475	4975	690
	14'	3695	4110	4320	4685	5355	735
	16'	3920	4265	4700	4970	5700	780
	+2'	205	255	305	355	405	

Please Note: 6' sheds are also available and are priced as per the 8'.

Brick Front Posts

Autumn Red

Warwick Red

Reclaimed

Southern Stock

Anthracite




Coloured Roof Sheets (Apex only)

Blue/Black

Brown

Terracotta

Olive Green*



* Special order, minimum 5 week delivery

The Deluxe range is our premium package and is packed full of maintenance free and upgraded features. Available

PENT ANTHRACITE DELUXE Add stylish anthracite PVCu features to the Pent Deluxe.

- Black vertical ribbed up & over door with security enhanced 4 point locking
- Anthracite 3' steel vertical ribbed personnel door with multi point locking
- Full length galvanised steel roof sheets (up to 20'3 long), Grafo-therm anti condensation treatment, rigid C-Section galvanised steel rafters
- Anthracite PVCu 4' fixed window
- Anthracite PVCu fascias and vergeboards
- Black PVCu gutters to rear
- Hand pointed anthracite coloured real brick front posts
- Sand & cement fillet



PENT MANSARD ANTHRACITE DELUXE Add stylish anthracite PVCu features to the Pent Mansard Deluxe.

- Black vertical ribbed up & over door with security enhanced 4 point locking
- Anthracite 3' steel vertical ribbed personnel door with multi point locking
- Roof: as Pent but with attractive tile effect front elevation in charcoal
- Anthracite PVCu 4' fixed window
- Anthracite PVCu fascias and vergeboards
- Black PVCu gutters to front & rear
- Hand pointed anthracite coloured real brick front posts
- Sand & cement fillet



APEX ANTHRACITE DELUXE Add stylish anthracite PVCu features to the Apex Deluxe.

- Black vertical ribbed up & over door with security enhanced 4 point locking
- Anthracite 3' steel vertical ribbed personnel door with multi point locking
- Blue/Black coloured fibre cement roof sheets with foam filler to eaves
- Anthracite PVCu 4' fixed window
- Anthracite PVCu fascias and vergeboards
- Black PVCu gutters to both sides
- Hand pointed anthracite coloured real brick front posts
- Sand & cement fillet




DELUXE SHEDS Add stylish anthracite PVCu features to the Deluxe shed range.

- Anthracite 3' steel vertical ribbed personnel door with multi point locking
- Anthracite PVCu 4' fixed window
- Anthracite PVCu fascias and vergeboards
- Roof: See garage roof options above
- Black PVCu gutters (both sides to Apex, rear only on Pent)
- Sand & cement fillet



For a building with extra high 7'6" eaves please add 25% to the building price

Up & Over Door



4 Point Locking



3' Personnel Door



4' PVCu Window



PVCu Guttering



Pent Anthracite Deluxe

All prices include VAT, delivery & installation

Building Width ►		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Door Width ►		7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2x7' (2.13m)	2x8' (2.44m)	
Building length	16'3" (4.95m)	4300	4700	5040	5600	6670	6790	7570	8280
	18'3" (5.56m)	4465	4890	5230	5760	6930	7090	7810	8470
	20'3" (6.17m)	4640	5070	5420	5950	7120	7290	8040	8690
	22'3" (6.78m)	4820	5250	5600	6130	7350	7490	8280	8900
	24'3" (7.39m)	4970	5430	5780	6300	7560	7710	8470	9130
	26'3" (8.08m)	5130	5630	5980	6530	7830	8030	8800	9490
	28'3" (8.61m)	5305	5825	6185	6745	8085	8320	9105	9820

Pent Mansard Anthracite Deluxe

Building Width ►		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Door Width ►		7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2x7' (2.13m)	2x8' (2.44m)	
Building length	16'3" (4.95m)	5170	5620	5760	6500	7180	7930	8130	8510
	18'3" (5.56m)	5330	5810	5970	6770	7460	8320	8530	8930
	20'3" (6.17m)	5480	6000	6180	7010	7740	8710	8950	9330
	22'3" (6.78m)	5730	6270	6480	7350	8100	9130	9420	9800
	24'3" (7.39m)	5990	6550	6790	7680	8460	9550	9870	10270
	26'3" (8.08m)	6250	6820	7090	7990	8820	9970	10330	10740
	28'3" (8.61m)	6490	7075	7370	8295	9140	10340	10730	11145

Apex Anthracite Deluxe

Building Width ►		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)	22'6" (6.86m)	24'6" (7.46m)	26'6" (8.08m)
Door Width ►		7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2x7' (2.13m)	2x8' (2.44m)		2x9' (2.74m)		2x10' (3.05m)
Building length	16'3" (4.95m)	4645	5045	5250	5845	6715	7240	8220	8695	9735	10150	12150
	18'3" (5.56m)	4810	5225	5420	6030	6930	7640	8530	9050	10130	10495	12555
	20'3" (6.17m)	4980	5380	5605	6225	7150	7900	8875	9360	10495	10820	12975
	22'3" (6.78m)	5205	5555	5775	6410	7465	8320	9250	9685	10850	11150	13380
	24'3" (7.39m)	5365	5715	6025	6595	7650	8695	9580	9995	11135	11475	13795
	26'3" (8.08m)	5590	5995	6350	6845	7895	9030	9995	10360	11510	11900	14195
	28'3" (8.61m)	5785	6230	6570	7120	8190	9370	10315	10695	11870	12295	14650
	+ 2' increment	210	230	250	270	290	320	340	360	380	400	420

Deluxe Sheds

Pent

Apex

		8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)	+2'			8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)	+2'
Building length	8'	3300	3560	3680	3980	4620	585			3895	4130	4305	4730	5155	600
	10'	3380	3680	3840	4090	4830	630			3950	4305	4540	5030	5410	645
	12'	3450	3840	3990	4360	5040	675			4215	4535	4890	5380	5775	690
	14'	3520	4040	4310	4730	5530	720			4320	4795	5200	5750	6345	735
	16'	3690	4130	4670	4980	5970	765			4720	5270	5725	6215	6885	780
	+2'	190	235	280	325	370				205	255	305	355	405	

Please Note: 6' sheds are also available and are priced as per the 8'.

Brick Front Posts




PVCu Fascias



Coloured Roof



Foam Eaves Filler



10 Year Guarantee

Lidget Compton offer a full structural guarantee for 10 years from the date of installation of your building.



The Deluxe range is our premium package and is packed full of maintenance free and upgraded features. Available

PENT *DECO DELUXE* Add stylish decograin wood effect PVCu laminate features & pvc side door to the Pent Deluxe.

- Golden Oak/Rosewood Georgian style up & over door, & security enhanced 4 point locking
- Golden Oak / Rosewood 3' pvc personnel door with multi point locking
- Full length galvanised steel roof sheets (up to 20'3 long), Grafo-therm anti condensation treatment, rigid C-Section galvanised steel rafters
- Golden Oak / Rosewood PVCu 4' fixed window
- Golden Oak / Rosewood PVCu fascias and vergeboards
- Brown PVCu gutters to rear
- Hand pointed real brick front posts in a choice of attractive colours
- Sand & cement fillet



PENT MANSARD *DECO DELUXE* Add stylish decograin wood effect PVCu laminate features & pvc side door to the Mansard Deluxe

- Golden Oak/Rosewood Georgian style up & over door, & security enhanced 4 point locking
- Golden Oak / Rosewood 3' pvc personnel door with multi point locking
- Roof: as the Pent but with attractive tile effect front elevation (choice of 6 attractive colours)
- Golden Oak / Rosewood PVCu 4' fixed window
- Golden Oak / Rosewood PVCu fascias and vergeboards
- Brown PVCu gutters to front & rear
- Hand pointed real brick front posts in a choice of attractive colours
- Sand & cement fillet



APEX *DECO DELUXE* Add stylish decograin wood effect PVCu laminate features & pvc side door to the Apex Deluxe.

- Golden Oak/Rosewood Georgian style up & over door, & security enhanced 4 point locking
- Golden Oak / Rosewood 3' pvc personnel door with multi point locking
- Fibre cement roof sheets in a choice of stylish colours with foam filler to eaves
- Golden Oak / Rosewood PVCu 4' fixed window
- Golden Oak / Rosewood PVCu fascias and vergeboards
- Brown PVCu gutters to both sides
- Hand pointed real brick front posts in a choice of attractive colours
- Sand & cement fillet



***DECO DELUXE* SHEDS** Add stylish decograin wood effect PVCu laminate features & pvc side door to the Deluxe shed range.

- Golden Oak / Rosewood 3' pvc personnel door with multi point locking
- Golden Oak / Rosewood PVCu 4' fixed window
- Golden Oak / Rosewood PVCu fascias and vergeboards
- On the Apex - Fibre cement roof sheets in a choice of stylish colours with foam filler to eaves
- On the Pent - Galvanised steel roof sheets with Grafo-therm anti condensation treatment, rigid C-Section rafters
- Brown PVCu gutters (both sides to Apex, rear only on Pent)
- Sand & cement fillet



For a building with extra high 7'6" eaves please add 25% to the building price

Up & Over Door	4 Point Locking	3' Personnel Door	4' PVCu Window	PVCu Guttering	Brick Front Posts	PVCu Fascias	Coloured Roof	Foam Eaves Filler
	 on Main Door						 Apex only	 Apex only

Pent Deco Deluxe

All prices include VAT, delivery & installation



Building Width ►		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Door Width ►		7' (2.13m)	8' (2.44m)			2x7' (2.13m)	2x8' (2.44m)	
Building length	16'3"	4400	4800	5140	5700	6890	7670	8380
	18'3"	4565	4990	5330	5860	7190	7910	8570
	20'3"	4740	5170	5520	6050	7390	8140	8790
	22'3"	4920	5350	5700	6230	7590	8380	9000
	24'3"	5070	5530	5880	6400	7810	8570	9230
	26'3"	5230	5730	6080	6630	8130	8900	9590
	28'3"	5405	5925	6285	6845	8420	9205	9920

Pent Mansard Deco Deluxe



Building Width ►		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Door Width ►		7' (2.13m)	8' (2.44m)			2x7' (2.13m)	2x8' (2.44m)	
Building length	16'3"	5270	5720	5860	6600	8030	8230	8610
	18'3"	5430	5910	6070	6870	8420	8630	9030
	20'3"	5580	6100	6280	7110	8810	9050	9430
	22'3"	5830	6370	6580	7450	9230	9520	9900
	24'3"	6090	6650	6890	7780	9650	9970	10370
	26'3"	6350	6920	7190	8090	10070	10430	10840
	28'3"	6590	7175	7470	8395	10440	10830	11245

Apex Deco Deluxe



Building Width ►		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)	22'6" (6.86m)
Door Width ►		7' (2.13m)	8' (2.44m)			2x7' (2.13m)	2x8' (2.44m)		
Building length	16'3"	4760	5160	5365	5960	7355	8220	8770	9750
	18'3"	4925	5340	5535	6145	7615	8525	9035	10135
	20'3"	5095	5495	5720	6340	7875	8875	9350	10475
	22'3"	5320	5670	5890	6525	8330	9250	9675	10820
	24'3"	5480	5830	6075	6710	8695	9560	9995	11150
	26'3"	5705	6025	6315	6925	9050	9995	10325	11495
	28'3"	5900	6235	6560	7130	9375	10320	10695	11860
+ 2' increment		210	230	250	270	320	340	360	380

Deco Deluxe Sheds

Pent

Apex



		8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)	+2'
Building length	8'	3400	3660	3780	4080	4720	585
	10'	3480	3780	3940	4190	4930	630
	12'	3550	3940	4090	4460	5140	675
	14'	3620	4140	4410	4830	5630	720
	16'	3790	4230	4770	5080	6070	765
	+2'	190	235	280	325	370	


		8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)	+2'
Building length	8'	4045	4280	4455	4880	5305	600
	10'	4100	4455	4690	5180	5560	645
	12'	4365	4685	5040	5530	5925	690
	14'	4470	4945	5350	5900	6495	735
	16'	4870	5420	5875	6365	7035	780
	+2'	205	255	305	355	405	

Please Note: 6' sheds are also available and are priced as per the 8'.

Brick Front Posts



Coloured Roof Sheets (Apex only)



* Special order, minimum 5 week delivery

PENT GARAGES

Wall & front post finish:	Industry leading concrete steel reinforced panels with spar finish.
Main door:	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
Roof:	Robust C section galvanised steel rafters supporting galvanised steel full length (up to 20'3) roof sheets, with Grafo-therm anti-condensation treatment.
Fascias:	Factory preservative treated timber.
Window:	4' (1.22m) timber fixed factory preservative treated.



AREA 1

Robust C-Section rafters

PENT MANSARD GARAGES

Wall & front post finish:	Industry leading concrete steel reinforced panels with spar finish.
Main door:	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
Roof:	As the Pent but with attractive front elevation with granular galvanised steel pantile profile tiles in a choice of 6 colours.
Fascias:	White PVCu fascias and vergeboards.
Window:	4' (1.22m) White PVCu fixed.
Gutters:	Front & rear PVCu. Choice of white, black or brown.



APEX GARAGES

Wall & front post finish:	Industry leading concrete steel reinforced panels with spar finish.
Main door:	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
Roof:	12.5° pitch roof with fibre cement roof sheets, close fitted ridge and eaves filler.
Fascias:	Factory preservative treated timber.
Window:	4' (1.22m) timber fixed factory preservative treated.



APEX 90 GARAGES Featuring a transverse roof

Wall & front post finish:	Industry leading concrete steel reinforced panels with spar finish.
Main door:	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
Roof:	Plastisol coated, galvanised steel tile effect roof sheets, in 4 colours.
Fascias:	White PVCu fascias and vergeboards.
Window:	4' (1.22m) White PVCu fixed
Gutters:	Front & rear PVCu. Choice of white, black or brown.



SHEDS

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Door:	3' (0.91m) horizontal boarded standard timber door.
Roof:	See garage roof options above
Fascias:	Factory preservative treated timber.
Window:	4' timber fixed preservative treated (2' on buildings up to 8' wide).
Note:	Pent Mansard sheds are supplied with PVCu fascias, 4' fixed PVCu window, 3' steel personnel door and PVC guttering in a choice of white, black or brown.



PENT SHED

		8'	10'	12'	14'	16'
		2.44m	3.05m	3.66m	4.26m	4.88m
Building length	8'	2370	2510	2640	2910	3340
	10'	2450	2640	2790	3080	3550
	12'	2510	2790	3000	3350	3840
	14'	2580	3040	3310	3720	4320
	16'	2750	3130	3650	4040	4760
Gutters		72	90	108	126	144

Building Width ►		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Door width ►		7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2x7' (2.13m)	2x8' (2.44m)	
Building length	16'3" (4.95m)	2750	3170	3330	3730	4005	5110	5630	6040
	18'3" (5.56m)	2900	3330	3480	3880	4215	5340	5900	6270
	20'3" (6.17m)	3060	3480	3650	4030	4425	5580	6180	6520
	22'3" (6.78m)	3200	3620	3810	4190	4625	5810	6430	6760
	24'3" (7.39m)	3350	3780	3960	4340	4845	6040	6710	7000
	26'3" (8.08m)	3500	3950	4140	4530	5055	6320	7010	7310
	28'3" (8.61m)	3680	4125	4320	4720	5290	6585	7310	7590
Guttering		77	86	95	113	131	149	167	185

Building Width ►		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Door width ►		7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2x7' (2.13m)	2x8' (2.44m)	
Building length	16'3" (4.95m)	3715	4065	4245	4795	5930	6415	6760	7130
	18'3" (5.56m)	3875	4190	4385	4950	6075	6575	6985	7310
	20'3" (6.17m)	4040	4380	4525	5105	6265	6765	7240	7635
	22'3" (6.78m)	4190	4505	4735	5235	6420	6990	7460	7810
	24'3" (7.39m)	4340	4610	4870	5415	6565	7155	7665	8010
	26'3" (8.08m)	4460	4745	5015	5590	6775	7425	7885	8205
	28'3" (8.61m)	4580	4875	5165	5760	6980	7695	8195	8405

Building Width ►		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)	22'6" (6.86m)	24'6" (7.46m)	26'6" (8.08m)	Gutters / sides	
Building length	Door width ►	7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2 × 7' (2.13m)	2 × 8' (2.44m)		2 × 9' (2.74m)		2 × 10' (3.05m)	1	2
	16'3" (4.95m)	3020	3320	3455	3930	4175	5175	5605	6055	6695	7025	8755	146	292
	18'3" (5.56m)	3225	3455	3595	4095	4385	5450	5910	6335	6995	7330	9115	164	328
	20'3" (6.17m)	3370	3595	3795	4245	4570	5690	6215	6625	7310	7645	9470	182	364
	22'3" (6.78m)	3510	3760	3945	4390	4730	5950	6505	6905	7680	7965	9810	200	400
	24'3" (7.39m)	3665	3890	4110	4560	4920	6215	6795	7200	7935	8350	10175	218	436
	26'3" (8.00m)	3935	4045	4275	4710	5120	6485	7180	7475	8220	8685	10520	236	472
	28'3" (8.61m)	4105	4210	4445	4875	5400	6760	7480	7850	8585	9040	10890	254	508
	Additional 2'	200				300				400				18

Building Width ►		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Building length	Door width ►	7' (2.13m)	8' (2.44m)		2 × 7' (2.13m)	2 × 8' (2.44m)	
	16'6" (5.03m)	4635	5105	5380	7650	8390	9000
	18'6" (5.64m)	4925	5355	5565	8155	8915	9555
	20'6" (6.25m)	5180	5645	5985	8605	9455	10060

Want a different Apex roof style?

Apex garages are also available as an Apex 15 & Apex 20 style. See the options page for details & pricing


For a building with **extra high 7'6" eaves** please add 25% to the building price.

For a **lean-to**, add 10% to the building price

PENT MANSARD SHED					APEX SHED					APEX 15 SHED					APEX 20 SHED					Apex Gutters Both Sides
8' 2.44m	10' 3.05m	12' 3.66m	14' 4.26m	16' 4.88m	8' 2.44m	10' 3.05m	12' 3.66m	14' 4.26m	16' 4.88m	8' 2.44m	10' 3.05m	12' 3.66m	14' 4.26m	16' 4.88m	8' 2.44m	10' 3.05m	12' 3.66m	14' 4.26m	16' 4.88m	
3865	4100	4330	4830	5605	2455	2740	2835	3135	3500	2935	3340	3555	3975	4460	3159	3620	3891	4367	4908	144
3980	4215	4475	4995	5780	2520	2850	2985	3295	3660	3120	3600	3885	4345	4860	3400	3950	4305	4835	5420	180
4095	4360	4695	5245	6075	2590	2990	3255	3530	3895	3310	3890	4335	4790	5335	3646	4310	4839	5378	6007	216
4305	4695	5070	5680	6575	2695	3210	3405	3750	4295	3535	4260	4665	5220	5975	3927	4750	5253	5906	6759	252
4740	5040	5440	6120	7065	2830	3385	3740	4050	4680	3790	4585	5180	5730	6600	4238	5145	5852	6514	7496	288

Main Door Options

Building width ►	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"	Add'l Sizes
Door width ►	7'	8'	9'	10'	2 × 7'	2 × 8'	2 × 9'	2 × 10'	12'	14'		
Up and Over Doors Horizontal ribbed door included as standard. All doors are steel unless stated otherwise.												
Vertical ribbed (white)	115	160	215	895	230	320	430	1790	1305	1420		
Georgian (white)	250	380	405	1200	500	760	810	2400	1535	1800		
Ilkley (white)	600	700	—	—	1200	1400	—	—	—	2000		
Chevron (white)	250	—	—	—	500	—	—	—	—	—		



Notes
1 Coloured Georgian U&O doors only available in 7' & 8' widths
2 Decograin sectional doors only available in M-Rib style **not** Georgian

Other Main Doors												
Rollershutter (white/coloured)	350	400	500	600	700	800	1000	1200	800	995		
Sectional (white)	1200	1300	1400	1550	2400	2600	2800	3100	—	—		
Sectional w/windows (white)	1500	1580	1680	1900	3000	3160	3360	3800	—	—		
No door (leaving gap)	-100	-120	-140	-180	-200	-240	-280	-360	—	—		
	7'	7'6"	8'		2 × 7'	2 × 7'6"	2 × 8'					
Insulated Automated Rollershutter	2200	2280	2340	—	4400	4560	4680	—	—	—		

Extras												
4 point locking (U&O) up to & incl. 9' doors	100			—	200			—	—	—		
Electric Remote Control*	810				1620				810	810		
— External key override						80						
— Internal switch						90						
— Additional handset						90						

* **IMPORTANT:** On garages with electric remote operator & no personnel door or other means of access, an external key override must be added to allow the door to be opened in the event of a power failure.

Personnel Doors		White	Coloured	Golden Oak / Rosewood
Standard Timber	3'	245	—	—
	4'	345	—	—
Galvanised steel white vertical	3'	450	750	—
	4'	700	995	—
PVCu; Half glazed, fully glazed or fully panelled	3'	795	—	1200
	3'6"	830	—	1250

① Extra high buildings supplied with 3' wide & taller window not 4' due to the difference in extra high panel widths. The price remains the same.



Windows ①		Std Timber/ White PVCu	Golden Oak / Rosewood
Timber fixed	2'	70	—
	4'	100	—
PVCu fixed	2'	200	280
	4'	250	320
PVCu opening	2'	260	340
	4'	300	390

4' Timber 2' Timber 4' PVCu 2' PVCu

Door Colour Options (Add to door price)			U&O / Sectional / Personnel Doors		Rollershutter Doors	
	Decograin ²	Coloured ¹	Dark Brown	Red	Vandyke Brown	Black
Up & Over	7' / 8' +£220	7' / 8' / 9' / 10' +£150 12' / 14' +£220	Light Blue	Black	Honesty Cream	Woodgrain: Golden Oak
Rollershutter	+25% of door cost	Included	Steel Blue	Woodgrain: Golden Oak	Goosewing Grey	Rosewood
Sectional	+25% of door cost	+£195	Green	Rosewood	Juniper Green	Doors supplied white as standard

Miscellaneous Options

Building width ►	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"
RealBrick front posts	290	290	350	500	520	420	420	590
Partition wall (6'6" high only)	305	340	380	455	530	610	685	760
Sand & cement fillet	120					160		
Timber weather bar	50					100		
Translucent roof sheet (apex only)	95							
Lining clips (pack of 12)	25							

Reclaimed Southern Stock Warwick Red Autumn Red Anthracite

Fillet Partition Wall Translucent Sheet Lining Clip Weather Bar

Apex 15 & Apex 20 Roof Options

AREA 1

Two alternative roof styles are available on Apex buildings, the Apex 15 and Apex 20. To price these simply add the upgrade price from the relevant box below to the basic building price on page 9.

Apex 15 Roof

15° pitch roof with bold roll profile fibre cement roof tiles in terracotta.

APEX 15

Width ►		8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Building length	16'3"	1036	1158	1280	1523	1767	2011	2255	2498	2742	2986	3230
	18'3"	1163	1300	1437	1711	1985	2258	2532	2806	3080	3353	3627
	20'3"	1291	1443	1595	1898	2202	2506	2810	3113	3417	3721	4025
	22'3"	1418	1585	1752	2086	2420	2753	3087	3421	3755	4088	4422
	24'3"	1546	1728	1910	2273	2637	3001	3365	3728	4092	4456	4820



Apex 20 Roof

20° pitch, felt lined roof with galvanised steel pantile profile roof tiles. Choice of colours; Charcoal - Brindle Green - Terracotta Red - Bronze

APEX 20

Width ►		8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Building length	16'3"	1519	1698	1877	2234	2592	2949	3307	3664	4022	4379	4737
	18'3"	1706	1907	2108	2509	2911	3312	3714	4115	4517	4918	5320
	20'3"	1893	2116	2339	2784	3230	3675	4121	4566	5012	5457	5903
	22'3"	2080	2325	2570	3059	3549	4038	4528	5017	5507	5996	6486
	24'3"	2267	2534	2801	3334	3868	4401	4935	5468	6002	6535	7069



Other Roof Options

Pent* or Apex Roof

Plastisol:
Choice of colours;
Black, Light Grey
Dark Grey, Olive Green
Terracotta, Dark Brown

*Only available up to 20'6" on Pent buildings

Width ►		8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Building length	16'3"	1043	1166	1288	1534	1779	2024	2270	2515	2760	3006	3251
	18'3"	1171	1309	1447	1722	1998	2273	2549	2825	3100	3376	3651
	20'3"	1300	1452	1605	1911	2217	2523	2828	3134	3440	3746	4052
	22'3"	1428	1596	1764	2100	2436	2772	3108	3444	3780	4116	4452
	24'3"	1556	1739	1922	2289	2655	3021	3387	3753	4119	4486	4852
	26'3"	1685	1883	2081	2477	2874	3270	3666	4063	4459	4856	5252
	28'3"	1813	2026	2240	2666	3093	3519	3946	4372	4799	5226	5652



Apex Roof

Coloured roof sheets:
Choice of colours;
Blue-Black, Olive Green*
Brown, Terracotta
Includes eaves filler

*special order item, please allow 5 weeks

Width ►		8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Building length	16'3"	249	278	307	366	424	483	541	600	658	717	775
	18'3"	279	312	345	411	476	542	608	673	739	805	871
	20'3"	310	346	383	456	529	601	674	747	820	893	966
	22'3"	340	380	421	501	581	661	741	821	901	981	1061
	24'3"	371	415	458	546	633	720	808	895	982	1069	1157
	26'3"	402	449	496	591	685	780	874	969	1063	1158	1252



Add for each additional 2' in length

	31	34	38	45	52	59	67	74	81	88	95
--	----	----	----	----	----	----	----	----	----	----	----

PVC Fascias and Vergeboards (supplied with timber as standard)

	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
White	500		545		700		745				
Anthracite & Decograin (Golden Oak/Rosewood)	650		695		875		920				



Special Wall Finishes:

Sectional Brick

Sectional Stone

Garaclad PVC Cladding

How To Price

- Work out linear feet needed by adding length of building sides + front + back. Then minus width of any side & main doors & full length windows


Eg. 16 x 8 with side door = 16 (left side) + 16 (right side) + 8 (front) + 8 (back) = 48. Less 3 (side door), less 7 (main door) = 38

- Multiply this by the relevant price below (eg. for brick 38 x 80 = £3,040)

- Add total to the basic building price

Price per linear foot

Sectional Brick / Stone	80
Garaclad	105





Special Offer Package


AREA 1

At Lidget Compton, we offer a special **maintenance free package** offer on our Pent and Apex garages.

This package adds a host of maintenance free features to the standard building.

Once you've chosen the shape of your building, **find the package price below and simply add it to your building price.**

- ✓ White PVCu fascias and vergeboards
- ✓ PVCu Gutters (Choose from White, Black or Brown)
- ✓ 4' (1.22m) fixed white PVCu double glazed window
- ✓ Sand and cement fillet



SAVE £££'s

Pent Garages - Package Add on Price

Building Width ►	8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)	Maintenance Free package not available on the Pent Mansard		
	805	815	860	875	890	1070	1085	1100			

Apex Garages - Package Add on Price (inc. Apex 15&20)

Building Width ►		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)	22'6" (6.86m)	24'6" (7.46m)	26'6" (8.08m)
Building Length	16'3" (4.95m)	990	990	1025	1025	1025	1190	1190	1190	1230	1230	1230
	18'3" (5.56m)	1020	1020	1055	1055	1055	1220	1220	1220	1260	1260	1260
	20'3" (6.17m)	1050	1050	1085	1085	1085	1255	1255	1255	1290	1290	1290
	22'3" (6.78m)	1080	1080	1120	1120	1120	1285	1285	1285	1320	1320	1320
	24'3" (7.39m)	1110	1110	1150	1150	1150	1315	1315	1315	1350	1350	1350
	▼ Add for each additional 2' (0.61m) increment in building length▼											
+ 2' (0.61m)	64	64	64	64	64	64	64	64	64	64	64	

*Please note due to the high specification supplied as standard on the Pent Mansard and Apex 90 no packages are available

Concrete Base Information

A Lidget Compton Building Is Only As Good On The Base It Sits On

There are some very important factors to take into account when considering a concrete building. We cannot build on tarmac, paving blocks or slabs as they are inherently unstable. Any building is only as good as its foundations, and this holds true for our buildings as well.

Your base will need to be square (meaning all the corners are 90°) flat and level. It should be above surrounding ground level by a minimum of 1". It should be 6" longer and wider than the external dimensions of your building. Please don't build your base with any fall.

If your drive slopes down to the garage, you will need to put in a gulley to take away the water, if there is a wall or bank around the building, you need to ensure adequate drainage. Our agents will provide advice, and will often provide a service to replace, refurbish or provide a new base.

You may also need Local Authority approval, either planning or building regulation.


You may obtain advice from your agent, but you will need a letter of confirmation to be absolutely sure.



GOOD BASE POSITIONING



POOR BASE POSITIONING (CORNERS NOT AT RIGHT ANGLES)



IF THE DISTANCE BETWEEN A-B IS EQUAL TO C-D, YOUR BASE IS SQUARE

10 Year Guarantee

Lidget Compton offer a full structural guarantee for 10 years from the date of installation of your building. The guarantee is transferable, and is subject to the proper following of the Care and Maintenance Instructions supplied with your acknowledgement of order.

See www.lidget.co.uk/10yearguarantee



Prices in the Lidget Compton price guide all include delivery and installation. Delivery is to mainland England, Scotland and Wales, and includes carrying your building up to 25 yards (23 metres) on a reasonable surface from our parked lorry to your concrete base. We are unable to deliver through your house or outbuildings for safety reasons.

Prices include VAT at the current rate of 20%. Should this rate change, we reserve the right to adjust prices accordingly. Prices include installation of options ordered at the time of ordering the building. Options ordered after delivery and installation will be quoted separately. **Sizes quoted are external measurements.**

Information correct at time of printing. Terms & conditions apply. We reserve the right to change product specification without notice. E&OE.

Lidget Compton Albion Drive Lidget Lane Thurnscoe Rotherham S63 OBA

Tel. 01709 881844 Fax. 01709 881015 Email. sales@lidget.co.uk