



**LIDGET** *Compton*  
The Best Concrete Garage

**AREA 4**  
MAY 2022

Simple easy to understand pricing, the price you see is the price you pay!



# GARAGE & SHED PRICES

## Why choose Lidget Compton?

- ✓ We are the UK's largest & market leading manufacturer of sectional concrete garages, sheds & garden buildings
- ✓ We have over 35 years experience in the garage market
- ✓ Every building comes with a 10 year structural guarantee
- ✓ We manufacture the UK's strongest garage panels
- ✓ Buildings are installed by our own workforce, usually on the day of delivery
- ✓ We offer the UK's largest & most flexible product range
- ✓ We offer a bespoke building design service
- ✓ We supply market leading Hormann & GDS garage doors for greater choice
- ✓ As a family run business we pride ourselves on offering the best products and service possible
- ✓ Our nationwide network of local garage specialists have all the experience and expertise you need when purchasing a new sectional building



Deluxe Range  
p. 2-3



Anthracite Deluxe  
p. 4-5



Deco Deluxe  
p. 6-7



Standard Range  
p. 8-9

**[lidget.co.uk](http://lidget.co.uk)**

The Deluxe range is our premium package and is packed full of maintenance free and upgraded features. Available

**PENT *DELUXE*** The Pent Deluxe is based on our best selling, value for money flat roof garage.

- Georgian style or vertical ribbed up & over door with security enhanced 4 point locking
- White 3' steel vertical ribbed personnel door with multi point locking
- Full length galvanised steel roof sheets (up to 20'3" long), Grafo-therm anti condensation treatment, rigid C-Section galvanised steel rafters
- White PVCu 4' fixed window
- White PVCu fascias and vergeboards
- PVCu gutters to rear (choice of black, white or brown)
- Hand pointed real brick front posts in a choice of attractive colours
- Sand & cement fillet



Vertical ribbed up &

**PENT MANSARD *DELUXE*** The Mansard Deluxe adds an attractive front elevation to our best selling Pent garage.

- Georgian style or vertical ribbed up & over door with security enhanced 4 point locking
- White 3' steel vertical ribbed personnel door with multi point locking
- Roof: as Pent but with attractive tile effect front elevation (choice of 6 attractive colours)
- White PVCu 4' fixed window
- White PVCu fascias and vergeboards
- PVCu gutters to front & rear (choice of black, white or brown)
- Hand pointed real brick front posts in a choice of attractive colours
- Sand & cement fillet



**APEX *DELUXE*** The Apex Deluxe is a traditionally shaped building with 12.5° pitch roof

- Georgian style or vertical ribbed up & over door with security enhanced 4 point locking
- White 3' steel vertical ribbed personnel door with multi point locking
- Fibre cement roof sheets in a choice of stylish colours with foam filler to eaves
- White PVCu 4' fixed window
- White PVCu fascias and vergeboards
- PVCu gutters to both sides (choice of black, white or brown)
- Hand pointed real brick front posts in a choice of attractive colours
- Sand & cement fillet



***DELUXE* SHEDS** The Deluxe range of sheds, available in both Pent and Apex styles represent the ultimate maintenance free shed package

- White 3' steel vertical ribbed personnel door with multi point locking
- White PVCu 4' fixed window
- White PVCu fascias and vergeboards
- Roof: See garage roof options above
- PVCu gutters in a choice of black, white or brown (both sides to Apex, rear only on Pent)
- Sand & cement fillet



**For a building with extra high 7'6" eaves please add 25% to the building price**

| Up & Over Door                   | 4 Point Locking | 3' Personnel Door | 4' PVCu Window | PVCu Guttering | Brick Front Posts | PVCu Fascias | Coloured Roof | Foam Eaves Filler |
|----------------------------------|-----------------|-------------------|----------------|----------------|-------------------|--------------|---------------|-------------------|
|                                  |                 |                   |                |                |                   |              |               |                   |
| Georgian or *<br>Vertical Ribbed | on Main Door    |                   |                |                |                   |              | Apex only     | Apex only         |



## Pent *Deluxe*

All prices include VAT, delivery & installation



over door

| Building Width ► |               | 8'6"<br>(2.59m) | 9'6"<br>(2.89m) | 10'6"<br>(3.20m) | 12'6"<br>(3.81m) | 14'6"<br>(4.42m) | 16'6"<br>(5.03m) | 18'6"<br>(5.64m) | 20'6"<br>(6.24m) |
|------------------|---------------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Door Width ►     |               | 7' (2.13m)      | 8' (2.44m)      |                  | 9' (2.74m)       | 10' (3.05m)      | 2x7' (2.13m)     | 2x8' (2.44m)     |                  |
| Building length  | 16'3" (4.95m) | 4770            | 5120            | 5570             | 6230             | 7140             | 7570             | 8500             | 9050             |
|                  | 18'3" (5.56m) | 5010            | 5360            | 5800             | 6450             | 7400             | 7840             | 8780             | 9330             |
|                  | 20'3" (6.17m) | 5270            | 5600            | 6020             | 6700             | 7650             | 8090             | 9060             | 9600             |
|                  | 22'3" (6.78m) | 5490            | 5790            | 6300             | 6970             | 7830             | 8370             | 9420             | 9840             |
|                  | 24'3" (7.39m) | 5750            | 6010            | 6550             | 7140             | 8090             | 8690             | 9700             | 10160            |
|                  | 26'3" (8.08m) | 6020            | 6330            | 6870             | 7470             | 8430             | 9190             | 10200            | 10710            |
|                  | 28'3" (8.61m) | 6190            | 6525            | 7075             | 7685             | 8685             | 9480             | 10505            | 11040            |

## Pent Mansard *Deluxe*



| Building Width ► |               | 8'6"<br>(2.59m) | 9'6"<br>(2.89m) | 10'6"<br>(3.20m) | 12'6"<br>(3.81m) | 14'6"<br>(4.42m) | 16'6"<br>(5.03m) | 18'6"<br>(5.64m) | 20'6"<br>(6.24m) |
|------------------|---------------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Door Width ►     |               | 7' (2.13m)      | 8' (2.44m)      |                  | 9' (2.74m)       | 10' (3.05m)      | 2x7' (2.13m)     | 2x8' (2.44m)     |                  |
| Building length  | 16'3" (4.95m) | 5690            | 6260            | 6560             | 7290             | 9110             | 9430             | 10210            | 10910            |
|                  | 18'3" (5.56m) | 5950            | 6510            | 6760             | 7550             | 9270             | 9760             | 10530            | 11450            |
|                  | 20'3" (6.17m) | 6240            | 6810            | 7040             | 7870             | 9640             | 10100            | 11000            | 12040            |
|                  | 22'3" (6.78m) | 6510            | 7110            | 7350             | 8200             | 9970             | 10440            | 11350            | 12420            |
|                  | 24'3" (7.39m) | 6830            | 7450            | 7730             | 8590             | 10400            | 10880            | 11830            | 12920            |
|                  | 26'3" (8.08m) | 7170            | 7810            | 8120             | 9000             | 10820            | 11330            | 12300            | 13410            |
|                  | 28'3" (8.61m) | 7410            | 8065            | 8400             | 9305             | 11140            | 11700            | 12700            | 13815            |

## Apex *Deluxe*



| Building Width ► |                | 8'6"<br>(2.59m) | 9'6"<br>(2.89m) | 10'6"<br>(3.20m) | 12'6"<br>(3.81m) | 14'6"<br>(4.42m) | 16'6"<br>(5.03m) | 18'6"<br>(5.64m) | 20'6"<br>(6.24m) | 22'6"<br>(6.86m) | 24'6"<br>(7.46m) | 26'6"<br>(8.08m) |
|------------------|----------------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Door Width ►     |                | 7' (2.13m)      | 8' (2.44m)      |                  | 9' (2.74m)       | 10' (3.05m)      | 2x7' (2.13m)     | 2x8' (2.44m)     |                  | 2x9' (2.74m)     |                  | 2x10' (3.05m)    |
| Building length  | 16'3" (4.95m)  | 5380            | 5730            | 5920             | 6655             | 7995             | 8505             | 9495             | 10375            | 11595            | 12835            | 15725            |
|                  | 18'3" (5.56m)  | 5650            | 6010            | 6275             | 6965             | 8205             | 8895             | 9895             | 10805            | 12130            | 13420            | 16585            |
|                  | 20'3" (6.17m)  | 5890            | 6345            | 6630             | 7225             | 8695             | 9345             | 10395            | 11135            | 12780            | 13855            | 16950            |
|                  | 22'3" (6.78m)  | 6310            | 6635            | 6955             | 7555             | 9055             | 9795             | 10905            | 11615            | 13230            | 14665            | 17815            |
|                  | 24'3" (7.39m)  | 6665            | 6855            | 7390             | 7920             | 9375             | 10265            | 11380            | 12010            | 13595            | 15070            | 18195            |
|                  | 26'3" (8.08m)  | 7010            | 7310            | 7795             | 8325             | 9795             | 10695            | 11765            | 12435            | 13955            | 15475            | 18655            |
|                  | 28'3" (8.61m)  | 7360            | 7680            | 8130             | 8670             | 10100            | 11035            | 12100            | 12795            | 14305            | 15890            | 19095            |
|                  | + 2' increment | 210             | 230             | 250              | 270              | 290              | 320              | 340              | 360              | 380              | 400              | 420              |

## Deluxe Sheds

## Pent

## Apex



|                 |     | 8'<br>(2.44m) | 10'<br>(3.05m) | 12'<br>(3.66m) | 14'<br>(4.26m) | 16'<br>(4.88m) | +2' |
|-----------------|-----|---------------|----------------|----------------|----------------|----------------|-----|
| Building length | 8'  | 3750          | 4140           | 4410           | 4630           | 5740           | 585 |
|                 | 10' | 3810          | 4370           | 4720           | 5010           | 6070           | 630 |
|                 | 12' | 3870          | 4590           | 5020           | 5410           | 6390           | 675 |
|                 | 14' | 3930          | 4800           | 5370           | 5800           | 6740           | 720 |
|                 | 16' | 4260          | 5070           | 5670           | 6320           | 7070           | 765 |
|                 | +2' | 190           | 235            | 280            | 325            | 370            |     |

|                 |     | 8'<br>(2.44m) | 10'<br>(3.05m) | 12'<br>(3.66m) | 14'<br>(4.26m) | 16'<br>(4.88m) | +2' |
|-----------------|-----|---------------|----------------|----------------|----------------|----------------|-----|
| Building length | 8'  | 4365          | 4715           | 4995           | 5450           | 5795           | 600 |
|                 | 10' | 4595          | 4950           | 5230           | 5810           | 6200           | 645 |
|                 | 12' | 4870          | 5205           | 5500           | 6110           | 6600           | 690 |
|                 | 14' | 5300          | 5670           | 6000           | 6640           | 6965           | 735 |
|                 | 16' | 5695          | 6035           | 6570           | 7075           | 7415           | 780 |
|                 | +2' | 205           | 255            | 305            | 355            | 405            |     |

Please Note: 6' sheds are also available and are priced as per the 8'.

### Brick Front Posts

Autumn Red

Warwick Red

Reclaimed

Southern Stock

Anthracite




### Coloured Roof Sheets (Apex only)

Blue/Black

Brown

Terracotta

Olive Green\*



\* Special order, minimum 5 week delivery

The Deluxe range is our premium package and is packed full of maintenance free and upgraded features. Available

## **PENT ANTHRACITE DELUXE** Add stylish anthracite PVCu features to the Pent Deluxe.

- Black vertical ribbed up & over door with security enhanced 4 point locking
- Anthracite 3' steel vertical ribbed personnel door with multi point locking
- Full length galvanised steel roof sheets (up to 20'3 long), Grafo-therm anti condensation treatment, rigid C-Section galvanised steel rafters
- Anthracite PVCu 4' fixed window
- Anthracite PVCu fascias and vergeboards
- Black PVCu gutters to rear
- Hand pointed anthracite coloured real brick front posts
- Sand & cement fillet



## **PENT MANSARD ANTHRACITE DELUXE** Add stylish anthracite PVCu features to the Pent Mansard Deluxe.

- Black vertical ribbed up & over door with security enhanced 4 point locking
- Anthracite 3' steel vertical ribbed personnel door with multi point locking
- Roof: as Pent but with attractive tile effect front elevation in charcoal
- Anthracite PVCu 4' fixed window
- Anthracite PVCu fascias and vergeboards
- Black PVCu gutters to front & rear
- Hand pointed anthracite coloured real brick front posts
- Sand & cement fillet



## **APEX ANTHRACITE DELUXE** Add stylish anthracite PVCu features to the Apex Deluxe.

- Black vertical ribbed up & over door with security enhanced 4 point locking
- Anthracite 3' steel vertical ribbed personnel door with multi point locking
- Blue/Black coloured fibre cement roof sheets with foam filler to eaves
- Anthracite PVCu 4' fixed window
- Anthracite PVCu fascias and vergeboards
- Black PVCu gutters to both sides
- Hand pointed anthracite coloured real brick front posts
- Sand & cement fillet




## **DELUXE SHEDS** Add stylish anthracite PVCu features to the Deluxe shed range.

- Anthracite 3' steel vertical ribbed personnel door with multi point locking
- Anthracite PVCu 4' fixed window
- Anthracite PVCu fascias and vergeboards
- Roof: See garage roof options above
- Black PVCu gutters (both sides to Apex, rear only on Pent)
- Sand & cement fillet



For a building with extra high 7'6" eaves please add 25% to the building price

Up & Over Door



4 Point Locking



3' Personnel Door



4' PVCu Window



PVCu Guttering



## Pent Anthracite Deluxe

All prices include VAT, delivery & installation

|                 |               | Building Width ► | 8'6"<br>(2.59m) | 9'6"<br>(2.89m) | 10'6"<br>(3.20m) | 12'6"<br>(3.81m) | 14'6"<br>(4.42m) | 16'6"<br>(5.03m) | 18'6"<br>(5.64m) | 20'6"<br>(6.24m) |
|-----------------|---------------|------------------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|
|                 |               | Door Width ►     | 7' (2.13m)      | 8' (2.44m)      |                  | 9' (2.74m)       | 10' (3.05m)      | 2x7' (2.13m)     | 2x8' (2.44m)     |                  |
| Building length | 16'3" (4.95m) | 5230             | 5620            | 6110            | 6830             | 7840             | 8310             | 9330             | 9940             |                  |
|                 | 18'3" (5.56m) | 5490             | 5870            | 6370            | 7080             | 8130             | 8620             | 9640             | 10260            |                  |
|                 | 20'3" (6.17m) | 5780             | 6160            | 6610            | 7350             | 8400             | 8880             | 9960             | 10550            |                  |
|                 | 22'3" (6.78m) | 6030             | 6350            | 6920            | 7650             | 8590             | 9200             | 10340            | 10800            |                  |
|                 | 24'3" (7.39m) | 6320             | 6600            | 7190            | 7840             | 8880             | 9550             | 10650            | 11160            |                  |
|                 | 26'3" (8.08m) | 6610             | 6950            | 7540            | 8210             | 9260             | 10100            | 11190            | 11770            |                  |
|                 | 28'3" (8.61m) | 6780             | 7145            | 7745            | 8425             | 9515             | 10390            | 11495            | 12100            |                  |

## Pent Mansard Anthracite Deluxe

| Building Width ► |               | 8'6"<br>(2.59m) | 9'6"<br>(2.89m) | 10'6"<br>(3.20m) | 12'6"<br>(3.81m) | 14'6"<br>(4.42m) | 16'6"<br>(5.03m) | 18'6"<br>(5.64m) | 20'6"<br>(6.24m) |
|------------------|---------------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Door Width ►     |               | 7' (2.13m)      | 8' (2.44m)      |                  | 9' (2.74m)       | 10' (3.05m)      | 2x7' (2.13m)     | 2x8' (2.44m)     |                  |
| Building length  | 16'3" (4.95m) | 6210            | 6820            | 7170             | 7970             | 9970             | 10330            | 11180            | 11940            |
|                  | 18'3" (5.56m) | 6490            | 7110            | 7390             | 8250             | 10140            | 10690            | 11540            | 12550            |
|                  | 20'3" (6.17m) | 6810            | 7440            | 7700             | 8610             | 10550            | 11060            | 12040            | 13200            |
|                  | 22'3" (6.78m) | 7170            | 7830            | 8120             | 9050             | 11020            | 11540            | 12560            | 13740            |
|                  | 24'3" (7.39m) | 7520            | 8210            | 8530             | 9490             | 11490            | 12030            | 13090            | 14280            |
|                  | 26'3" (8.08m) | 7880            | 8610            | 8950             | 9940             | 11960            | 12510            | 13600            | 14820            |
|                  | 28'3" (8.61m) | 8120            | 8865            | 9230             | 10245            | 12280            | 12880            | 14000            | 15225            |

## Apex Anthracite Deluxe

| Building Width ► |                | 8'6"<br>(2.59m) | 9'6"<br>(2.89m) | 10'6"<br>(3.20m) | 12'6"<br>(3.81m) | 14'6"<br>(4.42m) | 16'6"<br>(5.03m) | 18'6"<br>(5.64m) | 20'6"<br>(6.24m) | 22'6"<br>(6.86m) | 24'6"<br>(7.46m) | 26'6"<br>(8.08m) |
|------------------|----------------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Door Width ►     |                | 7' (2.13m)      | 8' (2.44m)      |                  | 9' (2.74m)       | 10' (3.05m)      | 2x7' (2.13m)     | 2x8' (2.44m)     |                  | 2x9' (2.74m)     |                  | 2x10' (3.05m)    |
| Building length  | 16'3" (4.95m)  | 6175            | 6690            | 6955             | 7770             | 9080             | 9795             | 10825            | 11340            | 12375            | 12655            | 14335            |
|                  | 18'3" (5.56m)  | 6435            | 6915            | 7185             | 8045             | 9265             | 10220            | 11230            | 11750            | 12825            | 13225            | 15045            |
|                  | 20'3" (6.17m)  | 6650            | 7145            | 7460             | 8340             | 9750             | 10580            | 11640            | 12130            | 13195            | 13600            | 15370            |
|                  | 22'3" (6.78m)  | 6970            | 7440            | 7765             | 8600             | 10070            | 11160            | 12000            | 12500            | 13665            | 14410            | 16150            |
|                  | 24'3" (7.39m)  | 7180            | 7670            | 8000             | 8830             | 10375            | 11430            | 12390            | 12900            | 13995            | 14790            | 16495            |
|                  | 26'3" (8.08m)  | 7650            | 8040            | 8380             | 9215             | 10790            | 11835            | 12850            | 13375            | 14495            | 15185            | 16905            |
|                  | 28'3" (8.61m)  | 8030            | 8420            | 8760             | 9595             | 11170            | 12275            | 13250            | 13770            | 14860            | 16015            | 17750            |
|                  | + 2' increment | 210             | 230             | 250              | 270              | 290              | 320              | 340              | 360              | 380              | 400              | 420              |

## Deluxe Sheds

## Pent

## Apex

|                 |     | 8'<br>(2.44m) | 10'<br>(3.05m) | 12'<br>(3.66m) | 14'<br>(4.26m) | 16'<br>(4.88m) | +2' |  |  | 8'<br>(2.44m) | 10'<br>(3.05m) | 12'<br>(3.66m) | 14'<br>(4.26m) | 16'<br>(4.88m) | +2' |
|-----------------|-----|---------------|----------------|----------------|----------------|----------------|-----|--|--|---------------|----------------|----------------|----------------|----------------|-----|
| Building length | 8'  | 4030          | 4460           | 4750           | 4900           | 6010           | 585 |  |  | 5070          | 5340           | 5645           | 6300           | 6745           | 600 |
|                 | 10' | 4090          | 4700           | 5000           | 5310           | 6370           | 630 |  |  | 5340          | 5625           | 5865           | 6650           | 7130           | 645 |
|                 | 12' | 4160          | 4860           | 5320           | 5680           | 6710           | 675 |  |  | 5665          | 5870           | 6205           | 6930           | 7690           | 690 |
|                 | 14' | 4230          | 5070           | 5630           | 6080           | 7060           | 720 |  |  | 6170          | 6600           | 7255           | 7745           | 8130           | 735 |
|                 | 16' | 4580          | 5370           | 5940           | 6630           | 7410           | 765 |  |  | 6630          | 7030           | 8010           | 8255           | 8650           | 780 |
|                 | +2' | 190           | 235            | 280            | 325            | 370            |     |  |  | 205           | 255            | 305            | 355            | 405            |     |

Please Note: 6' sheds are also available and are priced as per the 8'.

Brick Front Posts




PVCu Fascias



Coloured Roof



Foam Eaves Filler



## 10 Year Guarantee

Lidget Compton offer a full structural guarantee for 10 years from the date of installation of your building.





The Deluxe range is our premium package and is packed full of maintenance free and upgraded features. Available

**PENT *DECO DELUXE*** Add stylish decograin wood effect PVCu laminate features & pvc side door to the Pent Deluxe.

- Golden Oak/Rosewood Georgian style up & over door, & security enhanced 4 point locking
- Golden Oak / Rosewood 3' pvc personnel door with multi point locking
- Full length galvanised steel roof sheets (up to 20'3 long), Grafo-therm anti condensation treatment, rigid C-Section galvanised steel rafters
- Golden Oak / Rosewood PVCu 4' fixed window
- Golden Oak / Rosewood PVCu fascias and vergeboards
- Brown PVCu gutters to rear
- Hand pointed real brick front posts in a choice of attractive colours
- Sand & cement fillet



**PENT MANSARD *DECO DELUXE*** Add stylish decograin wood effect PVCu laminate features & pvc side door to the Mansard Deluxe

- Golden Oak/Rosewood Georgian style up & over door, & security enhanced 4 point locking
- Golden Oak / Rosewood 3' pvc personnel door with multi point locking
- Roof: as the Pent but with attractive tile effect front elevation (choice of 6 attractive colours)
- Golden Oak / Rosewood PVCu 4' fixed window
- Golden Oak / Rosewood PVCu fascias and vergeboards
- Brown PVCu gutters to front & rear
- Hand pointed real brick front posts in a choice of attractive colours
- Sand & cement fillet



**APEX *DECO DELUXE*** Add stylish decograin wood effect PVCu laminate features & pvc side door to the Apex Deluxe.

- Golden Oak/Rosewood Georgian style up & over door, & security enhanced 4 point locking
- Golden Oak / Rosewood 3' pvc personnel door with multi point locking
- Fibre cement roof sheets in a choice of stylish colours with foam filler to eaves
- Golden Oak / Rosewood PVCu 4' fixed window
- Golden Oak / Rosewood PVCu fascias and vergeboards
- Brown PVCu gutters to both sides
- Hand pointed real brick front posts in a choice of attractive colours
- Sand & cement fillet



***DECO DELUXE* SHEDS** Add stylish decograin wood effect PVCu laminate features & pvc side door to the Deluxe shed range.

- Golden Oak / Rosewood 3' pvc personnel door with multi point locking
- Golden Oak / Rosewood PVCu 4' fixed window
- Golden Oak / Rosewood PVCu fascias and vergeboards
- On the Apex - Fibre cement roof sheets in a choice of stylish colours with foam filler to eaves
- On the Pent - Galvanised steel roof sheets with Grafo-therm anti condensation treatment, rigid C-Section rafters
- Brown PVCu gutters (both sides to Apex, rear only on Pent)
- Sand & cement fillet



For a building with extra high 7'6" eaves please add 25% to the building price

| Up & Over Door | 4 Point Locking  | 3' Personnel Door | 4' PVCu Window | PVCu Guttering | Brick Front Posts | PVCu Fascias | Coloured Roof | Foam Eaves Filler |
|----------------|------------------|-------------------|----------------|----------------|-------------------|--------------|---------------|-------------------|
|                | <br>on Main Door |                   |                |                |                   |              | <br>Apex only | <br>Apex only     |

## Pent Deco Deluxe

All prices include VAT, delivery & installation



| Building Width ► |               | 8'6"<br>(2.59m) | 9'6"<br>(2.89m) | 10'6"<br>(3.20m) | 12'6"<br>(3.81m) | 16'6"<br>(5.03m) | 18'6"<br>(5.64m) | 20'6"<br>(6.24m) |
|------------------|---------------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|
| Door Width ►     |               | 7' (2.13m)      | 8' (2.44m)      |                  |                  | 2x7' (2.13m)     | 2x8' (2.44m)     |                  |
| Building length  | 16'3" (4.95m) | 5330            | 5720            | 6210             | 6930             | 8410             | 9430             | 10040            |
|                  | 18'3" (5.56m) | 5590            | 5970            | 6470             | 7180             | 8720             | 9740             | 10360            |
|                  | 20'3" (6.17m) | 5880            | 6260            | 6710             | 7450             | 8980             | 10060            | 10650            |
|                  | 22'3" (6.78m) | 6130            | 6450            | 7020             | 7750             | 9300             | 10440            | 10900            |
|                  | 24'3" (7.39m) | 6420            | 6700            | 7290             | 7940             | 9650             | 10750            | 11260            |
|                  | 26'3" (8.08m) | 6710            | 7050            | 7640             | 8310             | 10200            | 11290            | 11870            |
|                  | 28'3" (8.61m) | 6880            | 7245            | 7845             | 8525             | 10490            | 11595            | 12200            |

## Pent Mansard Deco Deluxe



| Building Width ► |               | 8'6"<br>(2.59m) | 9'6"<br>(2.89m) | 10'6"<br>(3.20m) | 12'6"<br>(3.81m) | 16'6"<br>(5.03m) | 18'6"<br>(5.64m) | 20'6"<br>(6.24m) |
|------------------|---------------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|
| Door Width ►     |               | 7' (2.13m)      | 8' (2.44m)      |                  |                  | 2x7' (2.13m)     | 2x8' (2.44m)     |                  |
| Building length  | 16'3" (4.95m) | 6310            | 6920            | 7270             | 8070             | 10430            | 11280            | 12040            |
|                  | 18'3" (5.56m) | 6590            | 7210            | 7490             | 8350             | 10790            | 11640            | 12650            |
|                  | 20'3" (6.17m) | 6910            | 7540            | 7800             | 8710             | 11160            | 12140            | 13300            |
|                  | 22'3" (6.78m) | 7270            | 7930            | 8220             | 9150             | 11640            | 12660            | 13840            |
|                  | 24'3" (7.39m) | 7620            | 8310            | 8630             | 9590             | 12130            | 13190            | 14380            |
|                  | 26'3" (8.08m) | 7980            | 8710            | 9050             | 10040            | 12610            | 13700            | 14920            |
|                  | 28'3" (8.61m) | 8220            | 8965            | 9330             | 10345            | 12980            | 14100            | 15325            |

## Apex Deco Deluxe



| Building Width ► |                | 8'6"<br>(2.59m) | 9'6"<br>(2.89m) | 10'6"<br>(3.20m) | 12'6"<br>(3.81m) | 16'6"<br>(5.03m) | 18'6"<br>(5.64m) | 20'6"<br>(6.24m) | 22'6"<br>(6.86m) |
|------------------|----------------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Door Width ►     |                | 7' (2.13m)      | 8' (2.44m)      |                  |                  | 2x7' (2.13m)     | 2x8' (2.44m)     |                  |                  |
| Building length  | 16'3" (4.95m)  | 6290            | 6805            | 7070             | 7885             | 9910             | 10935            | 11455            | 12490            |
|                  | 18'3" (5.56m)  | 6550            | 7025            | 7300             | 8160             | 10330            | 11345            | 11860            | 12935            |
|                  | 20'3" (6.17m)  | 6760            | 7260            | 7575             | 8455             | 10695            | 11755            | 12245            | 13305            |
|                  | 22'3" (6.78m)  | 7080            | 7550            | 7880             | 8715             | 11270            | 12115            | 12620            | 13740            |
|                  | 24'3" (7.39m)  | 7395            | 7785            | 8115             | 8945             | 11545            | 12505            | 13020            | 14085            |
|                  | 26'3" (8.08m)  | 7760            | 8155            | 8495             | 9330             | 11950            | 12930            | 13445            | 14535            |
|                  | 28'3" (8.61m)  | 8145            | 8530            | 8870             | 9710             | 12385            | 13365            | 13885            | 14970            |
|                  | + 2' increment | 210             | 230             | 250              | 270              | 320              | 340              | 360              | 380              |

## Deco Deluxe Sheds

## Pent

## Apex



|                 |     | 8'<br>(2.44m) | 10'<br>(3.05m) | 12'<br>(3.66m) | 14'<br>(4.26m) | 16'<br>(4.88m) | +2' |
|-----------------|-----|---------------|----------------|----------------|----------------|----------------|-----|
| Building length | 8'  | 4130          | 4560           | 4850           | 5000           | 6110           | 585 |
|                 | 10' | 4190          | 4800           | 5100           | 5410           | 6470           | 630 |
|                 | 12' | 4260          | 4960           | 5420           | 5780           | 6810           | 675 |
|                 | 14' | 4330          | 5170           | 5730           | 6180           | 7160           | 720 |
|                 | 16' | 4680          | 5470           | 6040           | 6730           | 7510           | 765 |
|                 | +2' | 190           | 235            | 280            | 325            | 370            |     |


|                 |     | 8'<br>(2.44m) | 10'<br>(3.05m) | 12'<br>(3.66m) | 14'<br>(4.26m) | 16'<br>(4.88m) | +2' |
|-----------------|-----|---------------|----------------|----------------|----------------|----------------|-----|
| Building length | 8'  | 5220          | 5490           | 5795           | 6450           | 6895           | 600 |
|                 | 10' | 5490          | 5775           | 6015           | 6800           | 7280           | 645 |
|                 | 12' | 5815          | 6020           | 6355           | 7080           | 7840           | 690 |
|                 | 14' | 6320          | 6750           | 7405           | 7895           | 8280           | 735 |
|                 | 16' | 6780          | 7180           | 8160           | 8405           | 8800           | 780 |
|                 | +2' | 205           | 255            | 305            | 355            | 405            |     |

Please Note: 6' sheds are also available and are priced as per the 8'.

### Brick Front Posts



### Coloured Roof Sheets (Apex only)



\* Special order, minimum 5 week delivery

## PENT GARAGES

|                                      |                                                                                                                                                           |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Wall &amp; front post finish:</b> | Industry leading concrete steel reinforced panels with spar finish.                                                                                       |
| <b>Main door:</b>                    | Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.                                               |
| <b>Roof:</b>                         | Robust C section galvanised steel rafters supporting galvanised steel full length (up to 20'3) roof sheets, with Grafo-therm anti-condensation treatment. |
| <b>Fascias:</b>                      | Factory preservative treated timber.                                                                                                                      |
| <b>Window:</b>                       | 4' (1.22m) timber fixed factory preservative treated.                                                                                                     |



Robust C-Section rafters

## PENT MANSARD GARAGES

|                                      |                                                                                                                                |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| <b>Wall &amp; front post finish:</b> | Industry leading concrete steel reinforced panels with spar finish.                                                            |
| <b>Main door:</b>                    | Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.                    |
| <b>Roof:</b>                         | As the Pent but with attractive front elevation with granular galvanised steel pantile profile tiles in a choice of 6 colours. |
| <b>Fascias:</b>                      | White PVCu fascias and vergeboards.                                                                                            |
| <b>Window:</b>                       | 4' (1.22m) White PVCu fixed.                                                                                                   |
| <b>Gutters:</b>                      | Front & rear PVCu. Choice of white, black or brown.                                                                            |



## APEX GARAGES

|                                      |                                                                                                             |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------|
| <b>Wall &amp; front post finish:</b> | Industry leading concrete steel reinforced panels with spar finish.                                         |
| <b>Main door:</b>                    | Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over. |
| <b>Roof:</b>                         | 12.5° pitch roof with fibre cement roof sheets, close fitted ridge and eaves filler.                        |
| <b>Fascias:</b>                      | Factory preservative treated timber.                                                                        |
| <b>Window:</b>                       | 4' (1.22m) timber fixed factory preservative treated.                                                       |



## APEX 90 GARAGES Featuring a transverse roof

|                                      |                                                                                                             |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------|
| <b>Wall &amp; front post finish:</b> | Industry leading concrete steel reinforced panels with spar finish.                                         |
| <b>Main door:</b>                    | Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over. |
| <b>Roof:</b>                         | Plastisol coated, galvanised steel tile effect roof sheets, in 4 colours.                                   |
| <b>Fascias:</b>                      | White PVCu fascias and vergeboards.                                                                         |
| <b>Window:</b>                       | 4' (1.22m) White PVCu fixed                                                                                 |
| <b>Gutters:</b>                      | Front & rear PVCu. Choice of white, black or brown.                                                         |



## SHEDS

|                     |                                                                                                                                                          |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Wall finish:</b> | Industry leading concrete steel reinforced panels with spar finish.                                                                                      |
| <b>Door:</b>        | 3' (0.91m) horizontal boarded standard timber door.                                                                                                      |
| <b>Roof:</b>        | See garage roof options above                                                                                                                            |
| <b>Fascias:</b>     | Factory preservative treated timber.                                                                                                                     |
| <b>Window:</b>      | 4' timber fixed preservative treated (2' on buildings up to 8' wide).                                                                                    |
| <b>Note:</b>        | Pent Mansard sheds are supplied with PVCu fascias, 4' fixed PVCu window, 3' steel personnel door and PVC guttering in a choice of white, black or brown. |



### PENT SHED

|                 |     | 8'    | 10'   | 12'   | 14'   | 16'   |
|-----------------|-----|-------|-------|-------|-------|-------|
|                 |     | 2.44m | 3.05m | 3.66m | 4.26m | 4.88m |
| Building length | 8'  | 3160  | 3480  | 3770  | 4000  | 4870  |
|                 | 10' | 3220  | 3730  | 4090  | 4400  | 5240  |
|                 | 12' | 3290  | 3960  | 4410  | 4810  | 5620  |
|                 | 14' | 3350  | 4180  | 4770  | 5230  | 5990  |
|                 | 16' | 3700  | 4460  | 5090  | 5770  | 6380  |
| Gutters         |     | 72    | 90    | 108   | 126   | 144   |



| Building Width ► |               | 8'6" (2.59m) | 9'6" (2.89m) | 10'6" (3.20m) | 12'6" (3.81m) | 14'6" (4.42m) | 16'6" (5.03m) | 18'6" (5.64m) | 20'6" (6.24m) |
|------------------|---------------|--------------|--------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Door width ►     |               | 7' (2.13m)   | 8' (2.44m)   |               | 9' (2.74m)    | 10' (3.05m)   | 2x7' (2.13m)  | 2x8' (2.44m)  |               |
| Building length  | 16'3" (4.95m) | 3700         | 4230         | 4460          | 5090          | 6140          | 6430          | 7110          | 7710          |
|                  | 18'3" (5.56m) | 3970         | 4450         | 4710          | 5330          | 6390          | 6720          | 7440          | 8250          |
|                  | 20'3" (6.17m) | 4270         | 4770         | 4940          | 5640          | 6700          | 7060          | 7850          | 8420          |
|                  | 22'3" (6.78m) | 4580         | 4990         | 5290          | 5910          | 6890          | 7400          | 8210          | 8560          |
|                  | 24'3" (7.39m) | 4840         | 5170         | 5510          | 6210          | 7150          | 7820          | 8530          | 8880          |
|                  | 26'3" (8.08m) | 5020         | 5370         | 5720          | 6440          | 7420          | 8120          | 8860          | 9220          |
|                  | 28'3" (8.61m) | 5175         | 5545         | 5900          | 6630          | 7655          | 8385          | 9140          | 9500          |
| Guttering        |               | 77           | 86           | 95            | 113           | 131           | 149           | 167           | 185           |

| Building Width ► |               | 8'6" (2.59m) | 9'6" (2.89m) | 10'6" (3.20m) | 12'6" (3.81m) | 14'6" (4.42m) | 16'6" (5.03m) | 18'6" (5.64m) | 20'6" (6.24m) |
|------------------|---------------|--------------|--------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Door width ►     |               | 7' (2.13m)   | 8' (2.44m)   |               | 9' (2.74m)    | 10' (3.05m)   | 2x7' (2.13m)  | 2x8' (2.44m)  |               |
| Building length  | 16'3" (4.95m) | 4885         | 5390         | 5615          | 6135          | 7750          | 7890          | 8545          | 9180          |
|                  | 18'3" (5.56m) | 5170         | 5565         | 5820          | 6350          | 7950          | 8160          | 8860          | 9410          |
|                  | 20'3" (6.17m) | 5355         | 5830         | 5920          | 6710          | 8200          | 8430          | 9225          | 9690          |
|                  | 22'3" (6.78m) | 5630         | 6010         | 6320          | 6935          | 8405          | 8745          | 9535          | 9945          |
|                  | 24'3" (7.39m) | 5845         | 6180         | 6520          | 7205          | 8600          | 9125          | 9815          | 10215         |
|                  | 26'3" (8.08m) | 6075         | 6300         | 6710          | 7460          | 8815          | 9500          | 10005         | 10495         |
|                  | 28'3" (8.61m) | 6290         | 6445         | 6900          | 7725          | 9025          | 9875          | 10500         | 10770         |

| Building Width ▶ |               | 8'6"<br>(2.59m) | 9'6"<br>(2.89m) | 10'6"<br>(3.20m) | 12'6"<br>(3.81m) | 14'6"<br>(4.42m) | 16'6"<br>(5.03m) | 18'6"<br>(5.64m) | 20'6"<br>(6.24m) | 22'6"<br>(6.86m) | 24'6"<br>(7.46m) | 26'6"<br>(8.08m) | Gutters / sides |     |
|------------------|---------------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------------|-----|
| Building length  | Door width ▶  | 7' (2.13m)      | 8' (2.44m)      |                  | 9' (2.74m)       | 10' (3.05m)      | 2 × 7' (2.13m)   | 2 × 8' (2.44m)   |                  | 2 × 9' (2.74m)   |                  | 2 × 10' (3.05m)  | 1               | 2   |
|                  | 16'3" (4.95m) | 4540            | 4835            | 5090             | 5605             | 6630             | 7640             | 8355             | 9170             | 10045            | 11510            | 13350            | 146             | 292 |
|                  | 18'3" (5.56m) | 4905            | 5220            | 5305             | 6050             | 6875             | 8065             | 8775             | 9635             | 10700            | 12095            | 13950            | 164             | 328 |
|                  | 20'3" (6.17m) | 5085            | 5485            | 5730             | 6435             | 7170             | 8535             | 9265             | 9930             | 11350            | 12500            | 14530            | 182             | 364 |
|                  | 22'3" (6.78m) | 5345            | 5795            | 6115             | 6740             | 7660             | 8935             | 9715             | 10460            | 11860            | 13450            | 15300            | 200             | 400 |
|                  | 24'3" (7.39m) | 5600            | 6085            | 6535             | 7050             | 7955             | 9405             | 10155            | 10850            | 12060            | 13700            | 15810            | 218             | 436 |
|                  | 26'3" (8.00m) | 5920            | 6405            | 6855             | 7370             | 8400             | 9845             | 10595            | 11285            | 12485            | 14120            | 16700            | 236             | 472 |
|                  | 28'3" (8.61m) | 6240            | 6725            | 7175             | 7695             | 8805             | 10235            | 10990            | 11675            | 12840            | 14500            | 17195            | 254             | 508 |
|                  | Additional 2' | 200             |                 |                  |                  | 300              |                  |                  |                  | 400              |                  |                  |                 | 18  |

| Building Width ► |               | 8'6" (2.59m) | 9'6" (2.89m) | 10'6" (3.20m) | 16'6" (5.03m)  | 18'6" (5.64m)  | 20'6" (6.24m) |
|------------------|---------------|--------------|--------------|---------------|----------------|----------------|---------------|
| Building length  | Door width ►  | 7' (2.13m)   | 8' (2.44m)   |               | 2 × 7' (2.13m) | 2 × 8' (2.44m) |               |
|                  | 16'6" (5.03m) | 6110         | 6490         | 6855          | 9755           | 10705          | 11645         |
|                  | 18'6" (5.64m) | 6565         | 6970         | 7295          | 10370          | 11320          | 12330         |
|                  | 20'6" (6.25m) | 6930         | 7420         | 7800          | 11010          | 11970          | 12880         |

### Want a different Apex roof style?

Apex garages are also available as an Apex 15 & Apex 20 style. See the options page for details & pricing


For a building with **extra high 7'6" eaves** please add 25% to the building price.

For a **lean-to**, add 10% to the building price

| PENT MANSARD SHED |           |           |           |           | APEX SHED |           |           |           |           | APEX 15 SHED |           |           |           |           | APEX 20 SHED |           |           |           |           | Apex Gutters Both Sides |
|-------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------------|-----------|-----------|-----------|-----------|--------------|-----------|-----------|-----------|-----------|-------------------------|
| 8' 2.44m          | 10' 3.05m | 12' 3.66m | 14' 4.26m | 16' 4.88m | 8' 2.44m  | 10' 3.05m | 12' 3.66m | 14' 4.26m | 16' 4.88m | 8' 2.44m     | 10' 3.05m | 12' 3.66m | 14' 4.26m | 16' 4.88m | 8' 2.44m     | 10' 3.05m | 12' 3.66m | 14' 4.26m | 16' 4.88m |                         |
| 4850              | 5115      | 5390      | 6045      | 6770      | 3380      | 3830      | 4145      | 4600      | 4800      | 3860         | 4430      | 4865      | 5440      | 5760      | 4084         | 4710      | 5201      | 5832      | 6208      | 144                     |
| 5005              | 5300      | 5600      | 6380      | 7245      | 3530      | 4095      | 4400      | 4935      | 5145      | 4130         | 4845      | 5300      | 5985      | 6345      | 4410         | 5195      | 5720      | 6475      | 6905      | 180                     |
| 5160              | 5485      | 5915      | 6775      | 7820      | 3710      | 4335      | 4635      | 5260      | 5565      | 4430         | 5235      | 5715      | 6520      | 7005      | 4766         | 5655      | 6219      | 7108      | 7677      | 216                     |
| 5610              | 6030      | 6625      | 7490      | 8692      | 4055      | 4595      | 4895      | 5615      | 6020      | 4895         | 5645      | 6155      | 7085      | 7700      | 5287         | 6135      | 6743      | 7771      | 8484      | 252                     |
| 6020              | 6600      | 7270      | 8170      | 9275      | 4510      | 4905      | 5385      | 6300      | 6510      | 5470         | 6105      | 6825      | 7980      | 8430      | 5918         | 6665      | 7497      | 8764      | 9326      | 288                     |

## Main Door Options

| Building width ►                                                                                                   | 8'6" | 9'6" | 10'6" | 12'6" | 14'6"  | 16'6"  | 18'6"  | 20'6"   | 22'6" | 24'6" | 26'6" | Add'l Sizes |
|--------------------------------------------------------------------------------------------------------------------|------|------|-------|-------|--------|--------|--------|---------|-------|-------|-------|-------------|
| Door width ►                                                                                                       | 7'   | 8'   | 9'    | 10'   | 2 × 7' | 2 × 8' | 2 × 9' | 2 × 10' | 12'   | 14'   |       |             |
| <b>Up and Over Doors</b> Horizontal ribbed door included as standard. All doors are steel unless stated otherwise. |      |      |       |       |        |        |        |         |       |       |       |             |
| Vertical ribbed (white)                                                                                            | 115  | 160  | 215   | 895   | 230    | 320    | 430    | 1790    | 1305  | 1420  |       |             |
| Georgian (white)                                                                                                   | 250  | 380  | 405   | 1200  | 500    | 760    | 810    | 2400    | 1535  | 1800  |       |             |
| Ilkley (white)                                                                                                     | 600  | 700  | —     | —     | 1200   | 1400   | —      | —       | —     | 2000  |       |             |
| Chevron (white)                                                                                                    | 250  | —    | —     | —     | 500    | —      | —      | —       | —     | —     |       |             |



### Notes

- 1 Coloured Georgian U&O doors only available in 7' & 8' widths
- 2 Decograin sectional doors only available in M-Rib style **not** Georgian

### Other Main Doors

|                                   |      |      |      |      |        |          |        |      |     |     |
|-----------------------------------|------|------|------|------|--------|----------|--------|------|-----|-----|
| Rollershutter (white/coloured)    | 350  | 400  | 500  | 600  | 700    | 800      | 1000   | 1200 | 800 | 995 |
| Sectional (white)                 | 1200 | 1300 | 1400 | 1550 | 2400   | 2600     | 2800   | 3100 | —   | —   |
| Sectional w/windows (white)       | 1500 | 1580 | 1680 | 1900 | 3000   | 3160     | 3360   | 3800 | —   | —   |
| No door (leaving gap)             | -100 | -120 | -140 | -180 | -200   | -240     | -280   | -360 | —   | —   |
|                                   | 7'   | 7'6" | 8'   |      | 2 × 7' | 2 × 7'6" | 2 × 8' |      |     |     |
| Insulated Automated Rollershutter | 2200 | 2280 | 2340 | —    | 4400   | 4560     | 4680   | —    | —   | —   |

### Extras

|                                              |     |      |     |     |   |   |
|----------------------------------------------|-----|------|-----|-----|---|---|
| 4 point locking (U&O) up to & incl. 9' doors | 100 | —    | 200 | —   | — | — |
| Electric Remote Control*                     | 810 | 1620 | 810 | 810 |   |   |
| — External key override                      |     | 80   |     |     |   |   |
| — Internal switch                            |     | 90   |     |     |   |   |
| — Additional handset                         |     | 90   |     |     |   |   |

\* **IMPORTANT:** On garages with electric remote operator & no personnel door or other means of access, an external key override must be added to allow the door to be opened in the event of a power failure.

| Personnel Doors                                   |      | White | Coloured | Golden Oak / Rosewood |
|---------------------------------------------------|------|-------|----------|-----------------------|
| Standard Timber                                   | 3'   | 245   | —        | —                     |
|                                                   | 4'   | 345   | —        | —                     |
| Galvanised steel white vertical                   | 3'   | 450   | 750      | —                     |
|                                                   | 4'   | 700   | 995      | —                     |
| PVCu; Half glazed, fully glazed or fully panelled | 3'   | 795   | —        | 1200                  |
|                                                   | 3'6" | 830   | —        | 1250                  |

① Extra high buildings supplied with 3' wide & taller window not 4' due to the difference in extra high panel widths. The price remains the same.




| Windows ①    |    | Std Timber/ White Pvcu | Golden Oak / Rosewood |
|--------------|----|------------------------|-----------------------|
| Timber fixed | 2' | 70                     | —                     |
|              | 4' | 100                    | —                     |
| PVCu fixed   | 2' | 200                    | 280                   |
|              | 4' | 250                    | 320                   |
| PVCu opening | 2' | 260                    | 340                   |
|              | 4' | 300                    | 390                   |



| Door Colour Options (Add to door price) |                        |                                             | U&O / Sectional / Personnel Doors |                       | Rollershutter Doors |                                  |
|-----------------------------------------|------------------------|---------------------------------------------|-----------------------------------|-----------------------|---------------------|----------------------------------|
|                                         | Decograin <sup>2</sup> | Coloured <sup>1</sup>                       | Dark Brown                        | Red                   | Vandyke Brown       | Black                            |
| Up & Over                               | 7' / 8' +£220          | 7' / 8' / 9' / 10' +£150<br>12' / 14' +£220 | Light Blue                        | Black                 | Honesty Cream       | Woodgrain: Golden Oak            |
| Rollershutter                           | +25% of door cost      | Included                                    | Steel Blue                        | Woodgrain: Golden Oak | Goosewing Grey      | Rosewood                         |
| Sectional                               | +25% of door cost      | +£195                                       | Green                             | Rosewood              | Juniper Green       | Doors supplied white as standard |

## Miscellaneous Options

| Building width ►                   | 8'6" | 9'6" | 10'6" | 12'6" | 14'6" | 16'6" | 18'6" | 20'6" |
|------------------------------------|------|------|-------|-------|-------|-------|-------|-------|
| RealBrick front posts              | 290  | 290  | 350   | 500   | 520   | 420   | 420   | 590   |
| Partition wall (6'6" high only)    | 305  | 340  | 380   | 455   | 530   | 610   | 685   | 760   |
| Sand & cement fillet               | 120  |      |       |       |       | 160   |       |       |
| Timber weather bar                 | 50   |      |       |       |       | 100   |       |       |
| Translucent roof sheet (apex only) | 95   |      |       |       |       |       |       |       |
| Lining clips (pack of 12)          | 25   |      |       |       |       |       |       |       |



## Apex 15 & Apex 20 Roof Options

AREA 4

Two alternative roof styles are available on Apex buildings, the Apex 15 and Apex 20. To price these simply add the upgrade price from the relevant box below to the basic building price on page 9.

### Apex 15 Roof

15° pitch roof with bold roll profile fibre cement roof tiles in terracotta.

#### APEX 15

| Width ►         |       | 8'6" | 9'6" | 10'6" | 12'6" | 14'6" | 16'6" | 18'6" | 20'6" | 22'6" | 24'6" | 26'6" |
|-----------------|-------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Building length | 16'3" | 1036 | 1158 | 1280  | 1523  | 1767  | 2011  | 2255  | 2498  | 2742  | 2986  | 3230  |
|                 | 18'3" | 1163 | 1300 | 1437  | 1711  | 1985  | 2258  | 2532  | 2806  | 3080  | 3353  | 3627  |
|                 | 20'3" | 1291 | 1443 | 1595  | 1898  | 2202  | 2506  | 2810  | 3113  | 3417  | 3721  | 4025  |
|                 | 22'3" | 1418 | 1585 | 1752  | 2086  | 2420  | 2753  | 3087  | 3421  | 3755  | 4088  | 4422  |
|                 | 24'3" | 1546 | 1728 | 1910  | 2273  | 2637  | 3001  | 3365  | 3728  | 4092  | 4456  | 4820  |



### Apex 20 Roof

20° pitch, felt lined roof with galvanised steel pantile profile roof tiles. Choice of colours; Charcoal - Brindle Green - Terracotta Red - Bronze

#### APEX 20

| Width ►         |       | 8'6" | 9'6" | 10'6" | 12'6" | 14'6" | 16'6" | 18'6" | 20'6" | 22'6" | 24'6" | 26'6" |
|-----------------|-------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Building length | 16'3" | 1519 | 1698 | 1877  | 2234  | 2592  | 2949  | 3307  | 3664  | 4022  | 4379  | 4737  |
|                 | 18'3" | 1706 | 1907 | 2108  | 2509  | 2911  | 3312  | 3714  | 4115  | 4517  | 4918  | 5320  |
|                 | 20'3" | 1893 | 2116 | 2339  | 2784  | 3230  | 3675  | 4121  | 4566  | 5012  | 5457  | 5903  |
|                 | 22'3" | 2080 | 2325 | 2570  | 3059  | 3549  | 4038  | 4528  | 5017  | 5507  | 5996  | 6486  |
|                 | 24'3" | 2267 | 2534 | 2801  | 3334  | 3868  | 4401  | 4935  | 5468  | 6002  | 6535  | 7069  |



## Other Roof Options

### Pent\* or Apex Roof

Plastisol:  
Choice of colours;  
Black, Light Grey  
Dark Grey, Olive Green  
Terracotta, Dark Brown

\*Only available up to 20'6" on Pent buildings

| Width ►         |       | 8'6" | 9'6" | 10'6" | 12'6" | 14'6" | 16'6" | 18'6" | 20'6" | 22'6" | 24'6" | 26'6" |
|-----------------|-------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Building length | 16'3" | 1043 | 1166 | 1288  | 1534  | 1779  | 2024  | 2270  | 2515  | 2760  | 3006  | 3251  |
|                 | 18'3" | 1171 | 1309 | 1447  | 1722  | 1998  | 2273  | 2549  | 2825  | 3100  | 3376  | 3651  |
|                 | 20'3" | 1300 | 1452 | 1605  | 1911  | 2217  | 2523  | 2828  | 3134  | 3440  | 3746  | 4052  |
|                 | 22'3" | 1428 | 1596 | 1764  | 2100  | 2436  | 2772  | 3108  | 3444  | 3780  | 4116  | 4452  |
|                 | 24'3" | 1556 | 1739 | 1922  | 2289  | 2655  | 3021  | 3387  | 3753  | 4119  | 4486  | 4852  |
|                 | 26'3" | 1685 | 1883 | 2081  | 2477  | 2874  | 3270  | 3666  | 4063  | 4459  | 4856  | 5252  |
|                 | 28'3" | 1813 | 2026 | 2240  | 2666  | 3093  | 3519  | 3946  | 4372  | 4799  | 5226  | 5652  |



### Apex Roof

Coloured roof sheets:  
Choice of colours;  
Blue-Black, Olive Green\*  
Brown, Terracotta  
Includes eaves filler

\*special order item, please allow 5 weeks

| Width ►         |       | 8'6" | 9'6" | 10'6" | 12'6" | 14'6" | 16'6" | 18'6" | 20'6" | 22'6" | 24'6" | 26'6" |
|-----------------|-------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Building length | 16'3" | 249  | 278  | 307   | 366   | 424   | 483   | 541   | 600   | 658   | 717   | 775   |
|                 | 18'3" | 279  | 312  | 345   | 411   | 476   | 542   | 608   | 673   | 739   | 805   | 871   |
|                 | 20'3" | 310  | 346  | 383   | 456   | 529   | 601   | 674   | 747   | 820   | 893   | 966   |
|                 | 22'3" | 340  | 380  | 421   | 501   | 581   | 661   | 741   | 821   | 901   | 981   | 1061  |
|                 | 24'3" | 371  | 415  | 458   | 546   | 633   | 720   | 808   | 895   | 982   | 1069  | 1157  |
|                 | 26'3" | 402  | 449  | 496   | 591   | 685   | 780   | 874   | 969   | 1063  | 1158  | 1252  |



Add for each additional 2' in length

## PVC Fascias and Vergeboards (supplied with timber as standard)

|                                                 | 8'6" | 9'6" | 10'6" | 12'6" | 14'6" | 16'6" | 18'6" | 20'6" | 22'6" | 24'6" | 26'6" |
|-------------------------------------------------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| White                                           | 500  |      | 545   |       | 700   |       | 745   |       |       |       |       |
| Anthracite & Decograin<br>(Golden Oak/Rosewood) | 650  |      | 695   |       | 875   |       | 920   |       |       |       |       |



## Special Wall Finishes:

### Sectional Brick

### Sectional Stone

### Garaclad PVC Cladding

#### How To Price

- Work out linear feet needed by adding length of building sides + front + back. Then minus width of any side & main doors & full length windows

Eg. 16 x 8 with side door = 16 (left side) + 16 (right side) + 8 (front) + 8 (back) = 48. Less 3 (side door), less 7 (main door) = 38

- Multiply this by the relevant price below (eg. for brick 38 x 80 = £3,040)

- Add total to the basic building price

#### Price per linear foot

|                         |     |
|-------------------------|-----|
| Sectional Brick / Stone | 80  |
| Garaclad                | 105 |



Antique Red

Grey



Tudor Brown

Buff



Cotswold Stone

Pennine Stone



Cotswold Stone


Pennine Stone



White

Sand

Cream



Light Blue

Enviro Green

Light Grey





## Special Offer Package

**AREA 4**

At Lidget Compton, we offer a special **maintenance free package** offer on our Pent and Apex garages.

This package adds a host of maintenance free features to the standard building.

Once you've chosen the shape of your building, **find the package price below and simply add it to your building price.**

- ✓ White PVCu fascias and vergeboards
- ✓ PVCu Gutters (Choose from White, Black or Brown)
- ✓ 4' (1.22m) fixed white PVCu double glazed window
- ✓ Sand and cement fillet



**SAVE £££'s**

### Pent Garages - Package Add on Price

| Building Width ► | 8'6"<br>(2.59m) | 9'6"<br>(2.89m) | 10'6"<br>(3.20m) | 12'6"<br>(3.81m) | 14'6"<br>(4.42m) | 16'6"<br>(5.03m) | 18'6"<br>(5.64m) | 20'6"<br>(6.24m) | Maintenance Free package not available on the Pent Mansard |  |
|------------------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------------------------------------------------|--|
|                  | 805             | 815             | 860              | 875              | 890              | 1070             | 1085             | 1100             |                                                            |  |

### Apex Garages - Package Add on Price (inc. Apex 15&20)

| Building Width ► |                                                                    | 8'6"<br>(2.59m) | 9'6"<br>(2.89m) | 10'6"<br>(3.20m) | 12'6"<br>(3.81m) | 14'6"<br>(4.42m) | 16'6"<br>(5.03m) | 18'6"<br>(5.64m) | 20'6"<br>(6.24m) | 22'6"<br>(6.86m) | 24'6"<br>(7.46m) | 26'6"<br>(8.08m) |
|------------------|--------------------------------------------------------------------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Building Length  | 16'3" (4.95m)                                                      | 990             | 990             | 1025             | 1025             | 1025             | 1190             | 1190             | 1190             | 1230             | 1230             | 1230             |
|                  | 18'3" (5.56m)                                                      | 1020            | 1020            | 1055             | 1055             | 1055             | 1220             | 1220             | 1220             | 1260             | 1260             | 1260             |
|                  | 20'3" (6.17m)                                                      | 1050            | 1050            | 1085             | 1085             | 1085             | 1255             | 1255             | 1255             | 1290             | 1290             | 1290             |
|                  | 22'3" (6.78m)                                                      | 1080            | 1080            | 1120             | 1120             | 1120             | 1285             | 1285             | 1285             | 1320             | 1320             | 1320             |
|                  | 24'3" (7.39m)                                                      | 1110            | 1110            | 1150             | 1150             | 1150             | 1315             | 1315             | 1315             | 1350             | 1350             | 1350             |
|                  | ▼ Add for each additional 2' (0.61m) increment in building length▼ |                 |                 |                  |                  |                  |                  |                  |                  |                  |                  |                  |
|                  | + 2' (0.61m)                                                       | 64              | 64              | 64               | 64               | 64               | 64               | 64               | 64               | 64               | 64               | 64               |

\*Please note due to the high specification supplied as standard on the Pent Mansard and Apex 90 no packages are available

## Concrete Base Information

### A Lidget Compton Building Is Only As Good On The Base It Sits On

There are some very important factors to take into account when considering a concrete building. We cannot build on tarmac, paving blocks or slabs as they are inherently unstable. Any building is only as good as its foundations, and this holds true for our buildings as well.

Your base will need to be square (meaning all the corners are 90°) flat and level. It should be above surrounding ground level by a minimum of 1". It should be 6" longer and wider than the external dimensions of your building. Please don't build your base with any fall.

If your drive slopes down to the garage, you will need to put in a gully to take away the water, if there is a wall or bank around the building, you need to ensure adequate drainage. Our agents will provide advice, and will often provide a service to replace, refurbish or provide a new base.

You may also need Local Authority approval, either planning or building regulation.


You may obtain advice from your agent, but you will need a letter of confirmation to be absolutely sure.



GOOD BASE POSITIONING



POOR BASE POSITIONING (CORNERS NOT AT RIGHT ANGLES)



IF THE DISTANCE BETWEEN A-B IS EQUAL TO C-D, YOUR BASE IS SQUARE

### 10 Year Guarantee

Lidget Compton offer a full structural guarantee for 10 years from the date of installation of your building. The guarantee is transferable, and is subject to the proper following of the Care and Maintenance Instructions supplied with your acknowledgement of order.

See [www.lidget.co.uk/10yearguarantee](http://www.lidget.co.uk/10yearguarantee)



Prices in the Lidget Compton price guide all include delivery and installation. Delivery is to mainland England, Scotland and Wales, and includes carrying your building up to 25 yards (23 metres) on a reasonable surface from our parked lorry to your concrete base. We are unable to deliver through your house or outbuildings for safety reasons.

Prices include VAT at the current rate of 20%. Should this rate change, we reserve the right to adjust prices accordingly. Prices include installation of options ordered at the time of ordering the building. Options ordered after delivery and installation will be quoted separately. **Sizes quoted are external measurements.**

Information correct at time of printing. Terms & conditions apply. We reserve the right to change product specification without notice. E&OE.

**Lidget Compton** Albion Drive Lidget Lane Thurnscoe Rotherham S63 OBA

Tel. 01709 881844 Fax. 01709 881015 Email. [sales@lidget.co.uk](mailto:sales@lidget.co.uk)