



Simple easy to understand pricing, the price you see is the price you pay!



# GARAGE & SHED PRICES

## Why choose Lidget Compton?

- ✓ We are the UK's largest & market leading manufacturer of sectional concrete garages, sheds & garden buildings
- ✓ We have over 35 years experience in the garage market
- ✓ Every building comes with a 10 year structural guarantee
- ✓ We manufacture the UK's strongest garage panels
- ✓ Buildings are installed by our own workforce, usually on the day of delivery
- ✓ We offer the UK's largest & most flexible product range
- ✓ We offer a bespoke building design service
- ✓ We supply market leading Hormann & GDS garage doors for greater choice
- ✓ As a family run business we pride ourselves on offering the best products and service possible
- ✓ Our nationwide network of local garage specialists have all the experience and expertise you need when purchasing a new sectional building



## PENT GARAGES

<b>Wall finish:</b>	Industry leading concrete steel reinforced panels with spar finish.
<b>Front posts:</b>	Spar.
<b>Main door:</b>	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
<b>Roof:</b>	Robust C section galvanised steel rafters supporting galvanised steel full length (up to 20'3) roof sheets, with Grafo therm anti-condensation treatment.
<b>Fascias:</b>	Factory preservative treated timber.
<b>Window:</b>	4' (1.22m) timber fixed factory preservative treated.



		Building Width							
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Door Width ▶		7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2x7' (2.13m)	2x8' (2.44m)	
▲ Length ▼	14'3" (4.34m)	1935	2285	2385	2695	3235	3715	4095	4415
	16'3" (4.95m)	2085	2390	2510	2820	3375	3885	4295	4610
	18'3" (5.56m)	2180	2515	2630	2945	3530	4075	4505	4795
	20'3" (6.17m)	2295	2630	2765	3060	3675	4250	4730	4990
	22'3" (6.78m)	2415	2775	2885	3185	3835	4440	4920	5175
	24'3" (7.39m)	2540	2870	2995	3290	3995	4615	5145	5355
	26'3" (8.08m)	2655	2985	3140	3435	4225	4835	5370	5595
	28'3" (8.61m)	2750	3120	3275	3580	4410	5050	5595	5820
Guttering		48	54	59	70	82	93	104	115

For a building with **extra high 7'6" eaves** please add 25% to the building price. For a **lean-to**, add 10% to the building price

## PENT MANSARD GARAGES

<b>Wall finish:</b>	Industry leading concrete steel reinforced panels with spar finish.
<b>Front posts:</b>	Spar.
<b>Main door:</b>	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
<b>Roof:</b>	As the Pent but with attractive front elevation with granular galvanised steel pantile profile tiles in a choice of 6 colours.
<b>Fascias:</b>	White PVCu fascias and vergeboards.
<b>Window:</b>	4' (1.22m) White PVCu fixed.
<b>Gutters:</b>	Front & rear PVCu. Choice of white, black or brown.



		Building Width							
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Door Width ▶		7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2x7' (2.13m)	2x8' (2.44m)	
▲ Length ▼	14'3" (4.34m)	2885	3175	3310	3730	4840	4915	5365	5740
	16'3" (4.95m)	2930	3290	3405	3850	4990	5090	5490	5915
	18'3" (5.56m)	3070	3400	3530	3985	5115	5235	5695	6080
	20'3" (6.17m)	3220	3570	3655	4125	5285	5405	5925	6285
	22'3" (6.78m)	3350	3680	3840	4240	5420	5610	6125	6445
	24'3" (7.39m)	3485	3775	3960	4400	5550	5850	6310	6625
	26'3" (8.08m)	3590	3895	4090	4555	5735	6095	6510	6800
	28'3" (8.61m)	3695	4010	4220	4705	5920	6340	6790	6980

# APEX GARAGES

<b>Wall finish:</b>	Industry leading concrete steel reinforced panels with spar finish.
<b>Front posts:</b>	Spar.
<b>Main door:</b>	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
<b>Roof:</b>	12.5° pitch roof with fibre cement roof sheets, close fitted ridge and eaves filler.
<b>Fascias:</b>	Factory preservative treated timber.
<b>Window:</b>	4' (1.22m) timber fixed factory preservative treated.



		Building width											Gutters	
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)	22'6" (6.86m)	24'6" (7.46m)	26'6" (8.08m)	1 side	2 sides
<b>Building length</b>	Door width ▶	7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2 x 7' (2.13m)		2 x 8' (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)	
	14'3" (4.34m)	2225	2535	2645	3095	3295	4095	4455	4825	5415	5635	7085	80	160
	16'3" (4.95m)	2315	2675	2795	3215	3435	4325	4715	5080	5675	5915	7375	91	182
	18'3" (5.56m)	2495	2795	2920	3360	3620	4575	4995	5335	5935	6190	7680	102	205
	20'3" (6.17m)	2625	2920	3095	3495	3785	4795	5270	5595	6195	6475	7965	114	227
	22'3" (6.78m)	2750	3065	3230	3625	3925	5030	5530	5850	6450	6765	8270	125	250
	24'3" (7.39m)	2885	3180	3375	3775	4095	5270	5795	6115	6695	7025	8575	136	272
	26'3" (8.00m)	3125	3315	3520	3905	4270	5515	6075	6365	6960	7310	8880	147	294
	Additional 2'	150				250				300				11

## Want a different Apex roof style?

Apex garages are also available in two alternative roof styles (see options page for pricing);

**Apex 15:** A 15° pitch roof with bold roll tile effect roof sheets in attractive terracotta.

**Apex 20:** 20° pitch lined roof with attractive galvanised pantile profile steel roof tiles in a choice of 6 colours and eaves filler.

Apex 15 Roof



Apex 20 Roof



For a building with **extra high 7'6" eaves** please add 25% to the building price. For a **lean-to**, add 10% to the building price

# APEX 90 GARAGES Featuring a transverse roof

<b>Wall finish:</b>	Industry leading concrete steel reinforced panels with spar finish.
<b>Front posts:</b>	Spar.
<b>Main door:</b>	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
<b>Roof:</b>	Attractive plastisol coated, galvanised steel tileeffect roof sheets in a choice of 4 colours.
<b>Fascias:</b>	White PVCu fascias and vergeboards.
<b>Window:</b>	4' (1.22m) White PVCu fixed
<b>Gutters:</b>	Front & rear PVCu. Choice of white, black or brown.



		Building width					
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
<b>Building length</b>	Door width ▶	7' (2.13m)	8' (2.44m)		2 x 7' (2.13m)	2 x 8' (2.44m)	
	14'6" (4.42m)	3860	4235	4460	6420	7140	7710
	16'6" (5.03m)	4035	4480	4745	6905	7610	8190
	18'6" (5.64m)	4310	4720	5015	7385	8110	8720
	20'6" (6.25m)	4550	4995	5320	7815	8625	9200

# PENT & PENT MANSARD SHEDS

<b>Wall finish:</b>	Industry leading concrete steel reinforced panels with spar finish.
<b>Main door:</b>	3' (0.91m) horizontal boarded standard timber door.
<b>Roof:</b>	Pent: Galvanised steel roof sheets with Grafo-Therm anti-condensation treatment mounted on robust C-Section rafters. Mansard: As Pent but with pantile profile tile effect roof sheets to front elevation, in a choice of 6 colours
<b>Fascias:</b>	Factory preservative treated timber.
<b>Window:</b>	4' timber fixed factory preservative treated (2' on buildings up to 8' wide).
<b>Note:</b>	Pent Mansard sheds are supplied with PVCu fascias, 4' fixed PVCu window, 3' steel personnel door and PVC guttering in a choice of white, black or brown.



Mansard shed in sectional brick finish

	PENT SHED							Building Width		PENT MANSARD SHED						
	4' (1.22m)	6' (1.83m)	8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)	4' (1.22m)	6' (1.83m)	8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)		
Length ▲ ▼	4'	1495	1540	1560	1680	1795	2025	2325	2375	2605	2865	3110	3365	3780	4440	
	6'	1655	1680	1695	1765	1875	2115	2435	2495	2810	3030	3210	3455	3885	4565	
	8'	1715	1765	1755	1880	1975	2190	2515	2650	2920	3135	3350	3560	4010	4715	
	10'	1750	1795	1820	1980	2085	2315	2685	2785	2995	3240	3455	3690	4160	4875	
	12'	1825	1850	1870	2085	2260	2530	2900	2930	3130	3345	3585	3890	4390	5140	
	14'	1860	1895	1920	2290	2490	2795	3285	3190	3410	3535	3890	4230	4785	5595	
	16'	1995	2005	2055	2345	2765	3065	3620	3455	3685	3930	4200	4565	5180	6040	
Guttering	22	34	45	56	67	78	90	Included								

For a building with **extra high 7'6" eaves** please add 25% to the building price. For a **lean-to**, add 10% to the building price

# APEX SHEDS

<b>Wall finish:</b>	Industry leading concrete steel reinforced panels with spar finish.
<b>Main door:</b>	3' (0.91m) horizontal boarded standard timber door.
<b>Roof:</b>	Apex: 12.5° pitch roof with grey fibre cement roof sheets. Apex15: 15° pitch roof with bold roll tile effect roof sheets in terracotta. Apex20: 20° pitch lined roof with attractive galvanised pantile profile steel roof tiles in a choice of 6 colours and eaves filler.
<b>Fascias:</b>	Factory preservative treated timber.
<b>Window:</b>	4' timber fixed factory preservative treated (2' on buildings up to 8' wide).



Apex15 shed with PVCu features & steel door

	APEX SHED							APEX 15 SHED							APEX 20 SHED							Gutters Both Sides	
	4' 1.22m	6' 1.83m	8' 2.44m	10' 3.05m	12' 3.66m	14' 4.26m	16' 4.88m	4' 1.22m	6' 1.83m	8' 2.44m	10' 3.05m	12' 3.66m	14' 4.26m	16' 4.88m	4' 1.22m	6' 1.83m	8' 2.44m	10' 3.05m	12' 3.66m	14' 4.26m	16' 4.88m		
Length ▲ ▼	4'	1695	1740	1795	1960	2120	2385	2655	1800	1895	2005	2220	2430	2750	3070	1845	1970	2100	2340	2575	2915	3265	45
	6'	1755	1795	1875	2070	2195	2450	2785	1910	2030	2185	2460	2665	2995	3410	1985	2135	2330	2640	2880	3250	3695	67
	8'	1830	1870	1950	2205	2295	2565	2895	2040	2180	2365	2725	2920	3295	3725	2135	2325	2560	2965	3205	3630	4110	90
	10'	1945	1965	2005	2310	2430	2710	3040	2205	2355	2525	2960	3210	3620	4080	2325	2535	2765	3260	3570	4040	4560	112
	12'	1995	2040	2070	2435	2675	2925	3255	2305	2510	2695	3215	3610	4015	4505	2450	2725	2980	3575	4045	4520	5080	134
	14'	2080	2115	2165	2635	2810	3125	3570	2445	2660	2895	3545	3900	4400	5025	2610	2915	3230	3965	4405	4985	5700	157
16'	2225	2265	2290	2790	3115	3395	3785	2640	2890	3120	3830	4365	4850	5450	2835	3175	3505	4310	4940	5525	6215	179	

## Special Package Offer

At Lidget Compton, we offer a special maintenance free offer package across the whole range. This package adds a host of maintenance free features to the standard building.

Once you've chosen the shape of your building, **find the package price below and simply add it to your building price.**



### Maintenance Free Package\*

No more sanding or painting, an occasional wipe clean is all you need! This package includes:

- ✓ White vertically ribbed up and over door
- ✓ White PVCu fascias and vergeboards
- ✓ PVCu Gutters (Choose from White, Black or Brown)
- ✓ 4' (1.22m) fixed white PVCu double glazed window
- ✓ 3' (0.91m) White vertically ribbed Personnel door with 4 point locking
- ✓ 4 point locking on up & over doors (up to 9' (2.74m) wide)
- ✓ Timber weather bar
- ✓ Sand and cement fillet

SAVE £££'s



\* Actual contents depend on the building chosen. Shed packages do not include up and over door, 4 point locking or timber weather bar.

### Pent & Pent Mansard - Package Add on Price

	Building Width							
	8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
<b>PENT</b>	1041	1083	1088	1139	1632	1390	1474	1483
<b>PENT MANSARD</b>	-	-	-	-	-	-	-	-

### Apex Range - Package Add on Price

		Building Width										
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)	22'6" (6.86m)	24'6" (7.46m)	26'6" (8.08m)
Building Length	14'3" (4.34m)	1136	1173	1173	1216	1769	1447	1522	1522	1606	1606	2713
	16'3" (4.95m)	1155	1192	1192	1235	1788	1466	1541	1541	1625	1625	2732
	18'3" (5.56m)	1174	1211	1211	1254	1807	1485	1560	1560	1644	1644	2751
	20'3" (6.17m)	1193	1230	1230	1273	1826	1504	1579	1579	1663	1663	2770
	22'3" (6.78m)	1212	1250	1250	1292	1845	1523	1598	1598	1682	1682	2789
	24'3" (7.39m)	1231	1269	1269	1311	1864	1542	1617	1617	1701	1701	2808
▼ Add for each additional 2' (0.61m) increment in building length ▼												
+ 2' (0.61m)		19	19	19	19	19	19	19	19	19	19	19







### Sheds & Workshops - Package Add on Price





		Building Width						
		4' (1.22m)	6' (1.83m)	8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)
<b>PENT</b>		770	779	789	798	808	817	974
<b>PENT MANSARD</b>		-	-	-	-	-	-	-
Building Length	APEX	4'	789	789	789	789	789	936
		6'	808	808	808	808	808	955
		8'	827	827	827	827	827	974
	▼ Add for each additional 2' (0.61m) increment ▼							
		19	19	19	19	19	19	19




Package contents as per garage packages (excluding up & over door, 4 point locking and timber weather bar).

Please note due to the high specification supplied as standard on the Pent Mansard and Apex 90 no packages are available
















## MAIN DOOR OPTIONS

Building width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"	Add'l Sizes				
Door width ▶	7'	8'	9'	10'	2x7'	2x8'	2x9'	2x10'	12'	14'						
<b>Up and Over Doors</b> Horizontal ribbed door included as standard. All doors are steel unless stated otherwise.																
Vertical ribbed (white)	47	91	141	792	94	182	282	1584	1180	1196	Vertically Ribbed	Georgian				
Georgian (white)	143	295	323	1024	286	590	646	2048	1248	1280						
Ilkley (white)	362	395	–	–	723	790	–	–	–	1800			Ilkley	Chevron		
Chevron (white)	159	–	–	–	318	–	–	–	–	–						
<b>Other Main Doors</b>																
Rollershutter (white/coloured)	236	276	352	420	472	552	704	840	556	716						
Sectional (white)	940	1000	1076	1216	1880	2000	2152	2432	–	–						
Sectional w/windows (white)	1164	1224	1300	1440	2328	2448	2600	2880	–	–						
Sidehung	1220	1268	–	–	2440	2536	–	–	–	–						
Sidehung (Timber)	91	103	–	–	182	206	–	–	–	–						
No door (leaving gap)	-78	-90	-103	-151	-155	-179	-206	-302	–	–						
<b>Extras</b>													<b>Notes</b>			
4 point locking (u&o) up to & incl. 9' doors	83		–	166			–	–	–	–	1 Coloured Georgian U&O doors only available in 7'&8' widths					
Electric Remote Control*	767			1534			767	767	2 Decograin sectional doors only available in M-Rib style <b>not</b> Georgian							
– External key override	67											* <b>IMPORTANT:</b> On garages with an electric remote operator and no personnel door or other means of access, an external key override must be added to allow the door to be opened in the event of a power failure.				
– Internal switch	80															
– Additional handset	80															

Personnel Doors		White	Coloured	Golden Oak /Rosewood		
Standard Timber	3'	125	–	–	Standard Timber	
	4'	208	–	–		
Galvanised steel white vertical	3'	356	632	–	Steel	
	4'	568	844	–		
Galvanised steel white Georgian	3'	660	936	–	Georgian	
PVCu Half or Fully Glazed	3'	566	–	759		
	3'6"	607	–	801	Panelled PVC	
PVCu Fully Panelled	3'	525	–	1022		
	3'6"	552	–	1063		

Windows <sup>①</sup>		Std Timber/ White Pvcu	Golden Oak /Rosewood
Timber fixed	2'	54	–
	4'	70	–
PVCu fixed	2'	154	207
	4'	194	250
PVCu opening	2'	201	262
	4'	233	303
			
	4' Timber	2' Timber	4' PVCu
			2' PVCu

① Please note that extra high buildings are supplied with a 3' wide window as standard not 4'. This is due to the difference in extra high panel widths. They are also taller than standard windows. The price remains the same.

Door Colour Options (Add to door price)			U&O / Sectional / Personnel Doors		Rollershutter Doors		
	Decograin <sup>2</sup>	Coloured <sup>1</sup>					
Up & Over	7' / 8' +£198	7' / 8' / 9' / 10' +£130	12' / 14' +£196	Dark Brown 	Red 	Vandyke Brown 	Black 
Rollershutter	+25% of door cost	Included		Light Blue 	Black 	Honesty Cream 	Woodgrain: Golden Oak 
Sectional	+25% of door cost	+£166		Steel Blue 	Woodgrain: Golden Oak 	Goosewing Grey 	Rosewood 
				Green 	Rosewood 	Juniper Green 	Doors supplied white as standard

# Accessories

Options. Simply add the cost of any options to your basic building price.



## APEX ROOF OPTIONS

Two alternative roof styles are available on Apex buildings, the Apex 15 and Apex 20. To price these simply add the upgrade price from the relevant box below to the basic building price on page 3.

Apex 15 Roof 15° pitch roof with bold roll profile fibre cement roof tiles in terracotta.		APEX 15										
		Width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"
Building length	14'3"	785	880	975	1160	1345	1530	1715	1900	2085	2270	2455
	16'3"	900	1005	1110	1320	1530	1745	1955	2165	2375	2590	2800
	18'3"	1010	1130	1245	1485	1720	1955	2195	2430	2670	2905	3145
	20'3"	1120	1250	1380	1645	1910	2170	2435	2700	2960	3225	3490
	22'3"	1230	1375	1520	1810	2095	2385	2675	2965	3255	3545	3835
	24'3"	1340	1500	1655	1970	2285	2600	2915	3230	3550	3860	4175



Apex 20 Roof 20° pitch, felt lined roof with galvanised steel pantile profile roof tiles. Choice of colours; Charcoal, Brindle, Green, Terracotta, Red, Bronze.		APEX 20										
		Width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"
Building length	14'3"	1150	1285	1420	1690	1965	2235	2505	2775	3045	3315	3585
	16'3"	1310	1465	1620	1930	2240	2550	2855	3165	3475	3780	4090
	18'3"	1475	1650	1820	2165	2515	2860	3205	3555	3900	4250	4595
	20'3"	1635	1830	2020	2405	2790	3175	3560	3945	4330	4715	5100
	22'3"	1795	2010	2220	2645	3065	3490	3910	4335	4755	5180	5600
	24'3"	1960	2190	2420	2880	3340	3800	4260	4725	5185	5645	6105



## Roofing Upgrades & Options

Pent* or Apex Roof Plastisol: Choice of colours ; Black, Light Grey, Dark Grey, Olive Green, Terracotta, Dark Brown. <small>*Only available up to 20'6" on Pent buildings</small>												
		Width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"
Building length	14'3"	504	563	623	741	860	978	1097	1216	1334	1453	1571
	16'3"	575	642	710	845	981	1116	1251	1386	1522	1657	1792
	18'3"	646	722	797	949	1101	1253	1405	1557	1709	1861	2013
	20'3"	716	801	885	1053	1222	1390	1559	1728	1896	2065	2234
	22'3"	787	880	972	1157	1343	1528	1713	1898	2084	2270	2455
	24'3"	858	959	1060	1261	1463	1665	1867	2069	2270	2472	2674
	26'3"	929	1038	1147	1366	1584	1802	2021	2239	2458	2676	2894
	28'3"	999	1117	1234	1470	1705	1940	2175	2410	2646	2881	3116




Apex Roof Coloured roof sheets: Choice of colours; Blue-Black, Olive Green*, Brown, Terracotta. Includes eaves filler <small>*special order item, please allow 5 weeks</small>												
		Width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"
Building length	14'3"	180	201	222	265	307	349	392	434	477	519	561
	16'3"	205	229	254	302	350	399	447	495	543	592	640
	18'3"	231	258	285	339	393	448	502	556	610	665	719
	20'3"	256	286	316	376	436	497	557	617	677	737	798
	22'3"	281	314	347	413	480	546	612	678	744	810	876
	24'3"	306	342	378	451	523	595	667	739	811	883	955
Add for each additional 2' in length		26	28	31	37	43	49	55	61	67	73	79



PVC Fascias and Vergeboard (supplied with timber as standard)												
		8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
White		374					547					
Anthracite & Decograin (Golden Oak/Rosewood)		511					707					



## MISCELLANEOUS OPTIONS

Building width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"					
RealBrick front posts	169	169	248	458	466	253	253	477					
Partition wall	190	213	235	280	325	370	414	459					
Sand & cement fillet	83				107								
Timber weather bar	38				77								
Translucent roof sheet (apex only)					54								
Lining clips (pack of 12)					20								
Shelf Stack (2' 4' or 6')					93 / 108 / 123								

## SPECIAL WALL FINISHES

Choose from: Sectional Brick - Sectional Stone - Garaclad PVC Cladding - Textured Render

### How To Price

1. Work out linear feet needed by adding length of building sides + front + back. Then minus width of any side & main doors & full length windows

Eg. 16 x 8 with side door =  
16 (left side) + 16 (right side)  
+ 8 (front) + 8 (back) = 48  
Less 3 (side door), less 7 (main door)  
= 38

2. Multiply this by the relevant price below (eg. for brick 38 x 50 = £1,900)

3. Add total to the basic building price

### Price per linear foot

Sectional Brick / Stone	50
Textured or Garaclad	60



## Concrete Base Information

### A Lidget Compton Building Is Only As Good On The Base It Sits On

There are some very important factors to take into account when considering a concrete building. We cannot build on tarmac, paving blocks or slabs as they are inherently unstable. Any building is only as good as its foundations, and this holds true for our buildings as well.

Your base will need to be square (meaning all the corners are 90°) flat and level. It should be above surrounding ground level by a minimum of 1". It should be 6" longer and wider than the external dimensions of your building. Please don't build your base with any fall.


If your drive slopes down to the garage, you will need to put in a gully to take away the water, if there is a wall or bank around the building, you need to ensure adequate drainage. Our agents will provide advice, and will often provide a service to replace, refurbish or provide a new base.

You may also need Local Authority approval, either planning or building regulation.


You may obtain advice from your agent, but you will need a letter of confirmation to be absolutely sure.



GOOD BASE POSITIONING



POOR BASE POSITIONING (CORNERS NOT AT RIGHT ANGLES)



IF THE DISTANCE BETWEEN A-B IS EQUAL TO C-D, YOUR BASE IS SQUARE

### 10 Year Guarantee

Lidget Compton offer a full structural guarantee for 10 years from the date of installation of your building. The guarantee is transferable, and is subject to the proper following of the Care and Maintenance Instructions supplied with your acknowledgement of order. See [www.lidget.co.uk/10yearguarantee](http://www.lidget.co.uk/10yearguarantee)



Prices in the Lidget Compton price guide all include delivery and installation. Delivery is to mainland England, Scotland and Wales, and includes carrying your building up to 25 yards (23 metres) on a reasonable surface from our parked lorry to your concrete base. We are unable to deliver through your house or outbuildings for safety reasons.

Prices include VAT at the current rate of 20%. Should this rate change, we reserve the right to adjust prices accordingly. Prices include installation of options ordered at the time of ordering the building. Options ordered after delivery and installation will be quoted separately. **Sizes quoted are external measurements.**

Information correct at time of printing. Terms & conditions apply. We reserve the right to change product specification without notice. E&OE.