



Simple easy to understand pricing, the price you see is the price you pay!



GARAGE & SHED PRICES

Why choose Lidget Compton?


- ✓ We are the UK's largest & market leading manufacturer of sectional concrete garages, sheds & garden buildings
- ✓ We have over 35 years experience in the garage market
- ✓ Every building comes with a 10 year structural guarantee
- ✓ We manufacture the UK's strongest garage panels
- ✓ Buildings are installed by our own workforce, usually on the day of delivery
- ✓ We offer the UK's largest & most flexible product range
- ✓ We offer a bespoke building design service
- ✓ We supply market leading Hormann & GDS garage doors for greater choice
- ✓ As a family run business we pride ourselves on offering the best products and service possible
- ✓ Our nationwide network of local garage specialists have all the experience and expertise you need when purchasing a new sectional building



lidget.co.uk

PENT GARAGES

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Front posts:	Spar.
Main door:	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
Roof:	Robust C section galvanised steel rafters supporting galvanised steel full length (up to 20'3) roof sheets, with Grafo therm anti-condensation treatment.
Fascias:	Factory preservative treated timber.
Window:	4' (1.22m) timber fixed factory preservative treated.




Building Width

		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Door Width ▶		7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2x7' (2.13m)	2x8' (2.44m)	
▲ Length ▼	14'3" (4.34m)	2285	2610	2755	3055	3610	4130	4495	4835
	16'3" (4.95m)	2395	2750	2870	3175	3760	4305	4720	5045
	18'3" (5.56m)	2525	2860	2995	3295	3925	4490	4945	5250
	20'3" (6.17m)	2650	2995	3115	3440	4095	4670	5150	5430
	22'3" (6.78m)	2770	3110	3250	3565	4250	4865	5375	5625
	24'3" (7.39m)	2895	3225	3385	3675	4395	5045	5595	5830
	26'3" (8.08m)	3035	3395	3545	3860	4625	5295	5850	6110
	28'3" (8.61m)	3145	3525	3685	4015	4825	5515	6095	6360
Guttering		48	54	59	70	82	93	104	115

For a building with **extra high 7'6" eaves** please add 25% to the building price. For a **lean-to**, add 10% to the building price

PENT MANSARD GARAGES

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Front posts:	Spar.
Main door:	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
Roof:	As the Pent but with attractive front elevation with granular galvanised steel pantile profile tiles in a choice of 6 colours.
Fascias:	White PVCu fascias and vergeboards.
Window:	4' (1.22m) White PVCu fixed.
Gutters:	Front & rear PVCu. Choice of white, black or brown.



Building Width

		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Door Width ▶		7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2x7' (2.13m)	2x8' (2.44m)	
▲ Length ▼	14'3" (4.34m)	3090	3405	3550	4015	5245	5300	5795	6200
	16'3" (4.95m)	3135	3535	3675	4145	5410	5490	5930	6400
	18'3" (5.56m)	3290	3660	3795	4300	5550	5650	6160	6580
	20'3" (6.17m)	3460	3850	3940	4450	5755	5845	6420	6810
	22'3" (6.78m)	3610	3970	4150	4585	5895	6070	6540	6985
	24'3" (7.39m)	3760	4080	4280	4765	6040	6345	6850	7190
	26'3" (8.08m)	3875	4215	4425	4930	6245	6615	7060	7390
	28'3" (8.61m)	3995	4345	4570	5100	6455	6890	7270	7590

APEX GARAGES

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Front posts:	Spar.
Main door:	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
Roof:	12.5° pitch roof with fibre cement roof sheets, close fitted ridge and eaves filler.
Fascias:	Factory preservative treated timber.
Window:	4' (1.22m) timber fixed factory preservative treated.



		Building width											Gutters	
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)	22'6" (6.86m)	24'6" (7.46m)	26'6" (8.08m)	1 side	2 sides
Building length	Door width ▶	7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2 x 7' (2.13m)	2 x 8' (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)		
	14'3" (4.34m)	2490	2895	3000	3455	3765	4640	5025	5400	6055	6260	7795	80	160
	16'3" (4.95m)	2635	3020	3160	3595	3955	4895	5305	5665	6295	6550	8085	91	182
	18'3" (5.56m)	2785	3150	3305	3740	4155	5145	5570	5955	6580	6845	8385	102	205
	20'3" (6.17m)	2910	3295	3465	3890	4340	5390	5870	6220	6830	7125	8685	114	227
	22'3" (6.78m)	3060	3425	3610	4035	4545	5650	6150	6480	7105	7420	9000	125	250
	24'3" (7.39m)	3210	3560	3760	4170	4745	5895	6425	6765	7365	7715	9320	136	272
	26'3" (8.00m)	3350	3690	3915	4315	4920	6130	6705	7020	7630	7995	9630	147	294
	Additional 2'	170				270				320				11

Want a different Apex roof style?

Apex garages are also available in two alternative roof styles (see options page for pricing);

Apex 15: A 15° pitch roof with bold roll tile effect roof sheets in attractive terracotta.

Apex 20: 20° pitch lined roof with attractive galvanised pantile profile steel roof tiles in a choice of 6 colours and eaves filler.

Apex 15 Roof



Apex 20 Roof



For a building with **extra high 7'6" eaves** please add 25% to the building price. For a **lean-to**, add 10% to the building price

APEX 90 GARAGES Featuring a transverse roof

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Front posts:	Spar.
Main door:	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
Roof:	Attractive plastisol coated, galvanised steel tileeffect roof sheets in a choice of 4 colours.
Fascias:	White PVCu fascias and vergeboards.
Window:	4' (1.22m) White PVCu fixed
Gutters:	Front & rear PVCu. Choice of white, black or brown.



		Building width					
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Building length	Door width ▶	7' (2.13m)	8' (2.44m)		2 x 7' (2.13m)	2 x 8' (2.44m)	
	14'6" (4.42m)	4190	4605	4855	7040	7845	8480
	16'6" (5.03m)	4385	4880	5175	7580	8370	9015
	18'6" (5.64m)	4695	5170	5480	8120	8925	9610
	20'6" (6.25m)	4960	5455	5820	8600	9505	10145

PENT & PENT MANSARD SHEDS

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Main door:	3' (0.91m) horizontal boarded standard timber door.
Roof:	Pent: Galvanised steel roof sheets with Grafo-Therm anti-condensation treatment mounted on robust C-Section rafters. Mansard: As Pent but with pantile profile tile effect roof sheets to front elevation, in a choice of 6 colours
Fascias:	Factory preservative treated timber.
Window:	4' timber fixed factory preservative treated (2' on buildings up to 8' wide).
Note:	Pent Mansard sheds are supplied with PVCu fascias, 4' fixed PVCu window, 3' steel personnel door and PVC guttering in a choice of white, black or brown.



Mansard shed in sectional brick finish

	PENT SHED							Building Width		PENT MANSARD SHED						
	4' (1.22m)	6' (1.83m)	8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)	4' (1.22m)	6' (1.83m)	8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)		
Length ▲ ▼	4'	1830	1860	1895	2050	2190	2460	2795	2650	2905	3200	3475	3760	4220	4960	
	6'	1940	1960	1980	2195	2350	2630	2975	2785	3140	3380	3590	3865	4345	5105	
	8'	2015	2030	2055	2320	2495	2805	3140	2960	3260	3500	3740	3980	4480	5260	
	10'	2095	2115	2125	2470	2660	2995	3295	3110	3345	3620	3860	4125	4645	5450	
	12'	2160	2195	2205	2615	2805	3170	3460	3275	3500	3735	4005	4345	4910	5750	
	14'	2250	2260	2270	2750	2965	3345	3615	3565	3805	4060	4350	4725	5350	6255	
	16'	2320	2360	2395	2870	3120	3595	3870	3860	4115	4390	4695	5105	5790	6755	
Guttering	22	34	45	56	67	78	90	Included								

For a building with **extra high 7'6" eaves** please add 25% to the building price. For a **lean-to**, add 10% to the building price

APEX SHEDS

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Main door:	3' (0.91m) horizontal boarded standard timber door.
Roof:	Apex: 12.5° pitch roof with grey fibre cement roof sheets. Apex15: 15° pitch roof with bold roll tile effect roof sheets in terracotta. Apex20: 20° pitch lined roof with attractive galvanised pantile profile steel roof tiles in a choice of 6 colours and eaves filler.
Fascias:	Factory preservative treated timber.
Window:	4' timber fixed factory preservative treated (2' on buildings up to 8' wide).



Apex15 shed with PVCu features & steel door

	APEX SHED							APEX 15 SHED							APEX 20 SHED							Gutters Both Sides	
	4' 1.22m	6' 1.83m	8' 2.44m	10' 3.05m	12' 3.66m	14' 4.26m	16' 4.88m	4' 1.22m	6' 1.83m	8' 2.44m	10' 3.05m	12' 3.66m	14' 4.26m	16' 4.88m	4' 1.22m	6' 1.83m	8' 2.44m	10' 3.05m	12' 3.66m	14' 4.26m	16' 4.88m		
Length ▲ ▼	4'	2005	1950	1980	2200	2405	2695	2950	2110	2105	2190	2460	2715	3060	3365	2155	2180	2285	2580	2860	3225	3560	45
	6'	2015	2075	2095	2355	2600	2900	3195	2170	2310	2405	2745	3070	3445	3820	2245	2415	2550	2925	3285	3700	4105	67
	8'	2110	2165	2195	2525	2780	3095	3445	2320	2475	2610	3045	3405	3825	4275	2415	2620	2805	3285	3690	4160	4660	90
	10'	2210	2250	2295	2680	2990	3290	3690	2470	2640	2815	3330	3770	4200	4730	2590	2820	3055	3630	4130	4620	5210	112
	12'	2315	2345	2395	2845	3190	3475	3940	2625	2815	3020	3625	4125	4565	5190	2770	3030	3305	3985	4560	5070	5765	134
	14'	2405	2450	2490	3000	3385	3655	4190	2770	2995	3220	3910	4475	4930	5645	2935	3250	3555	4330	4980	5515	6320	157
16'	2505	2580	2630	3150	3520	3850	4445	2920	3205	3460	4190	4770	5305	6110	3115	3490	3845	4670	5345	5980	6875	179	

Special Package Offer

At Lidget Compton, we offer a special maintenance free offer package across the whole range. This package adds a host of maintenance free features to the standard building.

Once you've chosen the shape of your building, **find the package price below and simply add it to your building price.**



Maintenance Free Package*

No more sanding or painting, an occasional wipe clean is all you need! This package includes:

- ✓ White vertically ribbed up and over door
- ✓ White PVCu fascias and vergeboards
- ✓ PVCu Gutters (Choose from White, Black or Brown)
- ✓ 4' (1.22m) fixed white PVCu double glazed window
- ✓ 3' (0.91m) White vertically ribbed Personnel door with 4 point locking
- ✓ 4 point locking on up & over doors (up to 9' (2.74m) wide)
- ✓ Timber weather bar
- ✓ Sand and cement fillet

SAVE £££'s



* Actual contents depend on the building chosen. Shed packages do not include up and over door, 4 point locking or timber weather bar.

Pent & Pent Mansard - Package Add on Price

	Building Width							
	8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
PENT	1041	1083	1088	1139	1632	1390	1474	1483
PENT MANSARD	-	-	-	-	-	-	-	-

Apex Range - Package Add on Price

		Building Width										
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)	22'6" (6.86m)	24'6" (7.46m)	26'6" (8.08m)
Building Length	14'3" (4.34m)	1136	1173	1173	1216	1769	1447	1522	1522	1606	1606	2713
	16'3" (4.95m)	1155	1192	1192	1235	1788	1466	1541	1541	1625	1625	2732
	18'3" (5.56m)	1174	1211	1211	1254	1807	1485	1560	1560	1644	1644	2751
	20'3" (6.17m)	1193	1230	1230	1273	1826	1504	1579	1579	1663	1663	2770
	22'3" (6.78m)	1212	1250	1250	1292	1845	1523	1598	1598	1682	1682	2789
	24'3" (7.39m)	1231	1269	1269	1311	1864	1542	1617	1617	1701	1701	2808
▼ Add for each additional 2' (0.61m) increment in building length ▼												
+ 2' (0.61m)		19	19	19	19	19	19	19	19	19	19	19





Sheds & Workshops - Package Add on Price





		Building Width						
		4' (1.22m)	6' (1.83m)	8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)
PENT		770	779	789	798	808	817	974
PENT MANSARD		-	-	-	-	-	-	-
Building Length	APEX	4'	789	789	789	789	789	936
		6'	808	808	808	808	808	955
		8'	827	827	827	827	827	974
	▼ Add for each additional 2' (0.61m) increment ▼							
		19	19	19	19	19	19	19


Package contents as per garage packages (excluding up & over door, 4 point locking and timber weather bar).

Please note due to the high specification supplied as standard on the Pent Mansard and Apex 90 no packages are available

MAIN DOOR OPTIONS

Building width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"	Add'l Sizes			
Door width ▶	7'	8'	9'	10'	2×7'	2×8'	2×9'	2×10'	12'	14'					
Up and Over Doors Horizontal ribbed door included as standard. All doors are steel unless stated otherwise.															
Vertical ribbed (white)	47	91	141	792	94	182	282	1584	1180	1196	Vertically Ribbed	Georgian			
Georgian (white)	143	295	323	1024	286	590	646	2048	1248	1280					
Ilkley (white)	362	395	–	–	723	790	–	–	–	1800			Ilkley	Chevron	
Chevron (white)	159	–	–	–	318	–	–	–	–	–					
Other Main Doors															
Rollershutter (white/coloured)	236	276	352	420	472	552	704	840	556	716					
Sectional (white)	940	1000	1076	1216	1880	2000	2152	2432	–	–					
Sectional w/windows (white)	1164	1224	1300	1440	2328	2448	2600	2880	–	–					
Sidehung	1220	1268	–	–	2440	2536	–	–	–	–					
Sidehung (Timber)	91	103	–	–	182	206	–	–	–	–					
No door (leaving gap)	-78	-90	-103	-151	-155	-179	-206	-302	–	–					
Extras													Notes		
4 point locking (u&o) up to & incl. 9' doors	83		–	166			–	–	–	–	1 Coloured Georgian U&O doors only available in 7'&8' widths				
Electric Remote Control*	767			1534			767	767	2 Decograin sectional doors only available in M-Rib style not Georgian						
– External key override	67											* IMPORTANT: On garages with an electric remote operator and no personnel door or other means of access, an external key override must be added to allow the door to be opened in the event of a power failure.			
– Internal switch	80														
– Additional handset	80														

Personnel Doors		White	Coloured	Golden Oak /Rosewood		
Standard Timber	3'	125	–	–	Standard Timber	
	4'	208	–	–		
Galvanised steel white vertical	3'	356	632	–	Steel	
	4'	568	844	–		
Galvanised steel white Georgian	3'	660	936	–	Georgian	
PVCu Half or Fully Glazed	3'	566	–	759		
	3'6"	607	–	801	Panelled PVC	
PVCu Fully Panelled	3'	525	–	1022		
	3'6"	552	–	1063		

Windows ①		Std Timber/ White Pvcu	Golden Oak /Rosewood	
Timber fixed	2'	54	–	
	4'	70	–	
PVCu fixed	2'	154	207	
	4'	194	250	
PVCu opening	2'	201	262	
	4'	233	303	
				
	4' Timber	2' Timber	4' PVCu	2' PVCu

① Please note that extra high buildings are supplied with a 3' wide window as standard not 4'. This is due to the difference in extra high panel widths. They are also taller than standard windows. The price remains the same.

Door Colour Options (Add to door price)				U&O / Sectional / Personnel Doors				Rollershutter Doors											
	Decograin ²	Coloured ¹		Dark Brown	Light Blue	Steel Blue	Green	Red	Black	Woodgrain: Golden Oak	Rosewood	Vandyke Brown	Honesty Cream	Goosewing Grey	Juniper Green	Black	Woodgrain: Golden Oak	Rosewood	
Up & Over	7' / 8' +£198	7' / 8' / 9' / 10' +£130		12' / 14' +£196															
Rollershutter	+25% of door cost	Included																	
Sectional	+25% of door cost	+£166																	

Doors supplied white as standard

Accessories

Options. Simply add the cost of any options to your basic building price.



APEX ROOF OPTIONS

Two alternative roof styles are available on Apex buildings, the Apex 15 and Apex 20. To price these simply add the upgrade price from the relevant box below to the basic building price on page 3.

Apex 15 Roof 15° pitch roof with bold roll profile fibre cement roof tiles in terracotta.		APEX 15										
		Width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"
Building length	14'3"	785	880	975	1160	1345	1530	1715	1900	2085	2270	2455
	16'3"	900	1005	1110	1320	1530	1745	1955	2165	2375	2590	2800
	18'3"	1010	1130	1245	1485	1720	1955	2195	2430	2670	2905	3145
	20'3"	1120	1250	1380	1645	1910	2170	2435	2700	2960	3225	3490
	22'3"	1230	1375	1520	1810	2095	2385	2675	2965	3255	3545	3835
	24'3"	1340	1500	1655	1970	2285	2600	2915	3230	3550	3860	4175



Apex 20 Roof 20° pitch, felt lined roof with galvanised steel pantile profile roof tiles. Choice of colours; Charcoal, Brindle, Green, Terracotta, Red, Bronze.		APEX 20										
		Width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"
Building length	14'3"	1150	1285	1420	1690	1965	2235	2505	2775	3045	3315	3585
	16'3"	1310	1465	1620	1930	2240	2550	2855	3165	3475	3780	4090
	18'3"	1475	1650	1820	2165	2515	2860	3205	3555	3900	4250	4595
	20'3"	1635	1830	2020	2405	2790	3175	3560	3945	4330	4715	5100
	22'3"	1795	2010	2220	2645	3065	3490	3910	4335	4755	5180	5600
	24'3"	1960	2190	2420	2880	3340	3800	4260	4725	5185	5645	6105



Roofing Upgrades & Options

Pent* or Apex Roof Plastisol: Choice of colours ; Black, Light Grey, Dark Grey, Olive Green, Terracotta, Dark Brown. <small>*Only available up to 20'6" on Pent buildings</small>												
		Width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"
Building length	14'3"	504	563	623	741	860	978	1097	1216	1334	1453	1571
	16'3"	575	642	710	845	981	1116	1251	1386	1522	1657	1792
	18'3"	646	722	797	949	1101	1253	1405	1557	1709	1861	2013
	20'3"	716	801	885	1053	1222	1390	1559	1728	1896	2065	2234
	22'3"	787	880	972	1157	1343	1528	1713	1898	2084	2270	2455
	24'3"	858	959	1060	1261	1463	1665	1867	2069	2270	2472	2674
	26'3"	929	1038	1147	1366	1584	1802	2021	2239	2458	2676	2894
	28'3"	999	1117	1234	1470	1705	1940	2175	2410	2646	2881	3116



Apex Roof Coloured roof sheets: Choice of colours; Blue-Black, Olive Green*, Brown, Terracotta. Includes eaves filler <small>*special order item, please allow 5 weeks</small>												
		Width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"
Building length	14'3"	180	201	222	265	307	349	392	434	477	519	561
	16'3"	205	229	254	302	350	399	447	495	543	592	640
	18'3"	231	258	285	339	393	448	502	556	610	665	719
	20'3"	256	286	316	376	436	497	557	617	677	737	798
	22'3"	281	314	347	413	480	546	612	678	744	810	876
	24'3"	306	342	378	451	523	595	667	739	811	883	955
Add for each additional 2' in length		26	28	31	37	43	49	55	61	67	73	79



PVC Fascias and Vergeboard (supplied with timber as standard)												
		8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
White		374					547					
Anthracite & Decograin (Golden Oak/Rosewood)		511					707					



MISCELLANEOUS OPTIONS

Building width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"					
RealBrick front posts	169	169	248	458	466	253	253	477					
Partition wall	190	213	235	280	325	370	414	459					
Sand & cement fillet	83				107								
Timber weather bar	38				77								
Translucent roof sheet (apex only)					54								
Lining clips (pack of 12)					20								
Shelf Stack (2' 4' or 6')					93 / 108 / 123								

SPECIAL WALL FINISHES

Choose from: Sectional Brick - Sectional Stone - Garaclad PVC Cladding - Textured Render

How To Price

1. Work out linear feet needed by adding length of building sides + front + back. Then minus width of any side & main doors & full length windows

Eg. 16 x 8 with side door =
16 (left side) + 16 (right side)
+ 8 (front) + 8 (back) = 48
Less 3 (side door), less 7 (main door)
= 38

2. Multiply this by the relevant price below (eg. for brick 38 x 50 = £1,900)

3. Add total to the basic building price

Price per linear foot

Sectional Brick / Stone	50
Textured or Garaclad	60



Concrete Base Information

A Lidget Compton Building Is Only As Good On The Base It Sits On

There are some very important factors to take into account when considering a concrete building. We cannot build on tarmac, paving blocks or slabs as they are inherently unstable. Any building is only as good as its foundations, and this holds true for our buildings as well.

Your base will need to be square (meaning all the corners are 90°) flat and level. It should be above surrounding ground level by a minimum of 1". It should be 6" longer and wider than the external dimensions of your building. Please don't build your base with any fall.


If your drive slopes down to the garage, you will need to put in a gully to take away the water, if there is a wall or bank around the building, you need to ensure adequate drainage. Our agents will provide advice, and will often provide a service to replace, refurbish or provide a new base.

You may also need Local Authority approval, either planning or building regulation.


You may obtain advice from your agent, but you will need a letter of confirmation to be absolutely sure.



GOOD BASE POSITIONING



POOR BASE POSITIONING (CORNERS NOT AT RIGHT ANGLES)



IF THE DISTANCE BETWEEN A-B IS EQUAL TO C-D, YOUR BASE IS SQUARE

10 Year Guarantee

Lidget Compton offer a full structural guarantee for 10 years from the date of installation of your building. The guarantee is transferable, and is subject to the proper following of the Care and Maintenance Instructions supplied with your acknowledgement of order. See www.lidget.co.uk/10yearguarantee



Prices in the Lidget Compton price guide all include delivery and installation. Delivery is to mainland England, Scotland and Wales, and includes carrying your building up to 25 yards (23 metres) on a reasonable surface from our parked lorry to your concrete base. We are unable to deliver through your house or outbuildings for safety reasons.

Prices include VAT at the current rate of 20%. Should this rate change, we reserve the right to adjust prices accordingly. Prices include installation of options ordered at the time of ordering the building. Options ordered after delivery and installation will be quoted separately. **Sizes quoted are external measurements.**

Information correct at time of printing. Terms & conditions apply. We reserve the right to change product specification without notice. E&OE.