



Simple easy to understand pricing, the price you see is the price you pay!



GARAGE & SHED PRICES

Why choose Lidget Compton?

- ✓ We are the UK's largest & market leading manufacturer of sectional concrete garages, sheds & garden buildings
- ✓ We have over 35 years experience in the garage market
- ✓ Every building comes with a 10 year structural guarantee
- ✓ We manufacture the UK's strongest garage panels
- ✓ Buildings are installed by our own workforce, usually on the day of delivery
- ✓ We offer the UK's largest & most flexible product range
- ✓ We offer a bespoke building design service
- ✓ We supply market leading Hormann & GDS garage doors for greater choice
- ✓ As a family run business we pride ourselves on offering the best products and service possible
- ✓ Our nationwide network of local garage specialists have all the experience and expertise you need when purchasing a new sectional building



lidget.co.uk

PENT GARAGES

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Front posts:	Spar.
Main door:	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
Roof:	Robust C section galvanised steel rafters supporting galvanised steel full length (up to 20'3) roof sheets, with Grafo therm anti-condensation treatment.
Fascias:	Factory preservative treated timber.
Window:	4' (1.22m) timber fixed factory preservative treated.



		Building Width							
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Door Width ▶		7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2x7' (2.13m)	2x8' (2.44m)	
▲ Length ▼	14'3" (4.34m)	2480	2825	3025	3410	4095	4565	5045	5490
	16'3" (4.95m)	2650	3025	3180	3580	4295	4795	5285	5695
	18'3" (5.56m)	2815	3080	3335	3730	4475	5015	5535	6025
	20'3" (6.17m)	2985	3355	3485	3925	4675	5230	5805	6195
	22'3" (6.78m)	3165	3495	3685	4090	4825	5485	6065	6355
	24'3" (7.39m)	3330	3625	3845	4265	5000	5755	6325	6540
	26'3" (8.08m)	3500	3785	4010	4480	5215	6060	6580	6825
	28'3" (8.61m)	3600	3920	4165	4680	5395	6305	6790	7065
Guttering		48	54	59	70	82	93	104	115

For a building with **extra high 7'6" eaves** please add 25% to the building price. For a **lean-to**, add 10% to the building price

PENT MANSARD GARAGES

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Front posts:	Spar.
Main door:	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
Roof:	As the Pent but with attractive front elevation with granular galvanised steel pantile profile tiles in a choice of 6 colours.
Fascias:	White PVCu fascias and vergeboards.
Window:	4' (1.22m) White PVCu fixed.
Gutters:	Front & rear PVCu. Choice of white, black or brown.



		Building Width							
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Door Width ▶		7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2x7' (2.13m)	2x8' (2.44m)	
▲ Length ▼	14'3" (4.34m)	3470	3810	4045	4565	5890	6000	6595	7115
	16'3" (4.95m)	3590	4030	4205	4730	6065	6250	6780	7220
	18'3" (5.56m)	3800	4175	4360	4910	6230	6455	7045	7540
	20'3" (6.17m)	3975	4395	4480	5100	6450	6685	7350	7765
	22'3" (6.78m)	4175	4535	4770	5280	6615	6945	7605	7975
	24'3" (7.39m)	4350	4670	4930	5490	6780	7265	7845	8205
	26'3" (8.08m)	4515	4795	5090	5690	6980	7575	8085	8440
	28'3" (8.61m)	4680	4925	5250	5900	7180	7895	8380	8670

APEX GARAGES

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Front posts:	Spar.
Main door:	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
Roof:	12.5° pitch roof with fibre cement roof sheets, close fitted ridge and eaves filler.
Fascias:	Factory preservative treated timber.
Window:	4' (1.22m) timber fixed factory preservative treated.



		Building width											Gutters	
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)	22'6" (6.86m)	24'6" (7.46m)	26'6" (8.08m)	1 side	2 sides
Building length	Door width ▶	7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2 × 7' (2.13m)	2 × 8' (2.44m)		2 × 9' (2.74m)		2 × 10' (3.05m)		
	14'3" (4.34m)	3150	3425	3660	4020	4700	5655	6190	6760	7685	8460	10060	80	160
	16'3" (4.95m)	3275	3655	3845	4300	4955	5975	6520	7090	7960	8810	10430	91	182
	18'3" (5.56m)	3520	3900	4015	4580	5170	6305	6855	7455	8405	9335	10885	102	205
	20'3" (6.17m)	3665	4095	4295	4835	5400	6650	7235	7730	8840	9550	11315	114	227
	22'3" (6.78m)	3860	4305	4545	5050	5730	6970	7590	8110	9220	10160	11845	125	250
	24'3" (7.39m)	4055	4505	4815	5260	5970	7315	7935	8435	9455	10425	12265	136	272
	26'3" (8.00m)	4275	4720	5040	5480	6265	7640	8285	8770	9825	10810	12665	147	294
Additional 2'	235				320				410				11	22

Want a different Apex roof style?

Apex garages are also available in two alternative roof styles (see options page for pricing);

Apex 15: A 15° pitch roof with bold roll tile effect roof sheets in attractive terracotta.

Apex 20: 20° pitch lined roof with attractive galvanised pantile profile steel roof tiles in a choice of 6 colours and eaves filler.

Apex 15 Roof



Apex 20 Roof



For a building with **extra high 7'6" eaves** please add 25% to the building price. For a **lean-to**, add 10% to the building price

APEX 90 GARAGES Featuring a transverse roof

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Front posts:	Spar.
Main door:	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
Roof:	Attractive plastisol coated, galvanised steel tileeffect roof sheets in a choice of 4 colours.
Fascias:	White PVCu fascias and vergeboards.
Window:	4' (1.22m) White PVCu fixed
Gutters:	Front & rear PVCu. Choice of white, black or brown.



		Building width					
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Building length	Door width ▶	7' (2.13m)	8' (2.44m)		2 × 7' (2.13m)	2 × 8' (2.44m)	
	14'6" (4.42m)	4770	5160	5505	7970	8810	9590
	16'6" (5.03m)	5050	5435	5865	8520	9385	10180
	18'6" (5.64m)	5430	5920	6235	9005	9975	10815
	20'6" (6.25m)	5745	6285	6660	9655	10590	11360

PENT & PENT MANSARD SHEDS

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Main door:	3' (0.91m) horizontal boarded standard timber door.
Roof:	Pent: Galvanised steel roof sheets with Grafo-Therm anti-condensation treatment mounted on robust C-Section rafters. Mansard: As Pent but with pantile profile tile effect roof sheets to front elevation, in a choice of 6 colours
Fascias:	Factory preservative treated timber.
Window:	4' timber fixed factory preservative treated (2' on buildings up to 8' wide).
Note:	Pent Mansard sheds are supplied with PVCu fascias, 4' fixed PVCu window, 3' steel personnel door and PVC guttering in a choice of white, black or brown.



Mansard shed in sectional brick finish

	PENT SHED							Building Width		PENT MANSARD SHED						
	4' (1.22m)	6' (1.83m)	8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)	4' (1.22m)	6' (1.83m)	8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)		
▲ Length ▼	4'	1970	2035	2100	2170	2330	2565	3025	2890	3170	3535	3785	4095	4610	5375	
	6'	2045	2105	2165	2335	2485	2740	3225	3055	3430	3680	3885	4170	4735	5495	
	8'	2110	2170	2230	2495	2685	3030	3445	3260	3565	3820	4070	4310	4885	5610	
	10'	2175	2235	2290	2605	2890	3180	3660	3440	3660	3955	4215	4490	5125	5940	
	12'	2235	2300	2355	2820	3090	3425	3875	3635	3830	4090	4375	4755	5445	6360	
	14'	2410	2460	2515	2970	3310	3675	4080	3980	4220	4465	4810	5280	6005	7030	
	16'	2630	2675	2730	3145	3505	4010	4395	4375	4590	4820	5255	5775	6550	7560	
Guttering	22	34	45	56	67	78	90	Included								

For a building with **extra high 7'6" eaves** please add 25% to the building price. For a **lean-to**, add 10% to the building price

APEX SHEDS

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Main door:	3' (0.91m) horizontal boarded standard timber door.
Roof:	Apex: 12.5° pitch roof with grey fibre cement roof sheets. Apex15: 15° pitch roof with bold roll tile effect roof sheets in terracotta. Apex20: 20° pitch lined roof with attractive galvanised pantile profile steel roof tiles in a choice of 6 colours and eaves filler.
Fascias:	Factory preservative treated timber.
Window:	4' timber fixed factory preservative treated (2' on buildings up to 8' wide).



Apex15 shed with PVCu features & steel door

	APEX SHED							APEX 15 SHED							APEX 20 SHED							Gutters Both Sides	
	4' 1.22m	6' 1.83m	8' 2.44m	10' 3.05m	12' 3.66m	14' 4.26m	16' 4.88m	4' 1.22m	6' 1.83m	8' 2.44m	10' 3.05m	12' 3.66m	14' 4.26m	16' 4.88m	4' 1.22m	6' 1.83m	8' 2.44m	10' 3.05m	12' 3.66m	14' 4.26m	16' 4.88m		
▲ Length ▼	4'	2145	2165	2235	2525	2745	2985	3295	2250	2320	2445	2785	3055	3350	3710	2295	2395	2540	2905	3200	3515	3905	45
	6'	2230	2305	2365	2650	2940	3225	3495	2385	2540	2675	3040	3410	3770	4120	2460	2645	2820	3220	3625	4025	4405	67
	8'	2355	2430	2500	2880	3130	3470	3720	2565	2740	2915	3400	3755	4200	4550	2660	2885	3110	3640	4040	4535	4935	90
	10'	2485	2550	2625	3055	3330	3705	4015	2745	2940	3145	3705	4110	4615	5055	2865	3120	3385	4005	4470	5035	5535	112
	12'	2620	2685	2760	3235	3530	3945	4365	2930	3155	3385	4015	4465	5035	5615	3075	3370	3670	4375	4900	5540	6190	134
	14'	2780	2865	2970	3410	3745	4295	4945	3145	3410	3700	4320	4835	5570	6400	3310	3665	4035	4740	5340	6155	7075	157
16'	3055	3160	3260	3705	4120	4720	5400	3470	3785	4090	4745	5370	6175	7065	3665	4070	4475	5225	5945	6850	7830	179	

Special Package Offer

At Lidget Compton, we offer a special maintenance free offer package across the whole range. This package adds a host of maintenance free features to the standard building.

Once you've chosen the shape of your building, **find the package price below and simply add it to your building price.**



Maintenance Free Package*

No more sanding or painting, an occasional wipe clean is all you need! This package includes:

- ✓ White vertically ribbed up and over door
- ✓ White PVCu fascias and vergeboards
- ✓ PVCu Gutters (Choose from White, Black or Brown)
- ✓ 4' (1.22m) fixed white PVCu double glazed window
- ✓ 3' (0.91m) White vertically ribbed Personnel door with 4 point locking
- ✓ 4 point locking on up & over doors (up to 9' (2.74m) wide)
- ✓ Timber weather bar
- ✓ Sand and cement fillet

SAVE £££'s



* Actual contents depend on the building chosen. Shed packages do not include up and over door, 4 point locking or timber weather bar.

Pent & Pent Mansard - Package Add on Price

	Building Width							
	8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
PENT	1041	1083	1088	1139	1632	1390	1474	1483
PENT MANSARD	-	-	-	-	-	-	-	-

Apex Range - Package Add on Price

		Building Width										
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)	22'6" (6.86m)	24'6" (7.46m)	26'6" (8.08m)
Building Length	14'3" (4.34m)	1136	1173	1173	1216	1769	1447	1522	1522	1606	1606	2713
	16'3" (4.95m)	1155	1192	1192	1235	1788	1466	1541	1541	1625	1625	2732
	18'3" (5.56m)	1174	1211	1211	1254	1807	1485	1560	1560	1644	1644	2751
	20'3" (6.17m)	1193	1230	1230	1273	1826	1504	1579	1579	1663	1663	2770
	22'3" (6.78m)	1212	1250	1250	1292	1845	1523	1598	1598	1682	1682	2789
	24'3" (7.39m)	1231	1269	1269	1311	1864	1542	1617	1617	1701	1701	2808
▼ Add for each additional 2' (0.61m) increment in building length ▼												
+ 2' (0.61m)		19	19	19	19	19	19	19	19	19	19	19

Sheds & Workshops - Package Add on Price


		Building Width						
		4' (1.22m)	6' (1.83m)	8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)
PENT		770	779	789	798	808	817	974
PENT MANSARD		-	-	-	-	-	-	-
Building Length	APEX	4'	789	789	789	789	789	936
	6'	808	808	808	808	808	808	955
	8'	827	827	827	827	827	827	974
	▼ Add for each additional 2' (0.61m) increment ▼							
		19	19	19	19	19	19	19


Package contents as per garage packages (excluding up & over door, 4 point locking and timber weather bar).

Please note due to the high specification supplied as standard on the Pent Mansard and Apex 90 no packages are available

MAIN DOOR OPTIONS

Building width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"	Add'l Sizes			
Door width ▶	7'	8'	9'	10'	2 × 7'	2 × 8'	2 × 9'	2 × 10'	12'	14'					
Up and Over Doors Horizontal ribbed door included as standard. All doors are steel unless stated otherwise.															
Vertical ribbed (white)	47	91	141	792	94	182	282	1584	1180	1196	Vertically Ribbed	Georgian			
Georgian (white)	143	295	323	1024	286	590	646	2048	1248	1280					
Ilkley (white)	362	395	–	–	723	790	–	–	–	1800			Ilkley	Chevron	
Chevron (white)	159	–	–	–	318	–	–	–	–	–					
Other Main Doors															
Rollershutter (white/coloured)	236	276	352	420	472	552	704	840	556	716					
Sectional (white)	940	1000	1076	1216	1880	2000	2152	2432	–	–					
Sectional w/windows (white)	1164	1224	1300	1440	2328	2448	2600	2880	–	–					
Sidehung	1220	1268	–	–	2440	2536	–	–	–	–					
Sidehung (Timber)	91	103	–	–	182	206	–	–	–	–					
No door (leaving gap)	-78	-90	-103	-151	-155	-179	-206	-302	–	–					
Extras													Notes		
4 point locking (u&o) up to & incl. 9' doors	83		–	166			–	–	–	–	1 Coloured Georgian U&O doors only available in 7' & 8' widths				
Electric Remote Control*	767			1534			767	767	2 Decograin sectional doors only available in M-Rib style not Georgian						
– External key override	67											* IMPORTANT: On garages with an electric remote operator and no personnel door or other means of access, an external key override must be added to allow the door to be opened in the event of a power failure.			
– Internal switch	80														
– Additional handset	80														

Personnel Doors		White	Coloured	Golden Oak / Rosewood		
Standard Timber	3'	125	–	–	Standard Timber	
	4'	208	–	–		
Galvanised steel white vertical	3'	356	632	–	Steel	
	4'	568	844	–		
Galvanised steel white Georgian	3'	660	936	–	Georgian	
PVCu Half or Fully Glazed	3'	566	–	759		
	3'6"	607	–	801	Panelled PVC	
PVCu Fully Panelled	3'	525	–	1022		
	3'6"	552	–	1063		

Windows ^①		Std Timber / White Pvcu	Golden Oak / Rosewood	
Timber fixed	2'	54	–	
	4'	70	–	
PVCu fixed	2'	154	207	
	4'	194	250	
PVCu opening	2'	201	262	
	4'	233	303	
				
	4' Timber	2' Timber	4' PVCu	2' PVCu

① Please note that extra high buildings are supplied with a 3' wide window as standard not 4'. This is due to the difference in extra high panel widths. They are also taller than standard windows. The price remains the same.

Door Colour Options (Add to door price)			U&O / Sectional / Personnel Doors		Rollershutter Doors	
	Decograin ²	Coloured ¹	Dark Brown	Red	Vandyke Brown	Black
Up & Over	7' / 8' +£198	7' / 8' / 9' / 10' +£130	12' / 14' +£196	Light Blue	Black	Woodgrain: Golden Oak
Rollershutter	+25% of door cost	Included	Steel Blue	Woodgrain: Golden Oak	Goosewing Grey	Rosewood
Sectional	+25% of door cost	+£166	Green	Rosewood	Juniper Green	Doors supplied white as standard

Accessories

Options. Simply add the cost of any options to your basic building price.



APEX ROOF OPTIONS

Two alternative roof styles are available on Apex buildings, the Apex 15 and Apex 20. To price these simply add the upgrade price from the relevant box below to the basic building price on page 3.

Apex 15 Roof 15° pitch roof with bold roll profile fibre cement roof tiles in terracotta.	APEX 15											
	Width ►	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Building length	14'3"	785	880	975	1160	1345	1530	1715	1900	2085	2270	2455
	16'3"	900	1005	1110	1320	1530	1745	1955	2165	2375	2590	2800
	18'3"	1010	1130	1245	1485	1720	1955	2195	2430	2670	2905	3145
	20'3"	1120	1250	1380	1645	1910	2170	2435	2700	2960	3225	3490
	22'3"	1230	1375	1520	1810	2095	2385	2675	2965	3255	3545	3835
	24'3"	1340	1500	1655	1970	2285	2600	2915	3230	3550	3860	4175



Apex 20 Roof 20° pitch, felt lined roof with galvanised steel pantile profile roof tiles. Choice of colours; Charcoal, Brindle, Green, Terracotta, Red, Bronze.	APEX 20											
	Width ►	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Building length	14'3"	1150	1285	1420	1690	1965	2235	2505	2775	3045	3315	3585
	16'3"	1310	1465	1620	1930	2240	2550	2855	3165	3475	3780	4090
	18'3"	1475	1650	1820	2165	2515	2860	3205	3555	3900	4250	4595
	20'3"	1635	1830	2020	2405	2790	3175	3560	3945	4330	4715	5100
	22'3"	1795	2010	2220	2645	3065	3490	3910	4335	4755	5180	5600
	24'3"	1960	2190	2420	2880	3340	3800	4260	4725	5185	5645	6105



Roofing Upgrades & Options

Pent* or Apex Roof Plastisol: Choice of colours ; Black, Light Grey, Dark Grey, Olive Green, Terracotta, Dark Brown. <small>*Only available up to 20'6" on Pent buildings</small>	Roofing Upgrades & Options											
	Width ►	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Building length	14'3"	504	563	623	741	860	978	1097	1216	1334	1453	1571
	16'3"	575	642	710	845	981	1116	1251	1386	1522	1657	1792
	18'3"	646	722	797	949	1101	1253	1405	1557	1709	1861	2013
	20'3"	716	801	885	1053	1222	1390	1559	1728	1896	2065	2234
	22'3"	787	880	972	1157	1343	1528	1713	1898	2084	2270	2455
	24'3"	858	959	1060	1261	1463	1665	1867	2069	2270	2472	2674
	26'3"	929	1038	1147	1366	1584	1802	2021	2239	2458	2676	2894
	28'3"	999	1117	1234	1470	1705	1940	2175	2410	2646	2881	3116



Apex Roof Coloured roof sheets: Choice of colours; Blue-Black, Olive Green*, Brown, Terracotta. Includes eaves filler <small>*special order item, please allow 5 weeks</small>	Apex Roof Options											
	Width ►	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Building length	14'3"	180	201	222	265	307	349	392	434	477	519	561
	16'3"	205	229	254	302	350	399	447	495	543	592	640
	18'3"	231	258	285	339	393	448	502	556	610	665	719
	20'3"	256	286	316	376	436	497	557	617	677	737	798
	22'3"	281	314	347	413	480	546	612	678	744	810	876
	24'3"	306	342	378	451	523	595	667	739	811	883	955
Add for each additional 2' in length		26	28	31	37	43	49	55	61	67	73	79



PVC Fascias and Vergeboard (supplied with timber as standard)													
	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"		
White	374				547								Image of PVC fascia and vergeboard
Anthracite & Decograin (Golden Oak/Rosewood)	511				707								

MISCELLANEOUS OPTIONS

Building width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"					
RealBrick front posts	169	169	248	458	466	253	253	477					
Partition wall	190	213	235	280	325	370	414	459					
Sand & cement fillet	83				107								
Timber weather bar	38				77								
Translucent roof sheet (apex only)					54								
Lining clips (pack of 12)					20								
Shelf Stack (2' 4' or 6')					93 / 108 / 123								

SPECIAL WALL FINISHES

Choose from: Sectional Brick - Sectional Stone - Garaclad PVC Cladding - Textured Render

How To Price

1. Work out linear feet needed by adding length of building sides + front + back. Then minus width of any side & main doors & full length windows

Eg. 16 x 8 with side door =
16 (left side) + 16 (right side)
+ 8 (front) + 8 (back) = 48
Less 3 (side door), less 7 (main door)
= 38

2. Multiply this by the relevant price below (eg. for brick 38 x 50 = £1,900)

3. Add total to the basic building price

Price per linear foot

Sectional Brick / Stone	50
Textured or Garaclad	60



Concrete Base Information

A Lidget Compton Building Is Only As Good On The Base It Sits On

There are some very important factors to take into account when considering a concrete building. We cannot build on tarmac, paving blocks or slabs as they are inherently unstable. Any building is only as good as its foundations, and this holds true for our buildings as well.

Your base will need to be square (meaning all the corners are 90°) flat and level. It should be above surrounding ground level by a minimum of 1". It should be 6" longer and wider than the external dimensions of your building. Please don't build your base with any fall.


If your drive slopes down to the garage, you will need to put in a gully to take away the water, if there is a wall or bank around the building, you need to ensure adequate drainage. Our agents will provide advice, and will often provide a service to replace, refurbish or provide a new base.

You may also need Local Authority approval, either planning or building regulation.


You may obtain advice from your agent, but you will need a letter of confirmation to be absolutely sure.



GOOD BASE POSITIONING



POOR BASE POSITIONING (CORNERS NOT AT RIGHT ANGLES)



IF THE DISTANCE BETWEEN A-B IS EQUAL TO C-D, YOUR BASE IS SQUARE

10 Year Guarantee

Lidget Compton offer a full structural guarantee for 10 years from the date of installation of

your building. The guarantee is transferable, and is subject to the proper following of the Care and Maintenance Instructions supplied with your acknowledgement of order.

See www.lidget.co.uk/10yearguarantee



Prices in the Lidget Compton price guide all include delivery and installation. Delivery is to mainland England, Scotland and Wales, and includes carrying your building up to 25 yards (23 metres) on a reasonable surface from our parked lorry to your concrete base. We are unable to deliver through your house or outbuildings for safety reasons.

Prices include VAT at the current rate of 20%. Should this rate change, we reserve the right to adjust prices accordingly. Prices include installation of options ordered at the time of ordering the building. Options ordered after delivery and installation will be quoted separately. **Sizes quoted are external measurements.**

Information correct at time of printing. Terms & conditions apply. We reserve the right to change product specification without notice. E&OE.

Lidget Compton Albion Drive Lidget Lane Thurnscoe Rotherham S63 0BA

Tel. 01709 881844 Fax. 01709 881015 Email. sales@lidget.co.uk