



Simple easy to understand pricing, the price you see is the price you pay!



GARAGE & SHED PRICES

Why choose Lidget Compton?

- ✓ We are the UK's largest & market leading manufacturer of sectional concrete garages, sheds & garden buildings
- ✓ We have over 35 years experience in the garage market
- ✓ Every building comes with a 10 year structural guarantee
- ✓ We manufacture the UK's strongest garage panels
- ✓ Buildings are installed by our own workforce, usually on the day of delivery
- ✓ We offer the UK's largest & most flexible product range
- ✓ We offer a bespoke building design service
- ✓ We supply market leading Hormann & GDS garage doors for greater choice
- ✓ As a family run business we pride ourselves on offering the best products and service possible
- ✓ Our nationwide network of local garage specialists have all the experience and expertise you need when purchasing a new sectional building



PENT GARAGES

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Front posts:	Spar.
Main door:	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
Roof:	Robust C section galvanised steel rafters supporting galvanised steel full length (up to 20'3) roof sheets, with Grafo therm anti-condensation treatment.
Fascias:	Factory preservative treated timber.
Window:	4' (1.22m) timber fixed factory preservative treated.



		Building Width							
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Door Width ▶		7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2x7' (2.13m)	2x8' (2.44m)	
▲ Length ▼	14'3" (4.34m)	2675	3035	3295	3760	4580	4995	5590	6140
	16'3" (4.95m)	2900	3295	3485	3980	4825	5285	5850	6340
	18'3" (5.56m)	3105	3400	3670	4160	5020	5535	6120	6800
	20'3" (6.17m)	3320	3715	3855	4405	5255	5785	6460	6955
	22'3" (6.78m)	3560	3880	4120	4615	5400	6100	6755	7085
	24'3" (7.39m)	3765	4020	4300	4855	5600	6465	7055	7250
	26'3" (8.08m)	3965	4170	4475	5100	5800	6820	7310	7535
	28'3" (8.61m)	4035	4315	4650	5345	6000	7150	7565	7850
Guttering		48	54	59	70	82	93	104	115

For a building with **extra high 7'6" eaves** please add 25% to the building price. For a **lean-to**, add 10% to the building price

PENT MANSARD GARAGES

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Front posts:	Spar.
Main door:	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
Roof:	As the Pent but with attractive front elevation with granular galvanised steel pantile profile tiles in a choice of 6 colours.
Fascias:	White PVCu fascias and vergeboards.
Window:	4' (1.22m) White PVCu fixed.
Gutters:	Front & rear PVCu. Choice of white, black or brown.



		Building Width							
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Door Width ▶		7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2x7' (2.13m)	2x8' (2.44m)	
▲ Length ▼	14'3" (4.34m)	3850	4215	4535	5150	6530	6705	7395	8030
	16'3" (4.95m)	4045	4525	4735	5215	6720	7005	7630	8235
	18'3" (5.56m)	4310	4685	4925	5415	6905	7260	7930	8455
	20'3" (6.17m)	4485	4935	5015	5750	7140	7520	8275	8720
	22'3" (6.78m)	4740	5100	5390	5960	7330	7820	8570	8960
	24'3" (7.39m)	4940	5260	5575	6210	7510	8180	8840	9220
	26'3" (8.08m)	5155	5370	5750	6450	7710	8535	9105	9485
	28'3" (8.61m)	5355	5505	5930	6695	7905	8895	9490	9745

APEX GARAGES

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Front posts:	Spar.
Main door:	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
Roof:	12.5° pitch roof with fibre cement roof sheets, close fitted ridge and eaves filler.
Fascias:	Factory preservative treated timber.
Window:	4' (1.22m) timber fixed factory preservative treated.



		Building width										Gutters		
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)	22'6" (6.86m)	24'6" (7.46m)	26'6" (8.08m)	1 side	2 sides
Building length	Door width ▶	7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2 × 7' (2.13m)	2 × 8' (2.44m)		2 × 9' (2.74m)		2 × 10' (3.05m)		
	14'3" (4.34m)	3810	3950	4315	4585	5635	6665	7350	8115	9310	10655	12320	80	160
	16'3" (4.95m)	3910	4285	4525	5005	5955	7055	7735	8510	9620	11065	12775	91	182
	18'3" (5.56m)	4250	4645	4725	5415	6185	7460	8135	8950	10225	11820	13385	102	205
	20'3" (6.17m)	4420	4890	5120	5775	6460	7905	8600	9235	10845	12300	13945	114	227
	22'3" (6.78m)	4660	5180	5475	6060	6915	8285	9030	9735	11335	12800	14690	125	250
	24'3" (7.39m)	4900	5450	5870	6345	7190	8735	9445	10105	11545	13130	15210	136	272
	26'3" (8.00m)	5195	5745	6165	6645	7605	9150	9865	10520	12020	13620	15695	147	294
Additional 2'	300				375				500				11	22

Want a different Apex roof style?

Apex garages are also available in two alternative roof styles (see options page for pricing);

Apex 15: A 15° pitch roof with bold roll tile effect roof sheets in attractive terracotta.

Apex 20: 20° pitch lined roof with attractive galvanised pantile profile steel roof tiles in a choice of 6 colours and eaves filler.

Apex 15 Roof



Apex 20 Roof



For a building with **extra high 7'6" eaves** please add 25% to the building price. For a **lean-to**, add 10% to the building price

APEX 90 GARAGES Featuring a transverse roof

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Front posts:	Spar.
Main door:	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
Roof:	Attractive plastisol coated, galvanised steel tileeffect roof sheets in a choice of 4 colours.
Fascias:	White PVCu fascias and vergeboards.
Window:	4' (1.22m) White PVCu fixed
Gutters:	Front & rear PVCu. Choice of white, black or brown.



		Building width					
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Building length	Door width ▶	7' (2.13m)	8' (2.44m)		2 × 7' (2.13m)	2 × 8' (2.44m)	
	14'6" (4.42m)	5325	5690	6125	8875	9750	10680
	16'6" (5.03m)	5685	6165	6530	9430	10380	11320
	18'6" (5.64m)	6140	6645	6970	10045	10995	12005
	20'6" (6.25m)	6505	7095	7475	10685	11645	12555

PENT & PENT MANSARD SHEDS

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Main door:	3' (0.91m) horizontal boarded standard timber door.
Roof:	Pent: Galvanised steel roof sheets with Grafo-Therm anti-condensation treatment mounted on robust C-Section rafters. Mansard: As Pent but with pantile profile tile effect roof sheets to front elevation, in a choice of 6 colours
Fascias:	Factory preservative treated timber.
Window:	4' timber fixed factory preservative treated (2' on buildings up to 8' wide).
Note:	Pent Mansard sheds are supplied with PVCu fascias, 4' fixed PVCu window, 3' steel personnel door and PVC guttering in a choice of white, black or brown.



Mansard shed in sectional brick finish

	PENT SHED							Building Width		PENT MANSARD SHED						
	4' (1.22m)	6' (1.83m)	8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)	4' (1.22m)	6' (1.83m)	8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)		
Length ▲ ▼	4'	2105	2205	2305	2285	2465	2665	3250	3095	3395	3840	4060	4395	4965	5750	
	6'	2150	2250	2350	2470	2620	2850	3475	3290	3685	3940	4150	4445	5095	5855	
	8'	2205	2305	2405	2665	2875	3050	3745	3525	3830	4110	4365	4625	5250	5940	
	10'	2250	2350	2450	2740	3120	3365	4020	3735	3935	4260	4540	4825	5570	6390	
	12'	2305	2405	2505	3020	3375	3680	4285	3960	4125	4405	4715	5125	5945	6940	
	14'	2565	2660	2760	3190	3650	4005	4545	4360	4595	4835	5235	5800	6625	7770	
	16'	2940	2990	3060	3415	3890	4420	4920	4850	5025	5225	5780	6415	7275	8325	
Guttering	22	34	45	56	67	78	90	Included								

For a building with **extra high 7'6" eaves** please add 25% to the building price. For a **lean-to**, add 10% to the building price

APEX SHEDS

Wall finish:	Industry leading concrete steel reinforced panels with spar finish.
Main door:	3' (0.91m) horizontal boarded standard timber door.
Roof:	Apex: 12.5° pitch roof with grey fibre cement roof sheets. Apex15: 15° pitch roof with bold roll tile effect roof sheets in terracotta. Apex20: 20° pitch lined roof with attractive galvanised pantile profile steel roof tiles in a choice of 6 colours and eaves filler.
Fascias:	Factory preservative treated timber.
Window:	4' timber fixed factory preservative treated (2' on buildings up to 8' wide).



Apex15 shed with PVCu features & steel door

	APEX SHED							APEX 15 SHED							APEX 20 SHED							Gutters Both Sides	
	4' 1.22m	6' 1.83m	8' 2.44m	10' 3.05m	12' 3.66m	14' 4.26m	16' 4.88m	4' 1.22m	6' 1.83m	8' 2.44m	10' 3.05m	12' 3.66m	14' 4.26m	16' 4.88m	4' 1.22m	6' 1.83m	8' 2.44m	10' 3.05m	12' 3.66m	14' 4.26m	16' 4.88m		
Length ▲ ▼	4'	2280	2380	2490	2850	3085	3275	3645	2385	2535	2700	3110	3395	3640	4060	2430	2610	2795	3230	3540	3805	4255	45
	6'	2440	2535	2635	2940	3280	3550	3790	2595	2770	2945	3330	3750	4095	4415	2670	2875	3090	3510	3965	4350	4700	67
	8'	2595	2695	2805	3235	3475	3845	3995	2805	3005	3220	3755	4100	4575	4825	2900	3150	3415	3995	4385	4910	5210	90
	10'	2755	2845	2950	3430	3670	4120	4335	3015	3235	3470	4080	4450	5030	5375	3135	3415	3710	4380	4810	5450	5855	112
	12'	2920	3020	3120	3620	3865	4410	4790	3230	3490	3745	4400	4800	5500	6040	3375	3705	4030	4760	5235	6005	6615	134
	14'	3155	3280	3450	3820	4105	4935	5700	3520	3825	4180	4730	5195	6210	7155	3685	4080	4515	5150	5700	6795	7830	157
16'	3605	3735	3885	4260	4715	5585	6355	4020	4360	4715	5300	5965	7040	8020	4215	4645	5100	5780	6540	7715	8785	179	

Special Package Offer

At Lidget Compton, we offer a special maintenance free offer package across the whole range. This package adds a host of maintenance free features to the standard building.

Once you've chosen the shape of your building, **find the package price below and simply add it to your building price.**



Maintenance Free Package*

No more sanding or painting, an occasional wipe clean is all you need! This package includes:

- ✓ White vertically ribbed up and over door
- ✓ White PVCu fascias and vergeboards
- ✓ PVCu Gutters (Choose from White, Black or Brown)
- ✓ 4' (1.22m) fixed white PVCu double glazed window
- ✓ 3' (0.91m) White vertically ribbed Personnel door with 4 point locking
- ✓ 4 point locking on up & over doors (up to 9' (2.74m) wide)
- ✓ Timber weather bar
- ✓ Sand and cement fillet

SAVE £££'s



* Actual contents depend on the building chosen. Shed packages do not include up and over door, 4 point locking or timber weather bar.

Pent & Pent Mansard - Package Add on Price

	Building Width							
	8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
PENT	1041	1083	1088	1139	1632	1390	1474	1483
PENT MANSARD	-	-	-	-	-	-	-	-

Apex Range - Package Add on Price

		Building Width										
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)	22'6" (6.86m)	24'6" (7.46m)	26'6" (8.08m)
Building Length	14'3" (4.34m)	1136	1173	1173	1216	1769	1447	1522	1522	1606	1606	2713
	16'3" (4.95m)	1155	1192	1192	1235	1788	1466	1541	1541	1625	1625	2732
	18'3" (5.56m)	1174	1211	1211	1254	1807	1485	1560	1560	1644	1644	2751
	20'3" (6.17m)	1193	1230	1230	1273	1826	1504	1579	1579	1663	1663	2770
	22'3" (6.78m)	1212	1250	1250	1292	1845	1523	1598	1598	1682	1682	2789
	24'3" (7.39m)	1231	1269	1269	1311	1864	1542	1617	1617	1701	1701	2808
▼ Add for each additional 2' (0.61m) increment in building length ▼												
+ 2' (0.61m)		19	19	19	19	19	19	19	19	19	19	19

Sheds & Workshops - Package Add on Price

		Building Width								
		4' (1.22m)	6' (1.83m)	8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)		
PENT		770	779	789	798	808	817	974		
PENT MANSARD		-	-	-	-	-	-	-		
Building Length	APEX	4'	789	789	789	789	789	789	936	
		6'	808	808	808	808	808	808	808	955
		8'	827	827	827	827	827	827	827	974
	▼ Add for each additional 2' (0.61m) increment ▼									
		19	19	19	19	19	19	19		

Package contents as per garage packages (excluding up & over door, 4 point locking and timber weather bar).

Please note due to the high specification supplied as standard on the Pent Mansard and Apex 90 no packages are available

MAIN DOOR OPTIONS

Building width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"	Add'l Sizes		
Door width ▶	7'	8'	9'	10'	2×7'	2×8'	2×9'	2×10'	12'	14'				
Up and Over Doors Horizontal ribbed door included as standard. All doors are steel unless stated otherwise.														
Vertical ribbed (white)	47	91	141	792	94	182	282	1584	1180	1196	Vertically Ribbed	Georgian	 	
Georgian (white)	143	295	323	1024	286	590	646	2048	1248	1280	 			
Ilkley (white)	362	395	–	–	723	790	–	–	–	1800				
Chevron (white)	159	–	–	–	318	–	–	–	–	–				
Other Main Doors														
Rollershutter (white/coloured)	236	276	352	420	472	552	704	840	556	716	 			
Sectional (white)	940	1000	1076	1216	1880	2000	2152	2432	–	–				
Sectional w/windows (white)	1164	1224	1300	1440	2328	2448	2600	2880	–	–	 			
Sidehung	1220	1268	–	–	2440	2536	–	–	–	–				
Sidehung (Timber)	91	103	–	–	182	206	–	–	–	–				
No door (leaving gap)	-78	-90	-103	-151	-155	-179	-206	-302	–	–				
Extras													Notes	
4 point locking (u&o) up to & incl. 9' doors	83		–		166		–		–		–		1 Coloured Georgian U&O doors only available in 7'&8' widths 2 Decograin sectional doors only available in M-Rib style not Georgian * IMPORTANT: On garages with an electric remote operator and no personnel door or other means of access, an external key override must be added to allow the door to be opened in the event of a power failure.	
Electric Remote Control*	767			1534			767		767					
– External key override	67													
– Internal switch	80													
– Additional handset	80													

Personnel Doors		White	Coloured	Golden Oak / Rosewood		
Standard Timber	3'	125	–	–	Standard Timber 	Half Glazed PVC
	4'	208	–	–		
Galvanised steel white vertical	3'	356	632	–	Steel 	Glazed PVC
	4'	568	844	–		
Galvanised steel white Georgian	3'	660	936	–	Georgian 	Panelled PVC
PVCu Half or Fully Glazed	3'	566	–	759		
	3'6"	607	–	801		
PVCu Fully Panelled	3'	525	–	1022		
	3'6"	552	–	1063		

Windows ^①		Std Timber / White Pvcu	Golden Oak / Rosewood		
Timber fixed	2'	54	–		
	4'	70	–		
PVCu fixed	2'	154	207		
	4'	194	250		
PVCu opening	2'	201	262		
	4'	233	303		
		4' Timber	2' Timber	4' PVCu	2' PVCu

① Please note that extra high buildings are supplied with a 3' wide window as standard not 4'. This is due to the difference in extra high panel widths. They are also taller than standard windows. The price remains the same.

Door Colour Options (Add to door price)				U&O / Sectional / Personnel Doors				Rollershutter Doors										
		Decograin ²	Coloured ¹	Dark Brown	Light Blue	Steel Blue	Green	Red	Black	Woodgrain: Golden Oak	Rosewood	Vandyke Brown	Honesty Cream	Goosewing Grey	Juniper Green	Black	Woodgrain: Golden Oak	Rosewood
Up & Over	7' / 8' +£198	7' / 8' / 9' / 10' +£130	12' / 14' +£196															
Rollershutter	+25% of door cost		Included															
Sectional	+25% of door cost		+£166															

Doors supplied white as standard

Accessories

Options. Simply add the cost of any options to your basic building price.



APEX ROOF OPTIONS

Two alternative roof styles are available on Apex buildings, the Apex 15 and Apex 20. To price these simply add the upgrade price from the relevant box below to the basic building price on page 3.

Apex 15 Roof 15° pitch roof with bold roll profile fibre cement roof tiles in terracotta.	APEX 15											
	Width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Building length	14'3"	785	880	975	1160	1345	1530	1715	1900	2085	2270	2455
	16'3"	900	1005	1110	1320	1530	1745	1955	2165	2375	2590	2800
	18'3"	1010	1130	1245	1485	1720	1955	2195	2430	2670	2905	3145
	20'3"	1120	1250	1380	1645	1910	2170	2435	2700	2960	3225	3490
	22'3"	1230	1375	1520	1810	2095	2385	2675	2965	3255	3545	3835
	24'3"	1340	1500	1655	1970	2285	2600	2915	3230	3550	3860	4175



Apex 20 Roof 20° pitch, felt lined roof with galvanised steel pantile profile roof tiles. Choice of colours; Charcoal, Brindle, Green, Terracotta, Red, Bronze.	APEX 20											
	Width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Building length	14'3"	1150	1285	1420	1690	1965	2235	2505	2775	3045	3315	3585
	16'3"	1310	1465	1620	1930	2240	2550	2855	3165	3475	3780	4090
	18'3"	1475	1650	1820	2165	2515	2860	3205	3555	3900	4250	4595
	20'3"	1635	1830	2020	2405	2790	3175	3560	3945	4330	4715	5100
	22'3"	1795	2010	2220	2645	3065	3490	3910	4335	4755	5180	5600
	24'3"	1960	2190	2420	2880	3340	3800	4260	4725	5185	5645	6105




Roofing Upgrades & Options

Pent* or Apex Roof Plastisol: Choice of colours ; Black, Light Grey, Dark Grey, Olive Green, Terracotta, Dark Brown. <small>*Only available up to 20'6" on Pent buildings</small>	Roofing Upgrades & Options											
	Width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Building length	14'3"	504	563	623	741	860	978	1097	1216	1334	1453	1571
	16'3"	575	642	710	845	981	1116	1251	1386	1522	1657	1792
	18'3"	646	722	797	949	1101	1253	1405	1557	1709	1861	2013
	20'3"	716	801	885	1053	1222	1390	1559	1728	1896	2065	2234
	22'3"	787	880	972	1157	1343	1528	1713	1898	2084	2270	2455
	24'3"	858	959	1060	1261	1463	1665	1867	2069	2270	2472	2674
	26'3"	929	1038	1147	1366	1584	1802	2021	2239	2458	2676	2894
	28'3"	999	1117	1234	1470	1705	1940	2175	2410	2646	2881	3116



Apex Roof Coloured roof sheets: Choice of colours; Blue-Black, Olive Green*, Brown, Terracotta. Includes eaves filler <small>*special order item, please allow 5 weeks</small>	Roofing Upgrades & Options											
	Width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Building length	14'3"	180	201	222	265	307	349	392	434	477	519	561
	16'3"	205	229	254	302	350	399	447	495	543	592	640
	18'3"	231	258	285	339	393	448	502	556	610	665	719
	20'3"	256	286	316	376	436	497	557	617	677	737	798
	22'3"	281	314	347	413	480	546	612	678	744	810	876
	24'3"	306	342	378	451	523	595	667	739	811	883	955
Add for each additional 2' in length		26	28	31	37	43	49	55	61	67	73	79



PVC Fascias and Vergeboard (supplied with timber as standard)													
	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"		
White	374				547								
Anthracite & Decograin (Golden Oak/Rosewood)	511				707								

MISCELLANEOUS OPTIONS

Building width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"					
RealBrick front posts	169	169	248	458	466	253	253	477					
Partition wall	190	213	235	280	325	370	414	459					
Sand & cement fillet	83				107								
Timber weather bar	38				77								
Translucent roof sheet (apex only)	54												
Lining clips (pack of 12)	20												
Shelf Stack (2' 4' or 6')	93 / 108 / 123												

SPECIAL WALL FINISHES

Choose from: Sectional Brick - Sectional Stone - Garaclad PVC Cladding - Textured Render

How To Price

1. Work out linear feet needed by adding length of building sides + front + back. Then minus width of any side & main doors & full length windows

Eg. 16 x 8 with side door =
16 (left side) + 16 (right side)
+ 8 (front) + 8 (back) = 48
Less 3 (side door), less 7 (main door)
= 38

2. Multiply this by the relevant price below (eg. for brick 38 x 50 = £1,900)

3. Add total to the basic building price

Price per linear foot

Sectional Brick / Stone	50
Textured or Garaclad	60



Concrete Base Information

A Lidget Compton Building Is Only As Good On The Base It Sits On

There are some very important factors to take into account when considering a concrete building. We cannot build on tarmac, paving blocks or slabs as they are inherently unstable. Any building is only as good as its foundations, and this holds true for our buildings as well.

Your base will need to be square (meaning all the corners are 90°) flat and level. It should be above surrounding ground level by a minimum of 1". It should be 6" longer and wider than the external dimensions of your building. Please don't build your base with any fall.


If your drive slopes down to the garage, you will need to put in a gully to take away the water, if there is a wall or bank around the building, you need to ensure adequate drainage. Our agents will provide advice, and will often provide a service to replace, refurbish or provide a new base.

You may also need Local Authority approval, either planning or building regulation.


You may obtain advice from your agent, but you will need a letter of confirmation to be absolutely sure.



GOOD BASE POSITIONING



POOR BASE POSITIONING (CORNERS NOT AT RIGHT ANGLES)



IF THE DISTANCE BETWEEN A-B IS EQUAL TO C-D, YOUR BASE IS SQUARE

10 Year Guarantee

Lidget Compton offer a full structural guarantee for 10 years from the date of installation of

your building. The guarantee is transferable, and is subject to the proper following of the Care and Maintenance Instructions supplied with your acknowledgement of order.

See www.lidget.co.uk/10yearguarantee



Prices in the Lidget Compton price guide all include delivery and installation. Delivery is to mainland England, Scotland and Wales, and includes carrying your building up to 25 yards (23 metres) on a reasonable surface from our parked lorry to your concrete base. We are unable to deliver through your house or outbuildings for safety reasons.

Prices include VAT at the current rate of 20%. Should this rate change, we reserve the right to adjust prices accordingly. Prices include installation of options ordered at the time of ordering the building. Options ordered after delivery and installation will be quoted separately. **Sizes quoted are external measurements.**

Information correct at time of printing. Terms & conditions apply. We reserve the right to change product specification without notice. E&OE.

Lidget Compton Albion Drive Lidget Lane Thurnscoe Rotherham S63 OBA

Tel. 01709 881844 Fax. 01709 881015 Email. sales@lidget.co.uk