



Simple easy to understand pricing, the price you see is the price you pay!



# GARAGE & SHED PRICES

## Why choose Lidget Compton?

- ✓ We are the UK's largest & market leading manufacturer of sectional concrete garages, sheds & garden buildings
- ✓ We have over 35 years experience in the garage market
- ✓ Every building comes with a 10 year structural guarantee
- ✓ We manufacture the UK's strongest garage panels
- ✓ Buildings are installed by our own workforce, usually on the day of delivery
- ✓ We offer the UK's largest & most flexible product range
- ✓ We offer a bespoke building design service
- ✓ We supply market leading Hormann & GDS garage doors for greater choice
- ✓ As a family run business we pride ourselves on offering the best products and service possible
- ✓ Our nationwide network of local garage specialists have all the experience and expertise you need when purchasing a new sectional building



**[lidget.co.uk](http://lidget.co.uk)**

## PENT GARAGES

<b>Wall finish:</b>	Industry leading concrete steel reinforced panels with spar finish.
<b>Front posts:</b>	Spar.
<b>Main door:</b>	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
<b>Roof:</b>	Robust C section galvanised steel rafters supporting galvanised steel full length (up to 20'3) roof sheets, with Grafo therm anti-condensation treatment.
<b>Fascias:</b>	Factory preservative treated timber.
<b>Window:</b>	4' (1.22m) timber fixed factory preservative treated.



		Building Width							
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Door Width ▶		7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2x7' (2.13m)	2x8' (2.44m)	
▲ Length ▼	14'3" (4.34m)	3640	4000	4315	4866	6370	6260	6945	7560
	16'3" (4.95m)	3860	4350	4545	5100	6585	6595	7205	7795
	18'3" (5.56m)	4095	4530	4755	5325	6795	6885	7545	8315
	20'3" (6.17m)	4350	4815	4965	5590	7055	7175	7930	8340
	22'3" (6.78m)	4640	4995	5285	5834	7270	7515	8260	8605
	24'3" (7.39m)	4870	5180	5485	6105	7485	7920	8570	8900
	26'3" (8.08m)	5105	5300	5685	6380	7700	8320	8875	9196
	28'3" (8.61m)	5340	5455	5880	6650	7920	8720	9185	9490
Guttering		48	54	59	70	82	93	104	115

For a building with **extra high 7'6" eaves** please add 25% to the building price. For a **lean-to**, add 10% to the building price

## PENT MANSARD GARAGES

<b>Wall finish:</b>	Industry leading concrete steel reinforced panels with spar finish.
<b>Front posts:</b>	Spar.
<b>Main door:</b>	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
<b>Roof:</b>	As the Pent but with attractive front elevation with granular galvanised steel pantile profile tiles in a choice of 6 colours.
<b>Fascias:</b>	White PVCu fascias and vergeboards.
<b>Window:</b>	4' (1.22m) White PVCu fixed.
<b>Gutters:</b>	Front & rear PVCu. Choice of white, black or brown.



		Building Width							
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Door Width ▶		7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2x7' (2.13m)	2x8' (2.44m)	
▲ Length ▼	14'3" (4.34m)	4745	5155	5515	6160	7755	7956	8730	9445
	16'3" (4.95m)	4965	5500	5745	6395	7975	8295	8995	9680
	18'3" (5.56m)	5200	5685	5955	6620	8185	8580	9335	10200
	20'3" (6.17m)	5460	5965	6165	6885	8440	8870	9720	10225
	22'3" (6.78m)	5750	6150	6485	7130	8655	9210	10050	10490
	24'3" (7.39m)	5980	6330	6680	7400	8875	9615	10360	10785
	26'3" (8.08m)	6215	6455	6880	7670	9090	10015	10665	11080
	28'3" (8.61m)	6445	6610	7080	7945	9305	10420	10975	11375



## APEX GARAGES

<b>Wall finish:</b>	Industry leading concrete steel reinforced panels with spar finish.
<b>Front posts:</b>	Spar.
<b>Main door:</b>	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
<b>Roof:</b>	12.5° pitch roof with fibre cement roof sheets, close fitted ridge and eaves filler.
<b>Fascias:</b>	Factory preservative treated timber.
<b>Window:</b>	4' (1.22m) timber fixed factory preservative treated.



		Building width											Gutters	
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)	22'6" (6.86m)	24'6" (7.46m)	26'6" (8.08m)	1 side	2 sides
Building length	Door width ▶	7' (2.13m)	8' (2.44m)		9' (2.74m)	10' (3.05m)	2 × 7' (2.13m)	2 × 8' (2.44m)		2 × 9' (2.74m)		2 × 10' (3.05m)		
	14'3" (4.34m)	4535	4825	5200	5770	7085	7575	8315	9125	10350	11685	13560	80	160
	16'3" (4.95m)	4820	5220	5500	6145	7425	7955	8755	9544	10830	12225	14095	91	182
	18'3" (5.56m)	5200	5620	5840	6570	7825	8400	9170	10005	11350	12820	14815	102	205
	20'3" (6.17m)	5490	5985	6250	6925	8390	8880	9630	10325	12025	13230	15290	114	227
	22'3" (6.78m)	5915	6285	6640	7250	8585	9285	10090	10870	12555	14180	16310	125	250
	24'3" (7.39m)	6320	6585	7085	7585	8915	9770	10525	11245	12770	14425	16610	136	272
	26'3" (8.00m)	6645	6915	7410	7910	9370	10225	10980	11700	13310	14960	17150	147	294
	Additional 2'	350				460				640				11

### Want a different Apex roof style?

Apex garages are also available in two alternative roof styles (see options page for pricing);

**Apex 15:** A 15° pitch roof with bold roll tile effect roof sheets in attractive terracotta.

**Apex 20:** 20° pitch lined roof with attractive galvanised pantile profile steel roof tiles in a choice of 6 colours and eaves filler.

#### Apex 15 Roof



#### Apex 20 Roof



For a building with **extra high 7'6" eaves** please add 25% to the building price. For a **lean-to**, add 10% to the building price

## APEX 90 GARAGES Featuring a transverse roof

<b>Wall finish:</b>	Industry leading concrete steel reinforced panels with spar finish.
<b>Front posts:</b>	Spar.
<b>Main door:</b>	Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over.
<b>Roof:</b>	Attractive plastisol coated, galvanised steel tileeffect roof sheets in a choice of 4 colours.
<b>Fascias:</b>	White PVCu fascias and vergeboards.
<b>Window:</b>	4' (1.22m) White PVCu fixed
<b>Gutters:</b>	Front & rear PVCu. Choice of white, black or brown.



		Building width					
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
Building length	Door width ▶	7' (2.13m)	8' (2.44m)		2 × 7' (2.13m)	2 × 8' (2.44m)	
	14'6" (4.42m)	6085	6470	6940	9875	10805	11800
	16'6" (5.03m)	6470	6980	7370	10470	11485	12490
	18'6" (5.64m)	6955	7495	7845	11125	12140	13210
	20'6" (6.25m)	7350	7975	8385	11815	12840	13805

# PENT & PENT MANSARD SHEDS

<b>Wall finish:</b>	Industry leading concrete steel reinforced panels with spar finish.
<b>Main door:</b>	3' (0.91m) horizontal boarded standard timber door.
<b>Roof:</b>	Pent: Galvanised steel roof sheets with Grafo-Therm anti-condensation treatment mounted on robust C-Section rafters. Mansard: As Pent but with pantile profile tile effect roof sheets to front elevation, in a choice of 6 colours
<b>Fascias:</b>	Factory preservative treated timber.
<b>Window:</b>	4' timber fixed factory preservative treated (2' on buildings up to 8' wide).
<b>Note:</b>	Pent Mansard sheds are supplied with PVCu fascias, 4' fixed PVCu window, 3' steel personnel door and PVC guttering in a choice of white, black or brown.



Mansard shed in sectional brick finish

	PENT SHED							Building Width		PENT MANSARD SHED						
	4' (1.22m)	6' (1.83m)	8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)	4' (1.22m)	6' (1.83m)	8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)		
▲ Length ▼	4'	2405	2575	2780	2960	3160	3560	3930	3305	3565	3865	4140	4430	4925	5605	
	6'	2575	2825	2950	3045	3205	3675	4020	3475	3815	4035	4220	4475	5040	5695	
	8'	2780	2950	3100	3230	3355	3810	4095	3680	3945	4185	4410	4625	5170	5770	
	10'	2960	3045	3230	3380	3530	4085	4485	3860	4030	4315	4560	4800	5445	6160	
	12'	3160	3205	3355	3530	3790	4405	4960	4055	4195	4440	4710	5062	5770	6635	
	14'	3505	3615	3725	3980	4375	4995	5680	4400	4605	4810	5155	5646	6360	7350	
	16'	3930	3985	4065	4455	4910	5560	6155	4825	4975	5150	5630	6179	6925	7830	
Guttering	22	34	45	56	67	78	90	Included								

For a building with **extra high 7'6" eaves** please add 25% to the building price. For a **lean-to**, add 10% to the building price

# APEX SHEDS

<b>Wall finish:</b>	Industry leading concrete steel reinforced panels with spar finish.
<b>Main door:</b>	3' (0.91m) horizontal boarded standard timber door.
<b>Roof:</b>	Apex: 12.5° pitch roof with grey fibre cement roof sheets. Apex15: 15° pitch roof with bold roll tile effect roof sheets in terracotta. Apex20: 20° pitch lined roof with attractive galvanised pantile profile steel roof tiles in a choice of 6 colours and eaves filler.
<b>Fascias:</b>	Factory preservative treated timber.
<b>Window:</b>	4' timber fixed factory preservative treated (2' on buildings up to 8' wide).



Apex15 shed with PVCu features & steel door

	APEX SHED							APEX 15 SHED							APEX 20 SHED							Gutters Both Sides	
	4' 1.22m	6' 1.83m	8' 2.44m	10' 3.05m	12' 3.66m	14' 4.26m	16' 4.88m	4' 1.22m	6' 1.83m	8' 2.44m	10' 3.05m	12' 3.66m	14' 4.26m	16' 4.88m	4' 1.22m	6' 1.83m	8' 2.44m	10' 3.05m	12' 3.66m	14' 4.26m	16' 4.88m		
▲ Length ▼	4'	2755	2855	3240	3480	3730	4225	4720	2860	3010	3450	3740	4040	4590	5135	2905	3085	3545	3860	4185	4755	5330	45
	6'	2850	3275	3470	3630	3865	4365	4885	3005	3510	3780	4020	4335	4910	5510	3080	3615	3925	4200	4550	5165	5795	67
	8'	3240	3470	3620	3820	4015	4530	5050	3450	3780	4035	4340	4640	5260	5880	3545	3925	4230	4580	4925	5595	6265	90
	10'	3480	3630	3825	3970	4200	4895	5495	3740	4020	4345	4620	4980	5805	6535	3860	4200	4585	4920	5340	6225	7015	112
	12'	3730	3865	4020	4200	4485	5265	6010	4040	4335	4645	4980	5420	6355	7260	4185	4550	4930	5340	5855	6860	7835	134
	14'	4170	4310	4500	4820	5235	6170	7035	4535	4855	5230	5730	6325	7445	8490	4700	5110	5565	6150	6830	8030	9165	157
16'	4675	4825	4990	5415	5925	6905	7765	5090	5450	5820	6455	7175	8360	9430	5285	5735	6205	6935	7750	9035	10195	179	

## Special Package Offer

At Lidget Compton, we offer a special maintenance free offer package across the whole range. This package adds a host of maintenance free features to the standard building.

Once you've chosen the shape of your building, **find the package price below and simply add it to your building price.**



### Maintenance Free Package\*

No more sanding or painting, an occasional wipe clean is all you need! This package includes:

- ✓ White vertically ribbed up and over door
- ✓ White PVCu fascias and vergeboards
- ✓ PVCu Gutters (Choose from White, Black or Brown)
- ✓ 4' (1.22m) fixed white PVCu double glazed window
- ✓ 3' (0.91m) White vertically ribbed Personnel door with 4 point locking
- ✓ 4 point locking on up & over doors (up to 9' (2.74m) wide)
- ✓ Timber weather bar
- ✓ Sand and cement fillet

SAVE £££'s



\* Actual contents depend on the building chosen. Shed packages do not include up and over door, 4 point locking or timber weather bar.

### Pent & Pent Mansard - Package Add on Price

	Building Width							
	8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)
PENT	1041	1083	1088	1139	1632	1390	1474	1483
PENT MANSARD	-	-	-	-	-	-	-	-

### Apex Range - Package Add on Price

		Building Width										
		8'6" (2.59m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.42m)	16'6" (5.03m)	18'6" (5.64m)	20'6" (6.24m)	22'6" (6.86m)	24'6" (7.46m)	26'6" (8.08m)
Building Length	14'3" (4.34m)	1136	1173	1173	1216	1769	1447	1522	1522	1606	1606	2713
	16'3" (4.95m)	1155	1192	1192	1235	1788	1466	1541	1541	1625	1625	2732
	18'3" (5.56m)	1174	1211	1211	1254	1807	1485	1560	1560	1644	1644	2751
	20'3" (6.17m)	1193	1230	1230	1273	1826	1504	1579	1579	1663	1663	2770
	22'3" (6.78m)	1212	1250	1250	1292	1845	1523	1598	1598	1682	1682	2789
	24'3" (7.39m)	1231	1269	1269	1311	1864	1542	1617	1617	1701	1701	2808
▼ Add for each additional 2' (0.61m) increment in building length ▼												
+ 2' (0.61m)		19	19	19	19	19	19	19	19	19	19	19

### Sheds & Workshops - Package Add on Price


		Building Width						
		4' (1.22m)	6' (1.83m)	8' (2.44m)	10' (3.05m)	12' (3.66m)	14' (4.26m)	16' (4.88m)
PENT		770	779	789	798	808	817	974
PENT MANSARD		-	-	-	-	-	-	-
Building Length	APEX	4'	789	789	789	789	789	936
	6'	808	808	808	808	808	808	955
	8'	827	827	827	827	827	827	974
	▼ Add for each additional 2' (0.61m) increment ▼							
		19	19	19	19	19	19	19





Package contents as per garage packages (excluding up & over door, 4 point locking and timber weather bar).


Please note due to the high specification supplied as standard on the Pent Mansard and Apex 90 no packages are available













## MAIN DOOR OPTIONS

Building width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"	Add'l Sizes				
Door width ▶	7'	8'	9'	10'	2 × 7'	2 × 8'	2 × 9'	2 × 10'	12'	14'						
<b>Up and Over Doors</b> Horizontal ribbed door included as standard. All doors are steel unless stated otherwise.																
Vertical ribbed (white)	47	91	141	792	94	182	282	1584	1180	1196	Vertically Ribbed	Georgian				
Georgian (white)	143	295	323	1024	286	590	646	2048	1248	1280						
Ilkley (white)	362	395	–	–	723	790	–	–	–	1800						
Chevron (white)	159	–	–	–	318	–	–	–	–	–					Ilkley	Chevron
<b>Other Main Doors</b>																
Rollershutter (white/coloured)	236	276	352	420	472	552	704	840	556	716						
Sectional (white)	940	1000	1076	1216	1880	2000	2152	2432	–	–			Rollershutter	Sectional		
Sectional w/windows (white)	1164	1224	1300	1440	2328	2448	2600	2880	–	–						
Sidehung	1220	1268	–	–	2440	2536	–	–	–	–						
Sidehung (Timber)	91	103	–	–	182	206	–	–	–	–			Side Hung	No door		
No door (leaving gap)	-78	-90	-103	-151	-155	-179	-206	-302	–	–						
<b>Extras</b>																
4 point locking (u&o) up to & incl. 9' doors	83		–		166		–		–		–					
Electric Remote Control*	767			1534			767		767							
– External key override	67															
– Internal switch	80															
– Additional handset	80															
												<b>Notes</b>				
												1 Coloured Georgian U&O doors only available in 7' & 8' widths				
												2 Decograin sectional doors only available in M-Rib style <b>not</b> Georgian				
												* <b>IMPORTANT:</b> On garages with an electric remote operator and no personnel door or other means of access, an external key override must be added to allow the door to be opened in the event of a power failure.				

Personnel Doors		White	Coloured	Golden Oak / Rosewood		
Standard Timber	3'	125	–	–		Standard Timber
	4'	208	–	–		
Galvanised steel white vertical	3'	356	632	–		Steel
	4'	568	844	–		
Galvanised steel white Georgian	3'	660	936	–		Georgian
PVCu Half or Fully Glazed	3'	566	–	759		
	3'6"	607	–	801		Panelled PVC
PVCu Fully Panelled	3'	525	–	1022		
	3'6"	552	–	1063		

Windows ⓘ		Std Timber/ White Pvcu	Golden Oak / Rosewood	
Timber fixed	2'	54	–	
	4'	70	–	
PVCu fixed	2'	154	207	
	4'	194	250	
PVCu opening	2'	201	262	
	4'	233	303	
				
	4' Timber	2' Timber	4' PVCu	2' PVCu

ⓘ Please note that extra high buildings are supplied with a 3' wide window as standard not 4'. This is due to the difference in extra high panel widths. They are also taller than standard windows. The price remains the same.

Door Colour Options (Add to door price)				U&O / Sectional / Personnel Doors				Rollershutter Doors				
	Decograin <sup>2</sup>		Coloured <sup>1</sup>		Dark Brown		Red		Vandyke Brown		Black	
Up & Over	7' / 8' +£198		7' / 8' / 9' / 10' +£130		12' / 14' +£196							
Rollershutter	+25% of door cost		Included									
Sectional	+25% of door cost		+£166								Doors supplied white as standard	

# Accessories

Options. Simply add the cost of any options to your basic building price.



## APEX ROOF OPTIONS

Two alternative roof styles are available on Apex buildings, the Apex 15 and Apex 20. To price these simply add the upgrade price from the relevant box below to the basic building price on page 3.

Apex 15 Roof 15° pitch roof with bold roll profile fibre cement roof tiles in terracotta.	APEX 15											
	Width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Building length	14'3"	785	880	975	1160	1345	1530	1715	1900	2085	2270	2455
	16'3"	900	1005	1110	1320	1530	1745	1955	2165	2375	2590	2800
	18'3"	1010	1130	1245	1485	1720	1955	2195	2430	2670	2905	3145
	20'3"	1120	1250	1380	1645	1910	2170	2435	2700	2960	3225	3490
	22'3"	1230	1375	1520	1810	2095	2385	2675	2965	3255	3545	3835
	24'3"	1340	1500	1655	1970	2285	2600	2915	3230	3550	3860	4175



Apex 20 Roof 20° pitch, felt lined roof with galvanised steel pantile profile roof tiles. Choice of colours; Charcoal, Brindle, Green, Terracotta, Red, Bronze.	APEX 20											
	Width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Building length	14'3"	1150	1285	1420	1690	1965	2235	2505	2775	3045	3315	3585
	16'3"	1310	1465	1620	1930	2240	2550	2855	3165	3475	3780	4090
	18'3"	1475	1650	1820	2165	2515	2860	3205	3555	3900	4250	4595
	20'3"	1635	1830	2020	2405	2790	3175	3560	3945	4330	4715	5100
	22'3"	1795	2010	2220	2645	3065	3490	3910	4335	4755	5180	5600
	24'3"	1960	2190	2420	2880	3340	3800	4260	4725	5185	5645	6105



## Roofing Upgrades & Options

Pent* or Apex Roof Plastisol: Choice of colours; Black, Light Grey, Dark Grey, Olive Green, Terracotta, Dark Brown. <small>*Only available up to 20'6" on Pent buildings</small>	Roofing Upgrades & Options											
	Width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Building length	14'3"	504	563	623	741	860	978	1097	1216	1334	1453	1571
	16'3"	575	642	710	845	981	1116	1251	1386	1522	1657	1792
	18'3"	646	722	797	949	1101	1253	1405	1557	1709	1861	2013
	20'3"	716	801	885	1053	1222	1390	1559	1728	1896	2065	2234
	22'3"	787	880	972	1157	1343	1528	1713	1898	2084	2270	2455
	24'3"	858	959	1060	1261	1463	1665	1867	2069	2270	2472	2674
	26'3"	929	1038	1147	1366	1584	1802	2021	2239	2458	2676	2894
	28'3"	999	1117	1234	1470	1705	1940	2175	2410	2646	2881	3116



Apex Roof Coloured roof sheets: Choice of colours; Blue-Black, Olive Green*, Brown, Terracotta. Includes eaves filler. <small>*special order item, please allow 5 weeks</small>	Apex Roof Options											
	Width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Building length	14'3"	180	201	222	265	307	349	392	434	477	519	561
	16'3"	205	229	254	302	350	399	447	495	543	592	640
	18'3"	231	258	285	339	393	448	502	556	610	665	719
	20'3"	256	286	316	376	436	497	557	617	677	737	798
	22'3"	281	314	347	413	480	546	612	678	744	810	876
	24'3"	306	342	378	451	523	595	667	739	811	883	955
Add for each additional 2' in length		26	28	31	37	43	49	55	61	67	73	79



PVC Fascias and Vergeboard (supplied with timber as standard)													
	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"		
White	374			547									
Anthracite & Decograin (Golden Oak/Rosewood)	511			707									

## MISCELLANEOUS OPTIONS

Building width ▶	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"					
RealBrick front posts	169	169	248	458	466	253	253	477					
Partition wall	190	213	235	280	325	370	414	459					
Sand & cement fillet	83				107								
Timber weather bar	38				77								
Translucent roof sheet (apex only)					54								
Lining clips (pack of 12)					20								
Shelf Stack (2' 4' or 6')					93 / 108 / 123								

## SPECIAL WALL FINISHES

Choose from: Sectional Brick - Sectional Stone - Garaclad PVC Cladding - Textured Render

### How To Price

1. Work out linear feet needed by adding length of building sides + front + back. Then minus width of any side & main doors & full length windows

Eg. 16 x 8 with side door =  
16 (left side) + 16 (right side)  
+ 8 (front) + 8 (back) = 48  
Less 3 (side door), less 7 (main door)  
= 38

2. Multiply this by the relevant price below (eg. for brick 38 x 50 = £1,900)

3. Add total to the basic building price

### Price per linear foot

Sectional Brick / Stone	50
Textured or Garaclad	60



## Concrete Base Information

### A Lidget Compton Building Is Only As Good On The Base It Sits On

There are some very important factors to take into account when considering a concrete building. We cannot build on tarmac, paving blocks or slabs as they are inherently unstable. Any building is only as good as its foundations, and this holds true for our buildings as well.

Your base will need to be square (meaning all the corners are 90°) flat and level. It should be above surrounding ground level by a minimum of 1". It should be 6" longer and wider than the external dimensions of your building. Please don't build your base with any fall.


If your drive slopes down to the garage, you will need to put in a gully to take away the water, if there is a wall or bank around the building, you need to ensure adequate drainage. Our agents will provide advice, and will often provide a service to replace, refurbish or provide a new base.

You may also need Local Authority approval, either planning or building regulation.


You may obtain advice from your agent, but you will need a letter of confirmation to be absolutely sure.



GOOD BASE POSITIONING



POOR BASE POSITIONING (CORNERS NOT AT RIGHT ANGLES)



IF THE DISTANCE BETWEEN A-B IS EQUAL TO C-D, YOUR BASE IS SQUARE

### 10 Year Guarantee

Lidget Compton offer a full structural guarantee for 10 years from the date of installation of your building. The guarantee is transferable, and is subject to the proper following of the Care and Maintenance Instructions supplied with your acknowledgement of order. See [www.lidget.co.uk/10yearguarantee](http://www.lidget.co.uk/10yearguarantee)



Prices in the Lidget Compton price guide all include delivery and installation. Delivery is to mainland England, Scotland and Wales, and includes carrying your building up to 25 yards (23 metres) on a reasonable surface from our parked lorry to your concrete base. We are unable to deliver through your house or outbuildings for safety reasons.

Prices include VAT at the current rate of 20%. Should this rate change, we reserve the right to adjust prices accordingly. Prices include installation of options ordered at the time of ordering the building. Options ordered after delivery and installation will be quoted separately. **Sizes quoted are external measurements.**

Information correct at time of printing. Terms & conditions apply. We reserve the right to change product specification without notice. E&OE.